



75 Spring Street 6th Flr
New York, NY 10002
212.334.7402
Fax 212.334.6112

LEGEND

-  OUTLET W/ DEDICATED CIRCUIT @ 12' A.F.F.
 SINGLE OUTLET @ 12' A.F.F., U.O.N.
 DUPLEX OUTLET @ 12' A.F.F., U.O.N.
 GROUND FAULT INTERRUPTER OUTLET @ 42' A.F.F., U.O.N.
 DUPLEX OUTLET HALF HOT @ 12' A.F.F., U.O.N.
 220 VOLT OUTLET @ 12' A.F.F., U.O.N.
 QUAD OUTLET @ 12' A.F.F., U.O.N.
 FLOOR DUPLEX OUTLET
 FLOOR TELEPHONE JACK
 WALL SWITCH @ 36' A.F.F.
 THREE WAY WALL SWITCH @ 36' A.F.F.
 FOUR WAY WALL SWITCH @ 36' A.F.F.
 JAMB SWITCH @ 6' 0" A.F.F.
 KEYED SWITCH
 SECURITY CARD READER
 THERMOSTAT @ 6' 0" A.F.F.
 TELEPHONE / DATA JACK @ 12' A.F.F.
 HOUSE PHONE INTERCOM @ 5' 0" A.F.F.
 SECURITY CAMERA
 HANDICAP DOOR ACTUATOR
 CABLE JACK @ 12' A.F.F.
 STRIP LIGHT
 WALL SCONCE @ 5' 0" A.F.F.
 JUNCTION BOX
 SPRINKLER
 18" DIA. SURFACE MOUNTED FLUORESCENT LIGHT FIXTURE
 18" DIA. SURFACE MOUNTED FLUORESCENT W/ EMERGENCY BATTERY PACK
 RECESSED LIGHT FIXTURE
 DIRECTIONAL LIGHT FIXTURE
 SMOKE DETECTOR
 CARBON MONOXIDE DETECTOR
 EXIT LIGHT
 EMERGENCY BATTERY POWERED LIGHT
 RETURN AIR GRILLE OR EXHAUST
 AIR DIFFUSER
 22" DIA. SURFACE MOUNTED FLUORESCENT LIGHT FIXTURE
 SURFACE MOUNTED FLUORESCENT LIGHT FIXTURE @ 6' 0" A.F.F.
 ACCESS DOOR
 RETURN AIR GRILLE

- | | | |
|---|----------------------------------|----------|
| 5 | REVISION ISSUED FOR CONSTRUCTION | 10/31/08 |
| | ISSUED FOR CONSTRUCTION | 02.01.07 |
| | ISSUED FOR CONSTRUCTION | 12.01.06 |
| 2 | ISSUED FOR CONSTRUCTION | 11.17.06 |
| | ISSUED FOR PRICING | 07.26.06 |

No.	Revision/Issue	Date
-----	----------------	------

The Deuce
534 W.42nd Street
New York NY 10036

ELECTRICAL &
LIGHTING PLAN
ROOF

Scale	1/4" = 1'-0"	Sheet No. E-208
Date	07.26.05	
Drawn By	CCC	