

Insured's Name: \_\_\_\_\_ Policy Number: \_\_\_\_\_

Manufacturer of Stove: \_\_\_\_\_

Was the stove professionally installed? ☐ YES ☐ NO

If "Yes", who installed it? \_\_\_\_\_

When was it installed? Month: \_\_\_\_\_ Year: \_\_\_\_\_

Type of stove pipe used (Triple wall, etc.) \_\_\_\_\_

Is stove pipe approved for wood stove use? ☐ YES ☐ NO

**Please answer the following questions regarding the installation of the stove:**

1. Is the stove at least 18" above the floor, or if less than 18", is it at least 4" above a noncombustible slab? ☐ YES ☐ NO
2. If a noncombustible slab is present, does it extend at least 6" from sides and back of stove and 18" from front of stove? ☐ YES ☐ NO
3. Is the stove at least 36" from all walls, furniture, curtains, wood fuel, and all other combustible materials? ☐ YES ☐ NO
4. Where is the stove vented? \_\_\_\_\_
5. If vented through a chimney, does it have a flue? ☐ YES ☐ NO
6. Has the chimney been inspected? ☐ YES ☐ NO
7. When was the chimney last cleaned? \_\_\_\_\_
8. If vented through a stovepipe, does it pass through a concealed space, floor, or attic? ☐ YES ☐ NO
9. What type of insulation is there between the pipe and any wall it passes through? \_\_\_\_\_
10. Is there at least 18" between the top of the pipe and the ceiling? ☐ YES ☐ NO
11. Is there a damper on the stove or stovepipe? ☐ YES ☐ NO
12. Is the woodstove the primary source of heat? ☐ YES ☐ NO

**Please comment on all "No" answers and add any additional comments below:**

---

---

---


---

**IMPORTANT:** Only dry, well-seasoned hard wood should be burned in your wood stove. Dispose of ashes in a closed metal container outside the house and have your chimney cleaned professionally at regular intervals. See reverse side for proper stove clearances.


**I certify the above answers are correct to the best of my knowledge.**

DATE	SIGNATURE OF APPLICANT	DATE	SIGNATURE OF AGENT


## Stove Clearances




To prevent downdrafts and fire from sparks, chimney height must be at least 2 feet above any roof surface within 10 feet horizontally.




## Prefabricated Chimney Interior (Preferred) Installation



## Prefabricated Chimney Outside Installation




## Chimney Connection



## Floor Protection

Unless stove is on a concrete floor, this floor protection is required.



Note: These are minimum clearance guidelines and do not necessarily cover all hazards that exist.