

JOHN DEERE 440 I INDUSTRIAL WHEEL-TYPE TRACTOR



JOHN DEERE


PARTS CATALOG JOHN DEERE 440 I INDUSTRIAL WHEEL-TYPE TRACTOR

PC574 (01NOV63) English

**JOHN DEERE DUBUQUE WORKS
PC574 (01NOV63)**


LITHO IN THE U.S.A.
ENGLISH





66255

Right-hand view of John Deere 440 Industrial Wheel-Type Tractor
Designation-I



66191

Left-hand view of John Deere 440 Industrial Wheel-Type Tractor
Designation-I

EXPLANATION OF SUBSTITUTION INFORMATION

Part substitution information given on any page is applicable only to parts listed and illustrated on that page.

AN EXPLANATION OF SERIAL NUMBER LISTING

One serial number range is used for all Series "440" Tractors. An individual serial number is assigned to each tractor.

Serial number information given on any page is applicable only to parts listed and illustrated on that page.

When the parentheses include only the dash (-)
the part is used on all machines except as noted in the
description column.

When a serial number appears before the dash (000000-)
the part was introduced beginning with that serial number
and is still being used.

When a serial number appears after the dash (-000000)
the part was used up to and including that serial number
but was not used after that serial number.

When serial numbers appear both before and after the dash (000000-000000)
the part was used beginning with the first serial number,
but was not used after the second serial number.

SECTIONAL INDEX

Section 5-General Information
Section 10-Engine
Section 15-Engine Accessories
Section 20-Cooling System
Section 25-Clutch, Flywheel, Center Case,
and Direction Reverser
Section 30-Transmission, Differential, Power-
shaft, and Belt Pulley
Section 31-Transmission, Auburn Trencher
Section 35-Final Drive
Section 40-Manual Steering Gear and Front
End Support
Section 45-Power Steering

Section 50-Instrument Panel and Steering
Wheel
Section 55-Hydraulic System
Section 60-Front Axle and Wheels
Section 65-Brakes
Section 70-3-Point Hitch and Drawbar
Section 75-Hood, Grille, Battery Box, Fend-
ers, and Footrests
Section 80-Seat
Section 85-Electrical Equipment
Section 90-Gasket Sets
Section 95-Numerical Index

PACKAGED PARTS

For added protection and ease of handling between the factory, branch houses, parts depots, and most dealers, some parts which appear in this catalog, such as gaskets, are packed in packages which contain more than one of the part. Dealers may order either the packages or the individual parts from the branch houses. However, when possible the package or multiples of the package should be specified.

These parts should not be confused with the other packaged items which are packaged in certain quantities but cannot be ordered individually.

Both types of packaged parts are identified by a statement which appears in the Description Column.

When the statement reads:

"Packed 5 in a pkg." or "Packed 10 in a pkg.", etc., dealers may order either the packages or the individual parts from the branch houses. The packages bear the same part number as the individual parts.

When the statement reads:

"Pkg. of 2" or "Pkg. of 4", etc., the parts cannot be ordered individually. The number which appears in the Parts Number Column is a "package" number and not the part number of the individual part.

ALPHABETICAL INDEX

A		Page			Page
Air cleaner		15-4	Control valve, power steering		45-3
All-fuel attachment		15-8	Controls and linkage for control valve		55-5
Ammeter gauge		85-7	Coupling, breakaway		55-15
Anchor yoke assembly		30-3	Coupling, hydraulic pump		55-14
Arm, steering, center		40-2	Coupling, propeller shaft		25-6
Arm, steering		60-2	Cover, battery		75-1
Auburn trencher transmission		31-2	Cover, center case		25-1
Auburn trencher transmission rear cover		31-1	Cover, clutch bearing		25-1
Auxiliary light socket		80-6	Cover, direction reverser		25-3
Axle, front		60-2	Cover, flywheel dust		25-1
B			Cover, front gear		10-2
Backrest, seat		80-2	Cover, fuel cap		75-4
Baffle, radiator		20-3	Cover, high speed drive		30-2
Battery cable		75-1	Cover, pump opening		10-2
Battery mounting		75-1	Cover, radiator cap		75-4
Bayonet gauge, engine oil		10-2	Cover, rear, auburn trencher transmission		31-1
Bearing, camshaft		10-2, 6	Cover, rear powershaft drive		30-2
Bearing cap		10-2	Cover, rocker arm		10-6
Bearing, clutch throw-out		25-6	Cover, timing hole		25-1
Bearing, connecting rod		10-4	Cover, Touch-o-matic		55-6
Bearing, crankshaft		10-2, 4	Cover, transmission shifting (five-speed)		30-11
Belt, fan		20-4	Cover, transmission shifting (four-speed)		30-8
Belt, generator		85-8	Crank, leveling		70-2
Belt, power steering pump drive		45-10, 11	Crankshaft		10-4
Belt pulley		30-10	Crankshaft driven mounting parts		75-5
Belt pulley shifter assembly		30-2	Current-voltage regulator		85-18
Block, cylinder		10-2	Cushion, seat		80-2
Bracket, fender		75-3	Cylinder and valve housing, Touch-o-matic		55-8
Bracket, fuel tank		15-12	Cylinder block		10-2
Bracket, radiator		20-3	Cylinder head		10-6
Bracket, seat		80-2	Cylinder, remote control		55-12
Brake assembly		65-2	D		
Brake pedals		65-2	Dash lamp		80-4
Breakaway coupling and coupling bracket		55-15	Decalcomanias, direction reverser		90-2
Bulb, dash lamp		80-4	Decalcomania kit		90-3
Bulb, front light		80-4	Differential assembly		30-12
Bulb, rear light		80-6	Dip stick, engine oil		10-2
By-pass valve, Touch-o-matic		55-8	Direction reverser assembly		25-4
C			Direction reverser cover		25-3
Cable, choke		15-6	Disk brake		65-2
Cable, speed-hour meter		15-9	Disk, clutch driven		25-6
Cables, battery		75-1	Distributor		85-8
Cables, distributor		85-8	Drawbar assembly		70-4
Cables, spark plug		85-8	Drive shaft		25-6
Cage, differential		30-12	E		
Camshaft		10-6	Electrical system		85-2
Camshaft gear		10-6	Element, oil filter		10-9
Cap, air cleaner		15-4	Engine breather cap		10-6
Cap, all-fuel tank		15-8	Engine oil pump		10-8
Cap, engine breather		10-6	Engine overhaul gasket set		90-2
Cap, fuel tank		15-12	Engine tune-up gasket set		90-3
Cap, main bearing		10-2	Exhaust valve		10-6
Cap, radiator		20-3	F		
Cap, wheel hub		60-4	Fan		20-4
Carburetor		15-10	Fender attachment		75-3
Carrier, clutch throw-out bearing		25-6	Fenders, regular		75-2
Case, reverser		25-2, 4	Filter, fuel		15-12
Chains, sway		70-2	Filter, oil		10-9
Check valve, Touch-o-matic		55-8	Final drive assembly		35-2
Choke control		15-6	Final drive gasket set		90-4
Cigarette lighter		85-4	Five-speed transmission gears and shafts		30-6
Clutch assembly		25-6	Five-speed transmission gears and shafts for		
Clutch, control rod		25-2	auburn trencher		31-2
Clutch, direction reverser		25-3	Float-ride seat		80-4
Clutch housing		25-1	Flywheel		25-6
Clutch pedal		25-2	Footrests		75-2
Clutch sleeve		25-6	Forks, direction reverser		25-3
Coil, ignition		85-8	Forks, transmission shifting (five-speed)		30-11
Connecting rods		10-4	Forks, transmission shifting (four-speed)		30-8
Control arm, anchor yoke		30-3	Four-speed transmission gears and shafts		30-4
Control rod, Touch-o-matic		55-6	Frame, side		75-4
Control valve, controls and linkage		55-5			

ALPHABETICAL INDEX -- Continued

	Page
Front end support	40-2
Front lights	85-5
Front main bearing	10-2, 4
Front wheel	60-4
Fuel filter	15-12
Fuel line, all-fuel	15-8
Fuel line, gasoline	15-12
Fuel tank	15-12
Fuse assembly	85-5

G

Gasket, cylinder head	10-6
Gasket, manifold	15-2
Gasket set, engine overhaul	90-2
Gasket set, engine tune-up	90-3
Gasket set, final drive	90-4
Gasket set, transmission	90-4
Gasket, water manifold	20-3
Gauge, ammeter	85-7
Gauge, oil pressure	10-9
Gauge, water temperature	85-9
Gears, belt pulley	30-10
Gears, camshaft	10-6
Gear cover, front	10-2
Gear, crankshaft	10-4
Gear, engine oil pump	10-8
Gear, final drive	35-2
Gear, flywheel ring	25-6
Gear, hydraulic pump	55-14
Gear, transmission, auburn trencher (five-speed)	31-2
Gear, transmission (five-speed)	30-6
Gear, transmission (four-speed)	30-4
Generator	85-8, 16
Governor	15-5
Grille	75-4
Guard, front mounted pump	75-5
Guard, powershaft	30-11
Guide, transmission shift (five-speed)	30-9
Guide, transmission shift (four-speed)	30-8
Guide, valve	10-6

H

Harness, wiring	85-2
Head, cylinder	10-6
Hitch, 3-point	70-2
Hood and grille assembly	75-4
Hose, power steering hydraulic	45-4, 9
Hose, radiator	20-3
Hour meter	85-3
Housing brake	65-2
Housing, direction reverser	25-4
Housing, instrument panel	50-2
Housing, power steering	45-2
Housing, rack and pinion	45-2
Housing, transmission	30-2
Hub cap	60-4
Hub, clutch pedal	25-2
Hub, direction reverser	25-4
Hub, fan	20-4
Hydraulic pump	55-14

I

Ignition coil	85-8
Ignition switch	85-4
Input shaft, auburn trencher transmission (five-speed)	31-2
Input shaft, transmission (five-speed)	30-6
Input shaft, transmission (four-speed)	30-4
Instrument panel	50-2
Intake valve	10-6

K

Key switch	85-4
------------------	------

L

Lamp, dash	85-5
Lamp, warning	85-19
Leveling crank	70-2
Lever, direction reverser	25-3
Lever, remote control valve	55-5
Lever, throttle	15-6
Lever, transmission shaft	30-8, 9
Lift links	70-2
Light, rear	85-6
Lighter, cigarette	85-4
Lights, front	85-5
Lines, all-fuel	15-8
Lubricating oil pump	10-8

M

Manifold, gasoline	15-2
Manifold, water	20-3
Manual steering gear	40-2
Manual steering shaft	50-2
Meter, electric hour	55-10
Meter, speed-hour	15-9
Mounting, battery	75-1
Muffler	15-2, 3

N

Name plate	75-4
------------------	------

O

Oil filter	10-9
Oil line, engine	10-2
Oil line, remote cylinder	55-12
Oil line, Touch-o-matic by-pass	55-6
Oil lines, power steering	45-4, 5
Oil lines, remote control hydraulic	55-3
Oil lines, touch-o-matic	55-2
Oil pan, engine	10-2
Oil pressure gauge	10-9
Oil pump, engine	10-8

P

Pan, engine oil	10-2
Panel, instrument	50-2
Pedal, brake	65-2
Pedal, clutch	25-2
Pilot bearing, clutch	25-6
Pilot ring	25-1
Pinion, differential	30-12
Pinion, final drive	35-2
Pins, piston	10-4
Pistons	10-4
Pivot shaft, axle	60-2
Plate, clutch pressure	25-6
Plate, driven, direction reverser	25-4
Plate, floating, direction reverser	25-4
Plate, front oil seal	10-4
Plate, rear oil seal	10-4
Platform	75-2
Powershaft attachment	30-11
Powershaft shifter assembly	30-2
Powershaft, transmission, auburn trencher (five-speed)	31-2
Powershaft, transmission (five-speed)	30-6
Powershaft, transmission (four-speed)	30-4
Power steering control valve	45-3
Power steering gear	45-9
Power steering oil lines	45-4, 5
Power steering pump	45-4, 5, 6, 8, 10, 11
Power steering rack and pinion	45-2
Power steering shaft	45-4, 5
Pre-cleaner, air cleaner	15-4
Pressure switch, hour meter	85-3
Propeller shaft	25-6
Pulley, belt	30-10
Pump, engine oil	10-8

ALPHABETICAL INDEX -- Continued

Pump mounting parts, crankshaft driven	Page 75-5
Pump, power steering	45-4, 5, 6, 8, 10, 11
Pump, touch-o-matic	55-14
Push rods	10-6

Q

Quadrant, Touch-o-matic	55-6
Quill, differential	30-12
Quill, direction reverser	25-4

R

Rack and pinion, power steering	45-2
Radiator	20-3
Rear, cover, auburn trencher transmission	31-1
Rear cover, transmission	30-2
Rear lights	50-6
Rear main bearing	10-2, 4
Rear wheel	60-5
Regulator, current-voltage	85-18
Remote control cylinder assembly	55-12
Remote control hydraulic oil lines	55-3
Remote control valve	55-10
Ring adjusting direction reverser	25-4
Ring, clutch pilot	25-1
Ring gear and pinion transmission . 30-4, 6, 12,	31-2
Ring gear, final drive	35-2
Ring gear, flywheel	25-6
Rings, piston	10-4
Rocker arm cover	10-6
Rocker arms	10-6
Rockshaft assembly, touch-o-matic	55-4
Rod, clutch control	25-2
Rod, governor connecting	15-6
Rods, connecting	10-4

S

Screen, grille	75-4
Seat	30-2
Seat, float-ride	80-4
Sending unit, oil pressure	10-9
Shaft, axle pivot	60-2
Shaft, clutch	25-2
Shaft, final drive	35-2
Shaft, governor	15-5
Shaft, manual steering	50-2
Shaft, power steering	45-4, 5
Shaft, propeller	25-6
Shaft, rear axle	60-5
Shaft, transmission, auburn trencher (five-speed)	31-2
Shaft, transmission (five-speed)	30-6
Shaft, transmission (four-speed)	30-4
Shield, powershaft	30-11
Shifting collar, direction reverser	25-4
Shifting parts, direction reverser	25-3
Shroud, fan	20-3
Side frames	75-4
Sleeve, clutch	25-6
Socket, auxiliary light	85-6
Spark plugs	85-8
Speed-hour meter	15-9
Spindle and knuckle assembly	60-2
Spring, governor	15-5
Starter control	15-6
Starting motor	85-10, 12
Steering arms	60-2
Steering gear, manual	40-2
Steering gear, power	45-9
Strainer, engine oil pump	10-8

Support, front end	Page 40-2
Support, grille	75-4
Support, manual, steering gear	40-2
Support, power steering, control valve	45-10, 11
Support, power steering gear	45-9
Support, power steering pump	45-10, 11
Support, radiator	40-2
Support, seat	50-2
Support, steering shaft	50-2
Sway chains	70-2
Switch, ignition	85-4
Switch, key	85-4

T

Tank, all-fuel	15-8
Tank, fuel	15-12
Tappets	10-6
Thermostat	20-3
3-Point hitch	70-2
3-Way valve, all-fuel	15-8
Throttle control and lever	15-6
Throw-out bearing, clutch	25-6
Tie rods	60-2
Touch-o-matic cylinder and valve housing	55-8
Touch-o-matic front cover	55-6
Touch-o-matic oil lines	55-2
Touch-o-matic pump	55-14
Touch-o-matic quadrant	55-6
Touch-o-matic rockshaft assembly	55-4
Transmission cover, rear	30-2
Transmission cover, rear, auburn trencher	31-1
Transmission gasket set	90-4
Transmission housing	30-2
Transmission rear cover	30-2
Transmission shifting parts (five-speed)	30-9
Transmission shifting parts (four-speed)	30-8
Transmission top cover (five-speed)	30-9
Transmission top cover (four-speed)	30-8
Tray, battery	75-1
Trunnion, drawbar	70-4
Turnbuckle, clutch	25-2
Turnbuckle, upper link	70-2

U

Universal joint, steering shaft	50-2
Upper link	70-2

V

Valve, control, linkage	15-9
Valve, control, remote	55-10
Valves	10-6
Valve, 3-way, all-fuel	15-8
Vent tube, fuel tank	15-12
Voltage regulator	85-18


W

Warning lamp	85-19
Water manifold	20-3
Water pump assembly	20-4
Water temperature gauge	85-7
Weight, rear wheel	60-5
Weights, governor	15-5
Wheel, front	60-4
Wheel, rear	60-5
Wheel weight, rear	60-5
Wiring harness	85-2

Y

Yoke adjusting clutch	25-6
-----------------------------	------


CYLINDER BLOCK AND ASSOCIATED PARTS



CYLINDER BLOCK AND ASSOCIATED PARTS -- Continued

Key	Part No.	Serial No.	Description
1	15H 275 A	(-)	Plug, pipe, hex. ctsk., 1/4" (2 used)
2	M 762 T	(-)	Bushing, camshaft rear (sub. for AM682T)
3	M 108 T	(-)	Plug, cup
4	19H 1820 A	(-)	Screw, cap, 1/2" x 3" (2 used)
5	12H 301 A	(-)	Washer, lock, 1/2" (6 used)
6	14H 809 A	(-)	Nut, hex., 1/2" (2 used)
7	AM 3015 T	(-)	Line, with nuts
8	AM 234 T	(-)	Elbow, with nut
9	AM 235 T	(-)	Connector, with nut
10	19H 1805 A	(-)	Screw, cap, 1/2" x 2-1/4" (4 used)
11	M 1206 T	(-)	Plug, cup (3 used)
12	A 3910 R	(-)	Plug, cup (sub. for L1196T)
13	AM 2780 T	(-)	Cock, drain
14	M 111 T	(-)	Gasket
15	L 4266 T	(-)	Bushing, governor shaft
16	AM 902 T	(-)	Cover, gear (sub. for AM931T)
17	L 4128 T	(-)	Pin, dowel, short (2 used) (packed 3 in a pkg.)
18	M 1068 T	(-)	Gasket, pump opening (tractors not equipped with hydraulic system)
19	M 1067 T	(-)	Cover, pump opening (tractors not equipped with hydraulic system) (sub. for AM1088T)
20	19H 2127 A	(-)	Screw, cap, 5/16" x 7/8" (3 used) (tractors not equipped with hydraulic system)
21	12H 303 A	(-)	Washer, lock, 5/16" (17 used)
22	19H 2284 A	(-)	Screw, cap, 3/8" x 7/8" (5 used)
23	12H 304 A	(-)	Washer, lock, 3/8" (5 used)
24	L 4129 T	(-)	Pin, dowel, long
25	M 761 T	(-)	Bushing, camshaft, front (sub. for AM677T)
26	AM 718 T	(-)	Bearing, insert, front main (standard) (2 halves)
	AM 719 T	(-)	Bearing, insert, front main (.003" undersize) (2 halves)
	AM 720 T	(-)	Bearing, insert, front main (.005" undersize) (2 halves)
	AM 3170 T	(-)	Bearing, insert, front main (.030" undersize) (2 halves)
	AM 3171 T	(-)	Bearing, insert, front main (.033" undersize) (2 halves)
27	AM 756 T	(-)	Cap, main bearing (M26T) with shims and set gauge
28	12H 294 A	(-)	Washer, lock, 5/8" (4 used)
29	19H 1890 A	(-)	Screw, cap, 5/8" x 2-3/4" (4 used)
30	M 85 T	(-)	Gasket (packed 3 in a pkg.)
31	M 1746 T	(-)	Plug, drain
32	T 13213 T	(-)	Washer, aluminum (sub. for M1038T) (packed 2 in a pkg.)
33	AM 1788 T	(-)	Pan, oil, with drain plug (gasoline engine)
	AM 2137 T	(-448000)	Pan, oil, with drain plug (all-fuel engine)
34	19H 1900 A	(-)	Screw, cap, 5/16" x 3/4" (14 used)
35	M 98 T	(-)	Pipe, oil return
36	15H 566 A	(-)	Plug, pipe, slotted, 1/8" (2 used)
37	AM 724 T	(-)	Bearing, insert, rear main (standard) (2 halves)
	AM 725 T	(-)	Bearing, insert, rear main (.003" undersize) (2 halves)
	AM 726 T	(-)	Bearing, insert, rear main (.005" undersize) (2 halves)
	AM 3168 T	(-)	Bearing, insert, rear main (.030" undersize) (2 halves)
	AM 3169 T	(-)	Bearing, insert, rear main (.033" undersize) (2 halves)
38	30H 6 A	(-)	Plug, expansion, 9/16"
39	M 463 T	(-)	Nut, hex., special
40	L 4121 T	(-)	Screw, set, 1/2" x 1-1/8"
41	T 10476 T	(-)	Neck, filler (sub. one AT11968T and one T12752T)
42	AT 10301 T	(-)	Cap, filler, with dip stick (sub. one AT11968T and one T12752T)
43	M 3298 T	(-445521)	Plug
44	M 3366 T	(-445521)	Gasket
45	AT 10394 T	(-)	Block, cylinder (T10474T) with bayonet gauge bushing, front and rear camshaft bushings, governor shaft rear bushings, camshaft rear bearing seal, main bearing caps, plugs, filler neck, and dip stick
46	AM 292 T	(-448000)	Cock, drain (all-fuel engine)
47	30H 17 A	(445522-)	Plug, expansion, 1-1/4" (sub. for M3298T)
48	T 11235 T	(440567-)	Stud
49	T 12867 T	(-)	Gasket


CRANKSHAFT, CONNECTING RODS, PISTONS, AND ASSOCIATED PARTS



CRANKSHAFT, CONNECTING RODS, PISTONS, AND ASSOCIATED PARTS -- Continued

Key	Part No.	Serial No.	Description
1	AM 3039 T	(-)	Rings, piston (set of 8) (standard) (includes all rings)
	AT 11907 T	(-)	Rings, piston (set of 8) (.020" oversize) (includes all rings) (sub. for AM3190T)
	AT 11908 T	(-)	Rings, piston (set of 8) (.040" oversize) (includes all rings) (sub. for AM3191T)
2	M 67 T	(-)	Ring, snap (4 used) (packed 2 in a pkg.)
3	M 3044 T	(-)	Pin, piston (2 used) (packed 2 in a pkg.)
4	M 3043 T	(-)	Piston, 4-1/4" diameter (standard) (2 used) (gasoline engine)
	M 3680 T	(-)	Piston (.020" oversize) (2 used) (gasoline engine)
	M 3881 T	(-)	Piston (.040" oversize) (2 used) (gasoline engine)
	M 3452 T	(-448000)	Piston, 4-1/4" diameter (standard) (2 used) (all-fuel engine)
	M 3882 T	(-448000)	Piston (.020" oversize) (2 used) (all-fuel engine)
	M 3833 T	(-448000)	Piston (.040" oversize) (2 used) (all-fuel engine)
5	M 711 T	(-)	Bushing (2 used)
6	AM 1782 T	(-)	Rod, connecting (M1691T) with bolts, hex. nuts and bushing (2 used)
7	M 1846 T	(-)	Bolt, special (4 used)
8	M 2576 T	(-)	Nut, hex., special, 7/16" (4 used) (packed 5 in a pkg.)
9	AM 3844 T	(-)	Crank, starting, with pin
10	L 4187 T	(-)	Lock (5 used) (packed 5 in a pkg.)
11	19H 1900 A	(-)	Screw, cap, 5/16" x 3/4" (5 used)
12	AM 220 T	(-)	Seal, oil (sub. for AM727T)
13	M 18 T	(-)	Plate (sub. for AM728T)
14	L 4126 T	(-)	Pin, dowel (2 used)
15	M 19 T	(-)	Gasket
16	M 17 T	(-)	Pin, dowel
17	AM 724 T	(-)	Bearing, insert, rear main (standard) (2 halves)
	AM 725 T	(-)	Bearing, insert, rear main (.003" undersize) (2 halves)
	AM 726 T	(-)	Bearing, insert, rear main (.005" undersize) (2 halves)
	AM 3168 T	(-)	Bearing, insert, rear main (.030" undersize) (2 halves)
	AM 3169 T	(-)	Bearing, insert, rear main (.033" undersize) (2 halves)
18	AM 1783 T	(-)	Bearing, insert, connecting rod (standard) (2 halves)
	AM 1784 T	(-)	Bearing, insert, connecting rod (.003" undersize) (2 halves)
	AM 3166 T	(-)	Bearing, insert, connecting rod (.030" undersize) (2 halves)
	AM 3167 T	(-)	Bearing, insert, connecting rod (.033" undersize) (2 halves)
19	26H 77 A	(-)	Key, Woodruff, 3/16" x 3/4"
20	AM 718 T	(-)	Bearing, insert, front main (standard) (2 halves)
	AM 719 T	(-)	Bearing, insert, front main (.003" undersize) (2 halves)
	AM 720 T	(-)	Bearing, insert, front main (.005" undersize) (2 halves)
	AM 3170 T	(-)	Bearing, insert, front main (.030" undersize) (2 halves)
	AM 3171 T	(-)	Bearing, insert, front main (.033" undersize) (2 halves)
21	AM 3012 T	(-)	Crankshaft (M3114T) with gear, dowel pin, and Woodruff key
22	M 16 T	(-)	Gear (sub. for AM722T)
23	L 768 T	(-)	Thrower, oil
24	AM 902 T	(-)	Cover, gear (sub. for AM931T)
25	L 4152 T	(-)	Gasket
26	L 4115 T	(-)	Plate
27	L 1198 T	(-)	Washer, plain, special (3 used)
28	12H 303 A	(-)	Washer, lock, 5/16" (3 used)
29	14H 785 A	(-)	Nut, hex., 5/16" (3 used)
30	AL 2653 T	(-)	Seal, oil
31	26H 20 A	(-)	Key, Woodruff, 3/16" x 1"
32	34H 120 A	(-)	Pin, roll, 5/16" x 2"
33	M 3112 T	(-)	Pulley
34	M 4150 T	(-)	Jaw, starting crank
35	12H 304 A	(-)	Washer, lock, 3/8" (2 used)
36	19H 1732 A	(-)	Screw, cap, 3/8" x 1-1/4" (2 used)


CYLINDER HEAD, VALVES AND OPERATING PARTS



CYLINDER HEAD, VALVES AND OPERATING PARTS -- Continued


Key	Part No.	Serial No.	Description
1	14H 807 A	(-)	Nut, hex., 7/16" (4 used)
2	24H 1325 A	(-)	Washer, plain, 15/32" x 59/64" x .060" (2 used)
3	T 379 T	(-)	Seal (2 used) (packed 2 in a pkg.)
4	AM 669 T	(-)	Cap, breather
5	AT 10416 T	(-)	Cover, with breather pipe
6	M 3066 T	(-)	Gasket (packed 3 in a pkg.)
7	24H 1219 A	(-)	Washer, plain, 7/16" x 1" x .075" (2 used)
8	M 284 T	(-)	Stud, rear
9	14H 469 A	(-)	Nut, hex. jam, 7/16" (4 used)
10	24H 1161 A	(-)	Washer, plain, 13/16" x 1-1/2" x .134" (2 used)
11	M 3289 T	(-)	Stopper, cork (2 used) (packed 3 in a pkg.)
12	M 3288 T	(-)	Spring (2 used)
13	M 74 T	(-)	Screw, adjusting, special (4 used)
14	AM 2845 T	(-)	Arm, rocker (No. 2 cylinder) (2 used)
15	AM 271 T	(-)	Bracket (2 used) (sub. for AM683T)
16	M 81 T	(-)	Spring
17	M 283 T	(-)	Stud, front
18	AM 2847 T	(-)	Arm, rocker (No. 1 cylinder) (2 used)
19	11H 237 A	(-)	Pin, cotter, 1/8" x 2" (2 used)
20	M 3287 T	(-)	Shaft
21	M 3299 T	(-)	Deflector, oil (2 used)
22	AM 2849 T	(-)	Rod, push (4 used)
23	B 367 R	(-)	Lock (8 used)
24	M 3284 T	(-)	Cap (4 used)
25	M 102 T	(-)	Spring (4 used)
26	M 3036 T	(-)	Guide, valve (4 used)
27	AM 3058 T	(-448000)	Head, cylinder (M3995T), with valve guides and pipe plug (gasoline engine)
	AM 3233 T	(-448000)	Head, cylinder (M3454T), with valve guides and pipe plug (all-fuel engine)
	AT 10204 T	(-)	Head, cylinder (M3995T), with valve guides and pipe plug (high altitude gasoline engine)
	AT 11232 T	(448001-	Head, cylinder (M3995T), with valve guides and pipe plug (gasoline engine)
28	15H 562 A	(-)	Plug, pipe, sq. ctsk., 1"
29	M 285 T	(-)	Screw, cap, special (7 used) (packed 5 in a pkg.)
30	T 11170 T	(-)	Washer, plain, special (7 used) (sub. for M3244T) (packed 7 in a pkg.)
31	AM 2848 T	(-)	Gasket, cylinder head
32	M 3154 T	(-)	Valve, exhaust (2 used) (packed 2 in a pkg.)
33	M 3153 T	(-)	Valve, intake (2 used) (packed 2 in a pkg.)
34	M 3414 T	(-)	Tappet, valve (4 used)
35	26H 77 A	(-)	Key, Woodruff, 3/16" x 3/4"
36	M 108 T	(-)	Plug, cup
37	M 762 T	(-)	Bushing, camshaft, rear (sub. for AM682T)
38	M 3156 T	(-)	Camshaft
39	M 12 T	(-)	Washer
40	M 13 T	(-)	Plate, thrust
41	M 112 T	(-)	Lock (2 used) (sub. for AM680T) (packed 3 in a pkg.)
42	19H 2284 A	(-)	Screw, cap, 3/8" x 7/8" (2 used)
43	M 761 T	(-)	Bushing, camshaft, front (sub. for AM677T)
44	M 510 T	(-)	Pin, dowel
45	M 49 T	(-)	Gear, camshaft (sub. for AM678T)
46	M 22 T	(-)	Ring, snap (packed 20 in a pkg.)
47	M 1845 T	(-)	Coupling
48	M 511 T	(-)	Screw, cap, special (2 used)

LUBRICATING OIL PUMP




Key	Part No.	Serial No.	Description
1	25H 52 A	(-)	Pin, groov-, 5/32" x 1"
2	T 186 T	(-)	Gear, drive
3	L 4122 T	(-)	Plug, regulating
4	L 754 T	(-)	Gasket
5	L 4232 T	(-)	Washer (approx. 2 used) (packed 3 in a pkg.)
6	L 752 T	(-)	Spring
7	L 4233 T	(-)	Piston
8	AM 730 T	(-)	Body
9	AM 229 T	(-)	Shaft, drive, with pumping gear (sub. for M71T and AM731T)
10	M 73 T	(-)	Gear, idler (sub. for AM732T)
11	M 39 T	(-)	Cover (sub. for AM733T)
12	12H 302 A	(-)	Washer, lock, 1/4" (4 used)
13	19H 1914 A	(-)	Screw, cap, 1/4" x 1" (4 used)
14	AM 230 T	(-)	Strainer (sub. for AM734T)
15	M 80 T	(-)	Lock
16	19H 2020 A	(-)	Screw, cap, 5/16" x 1/2"
..	AM 3014 T	(-)	Oil pump assembly, complete

OIL FILTER AND OIL PRESSURE GAUGE



Key	Part No.	Serial No.	Description
1	M 94 T	(-)	Nut
2	M 93 T	(-)	Gasket
3	AM 236 T	(-)	Case, oil filter, complete (sub. for AM738T)
4	M 91 T	(-)	Washer (packed 2 in a pkg.)
5	M 90 T	(-)	Spring
6	M 293 T	(-)	Plate, upper sealing (sub. for AM735T)
7	AH 1111 RT	(-)	Element, filter (pkg. of 4)
8	M 88 T	(-)	Plate, lower sealing
9	M 95 T	(-)	Stud
10	M 96 T	(-)	Gasket (packed 3 in a pkg.)
11	M 97 T	(-)	Gasket
12	M 59 T	(-)	Base (sub. for AM736T)
13	15H 604 A	(-)	Plug, pipe, sq. hd., 1/4"
14	19H 1800 A	(-445066)	Screw, cap, 3/8" x 1-1/2" (3 used)
	19H 1800 A	(445067-)	Screw, cap, 3/8" x 1-1/2" (2 used)
15	12H 304 A	(-)	Washer, lock, 3/8" (3 used)
16	AP 17671 H	(-)	Sending unit, oil pressure
17	AT 10415 T	(-)	Gauge, oil pressure (North America)
	AT 11326 T	(-)	Gauge, oil pressure (Export)
18	T 11235 T	(445067-)	Stud
19	14H 812 A	(445067-)	Nut, hex., 3/8"
20	M 1304 T	(-)	Washer (packed 2 in a pkg.)
21		(-)	Wire, lead, 4-1/2" (make from R32007R wire, R32016R spade, and R32018R eyelet from wire repair kit) (sub. for AT10437T)


MUFFLERS AND MANIFOLD



Key	Part No.	Serial No.	Description
1	AM 3101 T	(-442886)	Muffler, with mounting flange, regular
2	14H 813 A	(-)	Nut, hex., 7/16" (2 used)
3	19H 1900 A	(-)	Screw, cap, 5/16" x 3/4"
4	T 10369 T	(-)	Manifold (gasoline engine)
	T 10732 T	(-448000)	Manifold (all-fuel engine)
5	19H 1740 A	(-)	Screw, cap, 7/16" x 1-3/4" (2 used)
6	24H 1303 A	(-)	Washer, plain, 13/32" x 11/16" x .060" (4 used)
7	19H 1732 A	(-)	Screw, cap, 3/8" x 1-1/4" (3 used)
8	19H 1666 A	(-)	Screw, cap, 3/8" x 3-5/8"
9	M 3993 T	(-)	Gasket (packed 3 in a pkg.)
10	12H 304 A	(-)	Washer, lock, 3/8" (2 used)
11	19H 1731 A	(-)	Screw, cap, 3/8" x 1" (2 used)
12	M 3994 T	(-)	Gasket
13	AT 10285 T	(-)	Baffle, heat
14	24H 1136 A	(-)	Washer, plain, 11/32" x 11/16" x .060" (2 used)
15	12H 303 A	(-)	Washer, lock, 5/16"
16	AT 10522 T	(-442886)	REDUCED NOISE LEVEL MUFFLER (ATTACHMENT)
	AM 3246 T	(442887-)	REDUCED NOISE LEVEL MUFFLER (ATTACHMENT)
17	AT 10523 T	(-442886)	Pipe, exhaust
18	AM 3246 T	(-)	Muffler, reduced noise level
19	AT 10611 T	(-442886)	Cap, weather
	AT 567 T	(442887-)	Cap, weather
20	AT 10646 T	(442887-)	Muffler, with clamp, regular
21	AT 10523 T	(442887-)	Pipe, exhaust
22	AT 10899 T	(-)	Muffler, horizontal
23	19H 1789 A	(-)	Screw, cap, 5/16" x 1-3/8"
24	M 3403 T	(-)	Deflector
25	12H 303 A	(-)	Washer, lock, 5/16"
26	14H 785 A	(-)	Nut, hex., 5/16"

Capital letters indicate an attachment. Attachments must be listed on separate order from replacement order.


MUFFLER ATTACHMENT



Key	Part No.	Serial No.	Description
1	M 3957 T	(-)	Manifold (gasoline engine) (sub. for M3435T)
	M 3799 T	(-448000)	Manifold (all-fuel engine)
2	24H 1303 A	(-)	Washer, plain, 13/32" x 11/16" x .060" (4 used)
3	19H 1678 A	(-)	Screw, cap, 3/8" x 3-3/8" (2 used)
4	19H 1732 A	(-)	Sub. one 14H812A, one 19H1732A, and one M3438T
5	M 3438 T	(-)	Stud (gasoline and all-fuel)
6	14H 812 A	(-)	Nut, hex., 3/8"
7	14H 849 A	(-)	Nut, hex., jam, 7/16" (2 used)
8	AM 3224 T	(-)	Muffler, with flange
9	19H 1740 A	(-)	Screw, cap, 7/16" x 1-3/4" (2 used)
10	19H 1789 A	(-)	Screw, cap, 5/16" x 1-3/8"
11	12H 303 A	(-)	Washer, lock, 5/16"
12	14H 785 A	(-)	Nut, hex., 5/16"
13	M 3403 T	(-)	Deflector, exhaust
14	M 4098 T	(-)	Gasket (packed 2 in a pkg.)
15	M 1093 T	(-)	Screw, slotted head sheet metal (3 used)
16	T 11970 T	(-)	Cover, muffler hole
..	AT 10974 T	(-)	MUFFLER ATTACHMENT (GASOLINE ENGINE)

Capital letters indicate an attachment. Attachments must be listed on separate order from replacement order.


AIR CLEANER ASSEMBLY



Key	Part No.	Serial No.	Description
1	AT 16842 T	(-448000)	Cover assembly
	AF 3583 R	(448001-)	Cover assembly
2	AM 3772 T	(-448000)	Bowl assembly
	R 28794 R	(448001-)	Bowl assembly
3	AT 16843 T	(-448000)	Sleeve assembly
	AH 13770 H	(448001-)	Sleeve assembly
4	AT 16838 T	(-448000)	PRE-CLEANER ATTACHMENT
	AT 15955 T	(448001-)	PRE-CLEANER ATTACHMENT
5	AM 371 T	(-448000)	Cap (sub. for AM467T)
	AT 525 T	(448001-)	Cap
6	12H 303 A	(-)	Washer, lock, 5/16" (4 used)
7	19H 1813 A	(-)	Screw, cap, 5/16" x 5/8" (4 used)
8	AT 10254 T	(-448000)	Air cleaner assembly
	AT 11228 T	(448001-)	Air cleaner assembly
9	AB 1629 R	(-448000)	Clamp
	AT 10589 T	(448001-)	Clamp
10	AM 3172 T	(-448000)	Cup
	AT 11515 T	(448001-)	Cup
11	AR 21840 R	(-)	Clamp (4 used) (sub. for AM3010T)
12	T 10431 T	(-)	Hose, upper
13	T 10430 T	(-)	Tube
14	M 3285 T	(-)	Hose, lower
15	AT 11900 T	(448001-)	Extension, with cap screw and hex. nut (used when equipped with crankshaft driven hydraulic pump)


Capital letters indicate an attachment. Attachments must be listed on separate order from replacement order.

GOVERNOR ASSEMBLY



Key	Part No.	Serial No.	Description
1	AM 1791 T	(-)	Shaft (M273T) with weight carrier, thrust washer, gear, and weights
2	L 4129 T	(-)	Pin, dowel, long
3	M 276 T	(-)	Gasket (packed 2 in a pkg.)
4	L 4128 T	(-)	Pin, dowel, short (packed 3 in a pkg.)
5	L 4266 T	(-)	Bushing
6	L 4177 T	(-)	Washer, thrust (packed 3 in a pkg.)
7	M 1817 T	(-)	Pin (2 used) (packed 2 in a pkg.)
8	M 1683 T	(-)	Weight (2 used)
9	30H 7 A	(-)	Plug, expansion, 5/8" (2 used)
10	AL 2691 T	(-)	Bearing, thrust, with bushings
11	L 4158 T	(-)	Fork
12	25H 50 A	(-)	Pin, groov-, 5/32" x 3/4"
13	AM 1792 T	(-)	Case, governor (M1709T) with bushings and front expansion plug
14	L 4265 T	(-)	Bushing
15	30H 9 A	(-)	Plug, expansion, 3/4"
16	12H 304 A	(-)	Washer, lock, 3/8" (3 used)
17	19H 1732 A	(-)	Screw, cap, 3/8" x 1-1/4" (3 used)
18	L 4176 T	(-)	Seal
19	L 4183 T	(-)	Retainer
20	AM 295 T	(-)	Lever
21	AM 3451 T	(-)	Lever and shaft assembly
22	M 1853 T	(-448000)	Spring
	T 11527 T	(448001-)	Spring
23	AM 3577 T	(-)	Case, governor (M1709T) with lever assembly

THROTTLE, CHOKE AND STARTER CONTROL




T 489

THROTTLE, CHOKE AND STARTER CONTROL -- Continued

Key	Part No.	Serial No.	Description
1	T 10342 T	(-)	Knob
2	T 10294 T	(-443841)	Sub. one T11010T, one T11011T, and one 22H736A
	T 11010 T*	(-443841)	Lever, speed control
3	22H 736 A*	(-443841)	Screw, set, 5/16" x 5/16"
4	24H 1325 A	(-443841)	Washer, plain, 15/32" x 59/64" x .060"
5	T 10293 T	(-443841)	Sub. one T11010T, one T11011T, and one 22H736A
	T 11011 T*	(-443841)	Shaft, control lever
6	T 10374 T	(-441851)	Spacer
7	34H 58 A*	(-443841)	Pin, roll, 5/32" x 7/8" (2 used)
8	34H 28 A*	(-443841)	Pin, roll, 3/32" x 7/8" (2 used)
9	AT 10186 T	(-443841)	Joint, universal
10	T 11009 T*	(-443841)	Bushing
11	T 10295 T	(-457258)	Rod, control
	T 12609 T	(457259-)	Rod, governor control
12	19H 2044 A	(-)	Screw, cap, 5/16" x 4" (2 used)
13	12H 303 A	(-)	Washer, lock, 5/16" (2 used)
14	T 10244 T*	(-443841)	Bracket
	T 10896 T	(443842-)	Bracket
15	AT 10794 T*	(-443841)	Spool, with thrust washer and plain washer (sub. for T10296T)
16	M 1860 T	(-)	Disk, friction (2 used) (packed 4 in a pkg.)
17	M 1859 T*	(-443841)	Washer, thrust (used when AT10794T friction disk spool or AT10838T governor control kit has been installed)
18	T 10297 T	(-)	Plate, friction
19	34H 102 A*	(-443841)	Pin, roll, 1/4" x 1-1/8"
20	M 1858 T	(-443841)	Spring
21	M 1857 T	(-443841)	Washer, retaining
22	M 1853 T	(-457258)	Spring
	T 12608 T	(457259-)	Spring
23	24H 1325 A*	(-443841)	Washer, plain, 15/32" x 59/64" x .060"
24	T 10298 T	(-443841)	Anchor, spring
25	11H 236 A	(-443841)	Pin, cotter, 1/8" x 1"
26	24H 1325 A	(-)	Washer, plain, 15/32" x 59/64" x .060" (2 used)
27	T 13883 T	(-)	Rod, governor connecting (sub. for M3123T)
28	12H 302 A	(-)	Washer, lock, 1/4"
29	14H 860 A	(-)	Nut, hex., 1/4" (2 used)
30	14H 611 A	(-)	Nut, hex., jam, 5/16"
31	22H 684 A	(-)	Screw, set, 5/16" x 1-3/4"
32	14H 631 A	(-)	Nut, hex., No. 10
33	L 987 T	(-)	Yoke
34	L 985 T	(-)	Pin (packed 2 in a pkg.)
35	11H 231 A	(-)	Pin, cotter, 1/16" x 1" (2 used)
36	T 10733 T	(-)	Rod, carburetor connecting (sub. for M3295T)
37	AL 2096 T	(-)	Joint, ball
38	11H 233 A	(-)	Pin, cotter, 3/32" x 1/2" (2 used)
39	34H 58 A*	(-443841)	Pin, roll, 5/32" x 7/8"
40	34H 28 A*	(-443841)	Pin, roll, 3/32" x 7/8"
41	14H 774 A	(-)	Nut, hex., jam, 3/8"
42	AM 1799 T	(-)	Control, choke, with jam nut (sub. for AT10529T)
43	M 2544 T	(-)	Knob
44	T 10610 T	(-)	Grommet
45	T 10437 T	(-)	Rod, starter
46	1880254	(-)	Pin (furnished by John Deere Waterloo Tractor Works)
47	M 1863 T	(-)	Lever
48	M 3057 T	(443842-)	Screw, cap, special, 5/16" x 1-1/2"
49	T 11113 T	(443842-457258)	Lever, speed control
	T 12607 T	(457259-)	Lever, speed control
50	T 11148 T	(443842-)	Washer, thrust
51	T 10905 T	(443842-)	Shaft, universal joint
52	34H 104 A	(443842-)	Pin, roll, 1/4" x 1-3/8"
53	T 10903 T	(443842-457258)	Spring (packed 2 in a pkg.)
	T 12606 T	(457259-)	Spring
54	M 1359 T	(443842-)	Washer, thrust (2 used)
55	T 11534 T	(443842-)	Pin, groov-, special (sub. for 34H105A)
56	AT 10757 T	(443842-)	Joint, universal
57	34H 28 A	(443842-)	Pin, roll, 3/32" x 7/8"
58	34H 58 A	(443842-)	Pin, roll, 5/32" x 7/8"
59	T 10359 T	(-)	Loom, choke cable
..	AT 10558 T	(-443841)	Governor control kit, includes all part numbers followed by an asterisk (*).

ALL-FUEL ATTACHMENT
Serial No. (440001-448000)




Key	Part No.	Serial No.	Description
1	19H 2127 A	(-448000)	Screw, cap, 5/16" x 7/8"
2	T 10742 T	(-448000)	Brace
3	12H 303 A	(-448000)	Washer, lock, 5/16"
4	14H 785 A	(-448000)	Nut, hex., 5/16"
5	14H 812 A	(-448000)	Nut, hex., 3/8" (2 used)
6	24H 1307 A	(-448000)	Washer, plain, 13/32" x 1" x .060"
7	12H 304 A	(-448000)	Washer, lock, 3/8"
8	T 10743 T	(-448000)	Connector
9	L 587 T	(-448000)	Sleeve
10	L 588 T	(-448000)	Nut (packed 5 in a pkg.)
11	AT 10583 T	(-448000)	Line, fuel, with sleeves
12	T 10741 T	(-448000)	Pad
13	AT 10580 T	(-448000)	Tank, starting
14	19H 2036 A	(-448000)	Screw, cap, 1/4" x 7/8" (2 used)
15	12H 302 A	(-448000)	Washer, lock, 1/4" (4 used)
16	14H 786 A	(-448000)	Nut, hex., 1/4" (2 used)

ALL-FUEL ATTACHMENT -- Continued
 Serial No. (440001-448000)


Key	Part No.	Serial No.	Description
17	AT 10581 T	(-448000)	Strap (2 used)
18	AT 307 T	(-448000)	Cap, filler
19	AT 10579 T	(-448000)	Support, starting tank
20	AT 10578 T	(-448000)	Bracket, fuel tank front
21	21H 1018 A	(-448000)	Screw, mach., 1/4" x 3/8" (2 used)
22	AT 10582 T	(-448000)	Line, fuel, with sleeves
23	AT 10577 T	(-448000)	Valve, 3-way
24	AM 2142 T	(-448000)	Line, fuel, with sleeves
25	L 1144 T	(-448000)	Rivet (8 used)
26	T 10738 T	(-448000)	Webbing (2 used)

SPEED-HOUR METER ATTACHMENT
 Serial No. (440001-448000)



Key	Part No.	Serial No.	Description
1	AM 3132 T	(-448000)	Tachometer (4-speed transmission) (miles per hour)
	AM 3715 T	(-448000)	Tachometer (4-speed transmission) (kilometers per hour)
	AM 3492 T	(-448000)	Tachometer (5-speed transmission) (miles per hour)
	AM 3716 T	(-448000)	Tachometer (5-speed transmission) (kilometers per hour)
2	F 1977 R	(-448000)	Clamp
3	12H 246 A	(-448000)	Washer, lock, No. 10 (2 used)
4	14H 631 A	(-448000)	Nut, hex., No. 10 (2 used)
5	M 632 T	(-448000)	Clip (2 used)
6	AM 3131 T	(-448000)	Cable and sheath assembly
7	AM 3585 T	(-448000)	Cable core assembly
8	AM 3130 T	(-448000)	Coupling
9	M 3366 T	(-448000)	Gasket


CARBURETOR



CARBURETOR -- Continued

Key	Part No.	Serial No.	Description
1	19H 1731 A	(-)	Screw, cap, 3/8" x 1" (2 used)
2	12H 304 A	(-)	Washer, lock, 3/8" (2 used)
3	M 3993 T	(-)	Gasket (packed 3 in a pkg.)
4	15-483 **°	(-)	Screw, with lock washer, No. 6 x 1/4" (4 used)
5	14-273	(-)	Fly, throttle
6	15-A85	(-)	Screw, with lock washer, No. 12 x 3/4" (4 used)
7	80-171	(-)	Plug, drill
8	AT 10888 T	(-448000)	Body, carburetor assembly (gasoline engine)
	AT 11917 T	(448001-)	Body, carburetor assembly (gasoline engine)
	AT 10890 T	(-448000)	Body, carburetor assembly (all-fuel engine)
9	49-101-L**°	(-)	Jet, idle
10	55-261 **°	(-)	Retainer (packed 2 in a pkg.)
11	R 10104 R	(-)	Spring (sub. for 24-262)
12	21H 977 A	(-)	Screw, mach., No. 8 x 3/4"
13	16-654 **°	(-)	Gasket set for carburetor
14	AT 10181 T	(-448000)	Carburetor, complete (gasoline engine)
	AT 11158 T	(448001-)	Carburetor, complete (gasoline engine)
	AT 10576 T	(-448000)	Carburetor, complete (all-fuel engine)
15	AT 10630 T**°	(-)	Shaft, throttle
16	44-68 **°	(-)	Packing
17	49-258 **†	(-448000)	Jet, economizer
	T 12652 T°	(448001-)	Jet, economizer
18	16-A41	(-)	Gasket (packed 5 in a pkg.)
19	46-A12	(-448000)	Venturi
	T 12654 T	(448001-)	Venturi
20	30-739	(-)	Float and lever assembly
21	10-4075	(-)	Bowl, carburetor (gasoline engine)
	10-4125	(-448000)	Bowl, carburetor (all-fuel engine)
22	R 10150 R	(-)	Plug, choke shaft (sub. for 80-169)
23	95-78	(-)	Strainer
24	R 10160 R	(-)	Plug (gasoline engine)
	AR 10075 R	(-448000)	Cock, drain (all-fuel engine) (sub. for 87-3A)
25	43-699	(-448000)	Needle, main adjusting, with seat, packing, and retainer assembly (gasoline engine)
	AT 11916 T	(448001-)	Needle, main adjusting, with seat, packing and retainer assembly (gasoline engine)
	43-678	(-448000)	Needle, main adjusting and seat assembly (all-fuel engine)
26	55-285	(-)	Retainer
27	44-51	(-)	Packing
28		(-)	Gasket, load needle seat, order No. 16-654 gasket set
29	47-451	(-448000)	Nozzle (gasoline engine)
	T 12653 T	(448001-)	Nozzle (gasoline engine)
	47-455	(-448000)	Nozzle (all-fuel engine)
30		(-)	Gasket, main nozzle, order No. 16-654 gasket set
31	R 10211 R**°	(-)	Shaft (sub. for 32-16)
32	44-38 **°	(-)	Packing (packed 5 in a pkg.)
33	29-538	(-)	Choke, bracket assembly
34	21H 996 A	(-)	Screw, mach., No. 8 x 3/8" (sub. for 15-A93 and AR10303R)
	12H 290 A	(-)	Washer, lock, No. 8
35	24-A3 **°	(-)	Spring, choke return
36	AT 10631 T	(-)	Shaft, choke
37	21H 971 A	(-)	Screw, mach., No. 8 x 5/16" (2 used)
	12H 315 A	(-)	Washer, lock, No. 8
38	28-49	(-)	Swivel
39	R 10185 R	(-)	Cotter, hair pin (sub. for 82-16)
40	R 10188 R	(-)	Clip, choke bracket (sub. for 29-81)
41	H 22551 H	(-)	Spring (sub. for 24-292)
42	27-121	(-)	Flapper, choke fly
43	AH 11982 H	(-)	Choke, fly assembly (sub. for 27-548)
44	AT 17437 T**°	(-)	Float valve, seat and gasket assembly (sub. for 233-543)
45	43-33 **°	(-)	Needle, idle adjusting
46	24-340 **°	(-)	Spring
47	R 10133 R**°	(-)	Cup, throttle shaft
48	49-289 †	(-448000)	Jet, power (all-fuel engine)
..	AT 10889 T	(-448000)	Kit, carburetor, repair, includes all part numbers followed by an asterisk (*) (gasoline engine)
..	AT 10891 T	(-448000)	Kit, carburetor, repair, includes all part numbers followed by a dagger (†) (all-fuel engine)
..	AT 11915 T	(448001-)	Kit, carburetor, repair, includes all part numbers followed by a circle (°) (gasoline engine)


FUEL TANK, FUEL FILTER AND ASSOCIATED PARTS



FUEL TANK, FUEL FILTER AND ASSOCIATED PARTS -- Continued

Key	Part No.	Serial No.	Description
1	BP 12232 E	(455130-	Nut, stop, 5/16" (2 used) (sub. for M376T)
2	T 12191 T	(455130-	Washer, plain, special (4 used) (packed 4 in a pkg.)
3	24H 1294 A	(455130-	Washer, flat, 11/32" x 1-1/8" x .060" (4 used)
4	M 4404 T	(-)	Clamp
5	M 2308 T	(-)	Screw, sheet metal, No. 8 x 1/2" (2 used)
6	T 10518 T	(-456551)	Tube, vent
	T 12828 T	(456552-	Tube, vent
7	19H 2117 A	(455130-	Screw, cap, 5/16" x 1-1/8" (2 used)
8	AF 2914 R	(-)	Cap, filler
9	AM 234 T	(-)	Elbow, assembly
10	AT 11577 T	(-)	Tank, fuel (sub. for AT10288T)
11	M 2308 T	(456552-	Screw, sheet metal, No. 8 x 1/2"
12	M 4404 T	(456552-	Clamp
13	19H 1813 A	(-444127)	Screw, cap, 5/16" x 5/8" (4 used)
	19H 1813 A	(444128-455129)	Screw, cap, 5/16" x 5/8" (3 used)
	19H 1813 A	(455130-	Screw, cap, 5/16" x 5/8" (1 used)
14	T 12829 T	(456552-	Support, vent tube
15	12H 302 A	(456552-	Washer, lock, 1/4"
16	19H 1227 A	(456552-	Screw, cap, 1/4" x 1/2"
17	19H 1936 A	(-)	Screw, cap, 3/8" x 3/4" (2 used)
18	12H 304 A	(-)	Washer, lock, 3/8" (2 used)
19	AT 10738 T	(-)	Bracket, fuel tank, rear (sub. for T10308T)
20	12H 303 A	(-455129)	Washer, lock, 5/16" (4 used)
	12H 303 A	(455130-	Washer, lock, 5/16" (2 used)
21	14H 785 A	(-455129)	Nut, hex., 5/16" (4 used)
	14H 785 A	(455130-	Nut, hex., 5/16" (2 used)
22	AL 2730 T	(-)	Elbow
23	AT 10464 T	(-)	Line, fuel
24	R 27182 R	(-456551)	Screw, sheet metal, No. 8 x 1/2" (sub. for T291T)
25	67-523	(-)	Strainer assembly
26	L 587 T	(-)	Sleeve (2 used)
27	L 588 T	(-)	Nut (2 used) (packed 5 in a pkg.)
28	AT 10244 T	(-)	Bracket, fuel tank, front
29	T 10611 T	(-)	Grommet
30	19H 1731 A	(-)	Screw, cap, 3/8" x 1" (2 used)
31	12H 304 A	(-)	Washer, lock, 3/8" (2 used)
32	AM 3100 T	(-)	Fuel filter assembly
33	AM 2608 T	(-)	Body
34	AM 2607 T	(-)	Valve, shut-off
35	L 885 T	(-)	Screen
36	L 886 T	(-)	Gasket (packed 10 in a pkg.)
37	M 3340 T	(-)	Bowl
38	M 2773 T	(-)	Nut, thumb
39	AM 2606 T	(-)	Clamp, with stud
40	R 10188 R	(-)	Clip, choke cable (sub. for 29-81)
41	AM 3995 T	(-456551)	Union
42	M 4400 T	(-456551)	Tube, vent drain
43	AM 3994 T	(-456551)	Clamp, tube, with speed nut
44	M 4402 T	(-456551)	Bracket, tube support


RADIATOR, THERMOSTAT AND ASSOCIATED PARTS



RADIATOR, THERMOSTAT AND ASSOCIATED PARTS -- Continued


Key	Part No.	Serial No.	Description
1	M 3109 T	(-)	Gasket (2 used)
2	M 3106 T	(-)	Manifold, outlet
3	12H 303 A	(-)	Washer, lock, 5/16" (10 used)
4	19H 2320 A	(-)	Screw, cap, 5/16" x 1-7/8"
5	19H 1904 A	(-)	Screw, cap, 5/16" x 3"
6	19H 2044 A	(-)	Screw, cap, 5/16" x 4" (2 used)
7	M 3218 T	(-)	Nipple
8	AR 21837 R	(-)	Clamp, hose (2 used) (sub. for T439T)
9	T 592 T	(-)	Hose (sub. for M3108T)
10	AT 313 T	(-)	Thermostat, 160° (gasoline engine)
	AT 10239 T	(-448000)	Thermostat, 180° (all-fuel engine)
	AT 10906 T	(-448000)	Thermostat, 195° (all-fuel engine)
11	T 437 T	(-)	Gasket (packed 2 in a pkg.)
12	T 421 T	(-)	Cover
13	AR 21840 R	(-)	Clamp, hose (4 used) (sub. for T271T)
14	M 3107 T	(-)	Hose
15	AA 5757 R	(-)	Cap
16	AT 10299 T	(-)	Radiator (sub. for AM2959T)
17	AM 298 T	(-)	Bracket, with cushion (2 used)
18	AM 640 T	(-)	Cushion, with rivets (4 used)
19	12H 302 A	(-)	Washer, lock, 1/4" (4 used)
20	16H 173 A	(-)	Rivet, 5/32" x 3/8" (16 used)
21	19H 1791 A	(-)	Screw, cap, 1/4" x 1-1/4" (4 used)
22	19H 1900 A	(-)	Screw, cap, 5/16" x 3/4" (4 used)
23	M 3120 T	(-)	Hose
24	M 1093 T	(-)	Screw, metal, No. 10 x 5/8" (9 used)
25	AM 1766 T	(-)	Shroud
26	T 10554 T	(-)	Baffle, right
27	14H 786 A	(-)	Nut, hex., 1/4" (2 used)
28	AM 2852 T	(-)	Support, upper radiator, with mounting cushions
29	19H 1905 A	(-)	Screw, cap, 5/16" x 1" (2 used)
30	M 3059 T	(-)	Bracket, radiator support
31	14H 812 A	(-)	Nut, hex., 3/8" (2 used)
32	12H 304 A	(-)	Washer, lock, 3/8" (4 used)
33	19H 1732 A	(-)	Screw, cap, 3/8" x 1-1/4" (2 used)
34	19H 1731 A	(-)	Screw, cap, 3/8" x 1" (2 used)
35	M 1895 T	(-)	Grommet (packed 2 in a pkg.)

FAN AND WATER PUMP ASSEMBLY




Key	Part No.	Serial No.	Description
1	21H 1023 A	(-)	Screw, mach., 1/4" x 5/8" (5 used)
2	12H 302 A	(-)	Washer, lock, 1/4" (5 used)
3	M 3047 T	(-)	Gasket (packed 2 in a pkg.)
4	M 3048 T	(-)	Shim
5	M 3045 T	(-)	Cover
6	M 3046 T	(-)	Gasket
7	T 418 T	(-)	Impeller
8	R 32622 R	(-)	Seal (sub. for AT312T and AF2057R)
9	M 3038 T	(-)	Housing
10	M 3218 T	(-)	Nipple
11	M 3055 T	(-)	Belt, fan
12	R 1529 R	(-)	Retainer (sub. for T429T)
13	M 3057 T	(-)	Screw, cap, special, 5/16" x 1-1/2"
14	AM 2780 T	(-)	Cock, drain
15	JD 8549 T	(-)	Bearing and shaft assembly
16	M 3061 T	(-)	Hub
17	22H 812 A	(-)	Screw, set, 5/16" x 3/4"
18	14H 611 A	(-)	Nut, hex., jam, 5/16"
19	M 3111 T	(-)	Flange, adjustable
20	AM 2840 T	(-)	Blade, fan
21	12H 303 A	(-)	Washer, lock, 5/16" (4 used)
22	19H 1900 A	(-)	Screw, cap, 5/16" x 3/4" (4 used)
23	AR 21840 R	(-)	Clamp, hose (2 used) (sub. for T271T)
24	M 3120 T	(-)	Hose
25	M 3056 T	(-)	Screw, cap, special, 5/16" x 1" (4 used)
26	M 3219 T	(-)	Gasket
27	M 3039 T	(-)	Elbow, inlet
..	AM 3060 T	(-)	Water pump assembly, complete

CLUTCH HOUSING AND CASE




Key	Part No.	Serial No.	Description
1	AT 10193 T	(-)	Case, reverser, with clutch shaft bushing
2	T 10401 T	(-)	Cover (used when not equipped with direction reverser)
3	19H 1425 A	(-)	Screw, cap, 3/4" x 2-3/4" (4 used)
4	12H 236 A	(-)	Washer, lock, 3/4" (8 used)
5	12H 304 A	(-)	Washer, lock, 3/8" (10 used)
6	19H 1731 A	(-)	Screw, cap, 3/8" x 1" (10 used)
7	10309 T	(-)	Ring, pilot (used when not equipped with direction reverser)
8	12H 303 A	(-)	Washer, lock, 5/16" (6 used) (used when not equipped with direction reverser)
9	19H 2117 A	(-)	Screw, cap, 5/16" x 1-1/8" (6 used) (used when not equipped with direction reverser)
10	14H 812 A	(-)	Nut, hex., 3/8" (2 used)
11	12H 304 A	(-)	Washer, lock, 3/8" (2 used)
12	M 3636 T	(-)	Stud (2 used)
13	AT 10463 T	(-)	Clutch housing with studs
14	M 28 T	(-)	Cover
15	12H 302 A	(-)	Washer, lock, 1/4" (3 used)
16	19H 1227 A	(-)	Screw, cap, 1/4" x 1/2" (2 used)
17	19H 1768 A	(-)	Screw, cap, 3/4" x 2" (4 used)
18	L 689 T	(-)	Cover
19	21H 1144 A	(-)	Screw, mach., 1/4" x 1/2"
20	T 10179 T	(-)	Cover (2 used)
21	12H 316 A	(-)	Washer, lock, No. 12 (2 used)
22	21H 1163 A	(-)	Screw, mach., No. 12 x 1/2" (2 used)
23	19H 1681 A	(-)	Screw, cap, 5/8" x 3-1/4" (2 used)
24	12H 294 A	(-)	Washer, lock, 5/8" (2 used)
25	M 2133 T	(-)	Gasket
26	AM 1935 T	(-)	Plug, with gasket

CLUTCH PEDAL AND ASSOCIATED PARTS




Key	Part No.	Serial No.	Description
1	L 357 T	(-)	Ring, snap (2 used)
2	L 308 T	(-)	Washer (2 used)
3	M 1945 T	(-)	Shaft, clutch pedal
4	T 10403 T	(-)	Pedal, clutch
5	12H 304 A	(-)	Washer, lock, 3/8" (3 used)
6	T 10402 T	(-)	Hub, clutch pedal
7	M 219 T	(-)	Bushing
8	M 788 T	(-)	Key, Woodruff, special
9	M 335 T	(-)	Spring
10	AT 10111 T	(-)	Shaft, clutch
11	19H 1765 A	(-)	Screw, cap, 3/8" x 1-3/4" (3 used)
12	11H 211 A	(-)	Pin, cotter, 1/8" x 3/4" (2 used)
13	T 10187 T	(-)	Pin (2 used)
14	T 10399 T	(-)	Yoke, adjustable
15	14H 856 A	(-)	Nut, hex., jam, 1/2"
16	T 10400 T	(-)	Turnbuckle
17	14H 881 A	(-)	Nut, hex. jam, 1/2"
18	AT 10101 T	(-)	Rod, clutch control

DIRECTION REVERSER COVER AND SHIFTING PARTS



Key	Part No.	Serial No.	Description
1	AM 1935 T	(-)	Plug, with gasket
2	M 2133 T	(-)	Gasket
3	A 3910 R	(-)	Plug, special (sub. for L1196T)
4	AT 11129 T	(-)	Cover (sub. for T10205T and T11092T)
5	29H 483 A	(-443209)	Sub. one 11H231A and one T11008T
	T 11008 T	(443210-)	Breather
6	L 4411 T	(-443209)	Sub. one 11H231A and one T11008T
	11H 231 A	(443210-)	Pin, cotter, 1/16" x 1"
7	T 10211 T	(-)	Gasket (packed 2 in a pkg.)
8	M 523 T	(-)	Plug, special (2 used)
9	12H 304 A	(-)	Washer, lock, 3/8" (10 used)
10	19H 1731 A	(-)	Screw, cap, 3/8" x 1" (10 used)
11	L 1584 C	(-444127)	Seal, oil (2 used) (sub. for AT10110T)
	AT 10907 T	(444128-)	Seal, oil (2 used)
12	T 10206 T	(-444127)	Sub. one T11093T and one T11094T
	T 11093 T	(444128-)	Rail, shifter
13	T 10354 T	(-444127)	Pin, special
	T 11094 T	(444128-)	Pin, special
14	T 10345 T	(-)	Screw, cap, special
15	T 10344 T	(-)	Lever
16	AT 10227 T	(-)	Rod, control
17	34H 171 A	(-)	Pin, roll, 3/8" x 1"
18	34H 88 A	(-)	Pin, roll, 7/32" x 1"
19	14H 774 A	(-)	Nut, hex., jam, 3/8"
20	L 324 T	(-)	Yoke, adjustable
21	T 10208 T	(-)	Fork, front
22	34H 188 A	(-)	Pin, roll, 5/16" x 1-3/4" (2 used)
23	T 10207 T	(-)	Fork, rear
24	L 4658 T	(-)	Pin
25	11H 206 A	(-)	Pin, cotter, 3/32" x 3/4"
26	T 13257 T	(-)	Lever (sub. for T10346T)
27	T 10343 T	(-)	Shaft, control
28	T 10341 T	(-)	Lever, control
29	T 10601 T	(-)	Knob
30	T 10560 T	(-)	Pin, groov-, special (3 used)
31	JD 7797	(-444128)	Fitting, grease
32	AM 292 T	(444808-)	Cock, test


DIRECTION REVERSER ASSEMBLY



DIRECTION REVERSER ASSEMBLY -- Continued

Key	Part No.	Serial No.	Description
1	19H 2117 A	(-)	Screw, cap, 5/16" x 1-1/8" (6 used)
2	12H 303 A	(-)	Washer, lock, 5/16" (6 used)
3	T 10189 T	(-)	Quill
4	T 10190 T	(-)	Gasket (packed 2 in a pkg.)
5	AM 253 T	(-)	Seal, oil
6	JD 7681 H	(-)	Ball, bearing
7	AT 10113 T	(-)	Reverse clutch assembly, complete
8	T 10185 T	(-)	Shim, .020" (packed 2 in a pkg.)
	T 10186 T	(-)	Shim, .010" (packed 2 in a pkg.)
9	19H 1722 A	(-)	Screw, cap, 1/4" x 2" (2 used)
10	T 10581 T	(-)	Nut, hex., 1/4" special (2 used)
11	T 10582 T	(-)	Shim, 1/16" special (2 used)
12	AT 10439 T	(-)	Collar, shifting, with shims, cap screws, and hex. nuts
13	AT 10952 T	(-442737)	Sleeve, sliding, with links, pins and rollpins (sub. for T10577T)
	T 11130 T	(442738-)	Sleeve, sliding
14	11H 233 A	(-)	Pin, cotter, 3/32" x 1/2" (12 used)
15	11H 233 A	(-)	Pin, cotter, 3/32" x 1/2" (6 used)
16	AT 10486 T	(-)	Pin, with cotter pin (6 used) (sub. for T10589T)
17	T 10585 T	(-)	Lever (6 used)
18	T 10587 T	(-442737)	Link (12 used) (packed 6 in a pkg.)
	T 11133 T	(442738-)	Link (12 used)
19	AT 10485 T	(-442737)	Pin, with rollpin (pkg. of 6) (2 pkgs. used) (sub. for T10588T)
	AT 10951 T	(442738-)	Pin, with rollpin (pkg. of 6) (2 pkgs. used)
20	T 10583 T	(-)	Ring, adjusting (2 used)
21	T 10586 T	(-)	Pin, lock (2 used)
22	T 10590 T	(-)	Spring (2 used)
23	T 10579 T	(-)	Plate, floating (2 used)
24	T 10578 T	(-)	Plate, driven (8 used) (packed 4 in a pkg.)
25	AT 10438 T	(-)	Plate, driving (10 used) (packed 5 in a pkg.)
26	T 10214 T	(-)	Hub, forward clutch
27	T 10591 T	(-)	Screw, mach., special, No. 10 x 3/4" (6 used)
28	T 10584 T	(-)	Key, drive (6 used)
29	T 10201 T	(-)	Washer, thrust (2 used) (packed 4 in a pkg.)
30	JD 8839 T	(-)	Bearing, needle (2 used)
31	AT 10107 T	(-)	Cover, housing, with needle bearing
32	T 10196 T	(-)	Gear, bevel (2 used)
33	T 10200 T	(-)	Washer, thrust (4 used) (packed 4 in a pkg.)
34	JD 8851 T	(-)	Bearing, needle (4 used)
35	AT 10105 T	(-)	Pinion, bevel, with needle bearing (4 used)
36	T 10199 T	(-)	Spider
37	25H 100 A	(-)	Pin, groov-, 1/4" x 2" (3 used)
38	T 10197 T	(-)	Shaft, pinion (2 used)
39	T 10217 T	(-)	Screw, cap, special, 3/8" x 1-1/4" (8 used)
40	M 17 T	(-)	Pin, dowel (2 used)
41	T 10198 T	(-)	Shaft, pinion
42	AT 10106 T	(-)	Housing, gear, with needle bearing
43	JD 8852 T	(-)	Bearing, needle
44	AT 11492 T	(-)	Seal, oil (sub. for AT10253T)
45	AT 10108 T	(-)	Hub, reverse clutch, with needle bearing and oil seal
46	26H 82 A	(-)	Key, Woodruff, 1/4" x 7/8" (3 used)
47	AT 10953 T	(-442737)	Sleeve, sliding, with links, pins and rollpins (sub. for T10580T)
	T 11131 T	(442738-)	Sleeve, sliding
48	AM 1935 T	(-)	Plug, with gasket
49	M 2133 T	(-)	Gasket
50	15H 584 A	(-440485)	Plug, pipe, sq. hd., 1/2"
	AM 292 T	(444128-444807)	Cock, test
	15H 604 A	(444808-)	Plug, pipe, sq. hd., 1/4"
51	AM 3432 T	(-)	Seal, oil
52	T 10203 T	(-)	Lock
53	T 10218 T	(-)	Nut, hex., jam, special, 1-7/8"
54	M 219 T	(-)	Bushing
55	AT 10193 T	(-)	Case, reverser, with clutch shaft bushing
56	15H 584 A	(-)	Plug, pipe, sq. hd., 1/2"
57	AT 10112 T	(-)	Forward clutch assembly, complete
58	T 10201 T	(-)	Washer, thrust (2 used)
59	AT 10104 T	(-)	Housing assembly, gear


CLUTCH, PROPELLER SHAFT, AND FLYWHEEL ASSEMBLY



CLUTCH, PROPELLER SHAFT, AND FLYWHEEL ASSEMBLY -- Continued

Key	Part No.	Serial No.	Description
1	34H 82 A	(-)	Pin, roll, 3/16" x 1-5/8" (used when not equipped with direction reverser)
2	M 3665 T	(-)	Coupling (used when not equipped with direction reverser)
3	M 1309 T	(-)	Spring (used when not equipped with direction reverser)
4	T 10383 T	(-)	Shaft, propeller (used when not equipped with direction reverser)
	T 10184 T	(-)	Shaft, propeller (used when equipped with direction reverser)
	AT 10753 T	(-)	Shaft, propeller (used when equipped with Auburn Trencher)
5	19H 1731 A	(-)	Screw, cap, 3/8" x 1" (3 used)
6	12H 304 A	(-)	Washer, lock, 3/8" (3 used)
7	14H 778 A	(-)	Nut, hex., No. 10 (2 used)
8	12H 246 A	(-)	Washer, lock, No. 10 (2 used)
9	T 10473 T	(-)	Sleeve
10	T 10180 T	(-)	Eye, rod (2 used)
11	T 10178 T	(-)	Yoke
12	25H 125 A	(-)	Pin, groov-, 5/16" x 1-3/4"
13	T 10177 T	(-)	Shaft
14	M 226 T	(-)	Spring (2 used)
15	JD 7763	(-)	Fitting, grease
16	T 10472 T	(-)	Carrier
17	AM 3983 T	(-)	Bearing, throw-out
18	L 372 T	(-)	Screw, cap, special (6 used)
19	12H 303 A	(-)	Washer, lock, 5/16" (6 used)
20	AM 2576 T	(-)	Plate, pressure (sub. for AM650T)
21	AM 3791 T	(-)	Disk, driven, with facings
22	19H 1262 A	(-)	Screw, cap, 1/2" x 1-3/8" (4 used)
23	M 23 T	(-)	Lock (2 used) (packed 2 in a pkg.) (sub. for AM646T)
24	JD 8511 T	(-)	Bearing, ball, clutch pilot
25	M 1511 T	(-)	Retainer, grease
26	M 21 T	(-)	Gear, ring (sub. for AM648T)
27	AM 3123 T	(-)	Flywheel, with ring gear
28	T 11700 T	(-)	Pin, pivot (3 used) (packed 3 in a pkg.)
29	T 11701 T	(-)	Lever, clutch (3 used) (packed 3 in a pkg.)
30	AT 11354 T	(-)	Bracket and lever service kit
31	T 11694 T	(-)	Spring, pressure (3 used) (packed 3 in a pkg.)
32	T 11695 T	(-)	Screw, adjusting cap (3 used)
33	14H 882 A	(-)	Nut, jam (3 used)
34	T 11697 T	(-)	Washer, adjusting screw (3 used)
35	T 11696 T	(-)	Spring, pressure plate return (3 used) (packed 3 in a pkg.)
36	T 11698 T	(-)	Plate, pressure
37	T 11699 T	(-)	Clip, clutch, installation tool (3 used) (use to install replacement parts listed under key No. 20) (packed 3 in a pkg.)


TRANSMISSION HOUSING AND REAR COVER ASSEMBLY



Key	Part No.	Serial No.	Description
1	M 3318 T	(-)	Lever, shifter
2	25H 50 A	(-)	Pin, groov-, 5/32" x 3/4"
3	M 121 T	(-)	Washer, felt
4	M 115 T	(-)	Bushing
5	M 119 T	(-)	Shaft
6	M 124 T	(-)	Holder, poppet
7	L 754 T	(-)	Gasket
8	L 468 T	(-)	Spring
9	405 R	(-)	Ball (sub. for L467T)
10	M 3874 T	(-)	Fork
11	M 123 T	(-)	Lock
12	14H 611 A	(-)	Nut, hex., jam, 5/16"
13	M 3413 T	(-)	Screw, set, special
14	14H 760 A	(-)	Nut, hex., 5/8" (2 used)
15	12H 294 A	(-)	Washer, lock, 5/8" (2 used)
16	M 14 T	(-)	Dowel, hollow (2 used)
17	M 3209 T	(-)	Stud (2 used)
18	M 4258 T	(-)	Case, transmission
19	15H 585 A	(-)	Plug, pipe, sq. hd., 3/4" (2 used)
20	L 4126 T	(-)	Pin, dowel (2 used)
21	T 12840 T	(-)	Gasket (sub. for M174T) (packed 3 in a pkg.)
22	JD 8818 H	(-)	Bearing, needle
23	AT 15561 T	(-)	Seal, oil (sub. for AF1934R)
24	M 3143 T	(-)	Cover, rear
25	M 2347 T	(-)	Cover, powershaft drive


TRANSMISSION HOUSING AND REAR COVER ASSEMBLY -- Continued				
Key	Part No.	Serial No.	Description	
26	M 2346 T	(-)	Gasket	
27	M 2345 T	(-)	Cover, high-speed drive	
28	19H 1731 A	(-)	Screw, cap, 3/8" x 1" (3 used)	
29	12H 304 A	(-)	Washer, lock, 3/8" (12 used)	
30	19H 1821 A	(-)	Screw, cap, 7/16" x 1-1/4" (3 used)	
31	12H 293 A	(-)	Washer, lock, 7/16" (3 used)	
32	19H 1833 A	(-)	Screw, cap, 5/8" x 1-1/4"	
33	19H 1697 A	(-)	Screw, cap, 3/8" x 4" (9 used)	
34	M 2018 T	(-)	Bushing (2 used) (sub. for M2038T)	
35	15H 275 A	(-)	Plug, pipe, hex. ctsk., 1/4"	

ANCHOR YOKE ASSEMBLY



Key	Part No.	Serial No.	Description
1	M 2679 T	(-)	Ring, snap (2 used) (packed 10 in a pkg.)
2	M 2711 T	(-)	Pin
3	JD 7797	(-)	Fitting, grease
4	M 2071 T	(-)	Pin
5	A 3581 R	(-)	Pin, spring locking
6	M 3144 T	(-)	Yoke, anchor
7	M 2203 T	(-)	Nut, hex., special, 5/8"
8	M 2023 T	(-)	Nut, stop, 5/8"
9	12H 304 A	(-)	Washer, lock, 3/8" (15 used)
10	19H 1732 A	(-)	Screw, cap, 3/8" x 1-1/4" (2 used)
11	19H 1801 A	(-)	Screw, cap, 3/8" x 2"
12	M 3171 T	(-)	Arm, control
13	M 2212 T	(-)	Spring
14	19H 1821 A	(-)	Screw, cap, 7/16" x 1-1/4" (3 used)
15	12H 293 A	(-)	Washer, lock, 7/16" (3 used)
16	M 2347 T	(-)	Cover, powershaft drive
17	19H 1731 A	(-)	Screw, cap, 3/8" x 1" (3 used)
18	M 2345 T	(-)	Cover, high-speed drive
19	M 2346 T	(-)	Gasket
20	M 2200 T	(-)	Stud
21	19H 1662 A	(-)	Screw, cap, 5/8" x 2-1/4"
22	19H 1697 A	(-)	Screw, cap, 3/8" x 4" (9 used)
23	M 3143 T	(-)	Cover, rear
24	AT 15561 T	(-)	Seal, oil (sub. for AF1934R)
25	JD 8818 H	(-)	Bearing, needle

FOUR-SPEED TRANSMISSION GEARS AND SHAFTS




63009

FOUR-SPEED TRANSMISSION GEARS AND SHAFTS -- Continued

Key	Part No.	Serial No.	Description
1	11H 222 A	(-)	Pin, cotter, 3/16" x 2"
2	M 2343 T	(-)	Coupling, input shaft
3	JD 8225 A	(-)	Cup, bearing (3 used)
4	JD 8187 A	(-)	Cone, bearing (3 used)
5	T 10222 T	(-)	Shaft, input
6	26H 82 A	(-)	Key, Woodruff, 1/4" x 7/8" (2 used)
7	T 11999 T	(-)	Washer, rear (sub. for T10247T)
8	M 4268 T	(-)	Gear, first-speed cluster (27 and 37 teeth)
9	JD 7938 T	(-)	Bearing (2 used)
10	M 571 T	(-)	Washer, front
11	M 555 T	(-)	Washer, spring
12	M 143 T	(-)	Gear, fourth-speed (27 teeth) (sub. for AM654T)
13	M 144 T	(-)	Spacer
14	M 1689 T	(-)	Gear, third-speed (16 teeth)
15	M 3584 T	(-)	Spacer
16	M 147 T	(-)	Shim, .002" (use quantity required) (packed 6 in a pkg.)
	M 148 T	(-)	Shim, .005" (use quantity required) (packed 6 in a pkg.)
	M 149 T	(-)	Shim, .010" (use quantity required) (packed 6 in a pkg.)
17	M 3505 T	(-)	Quill
18	12H 304 A	(-)	Washer, lock, 3/8" (11 used)
19	19H 1139 A	(-)	Screw, cap, 3/8" x 1-1/8" (4 used)
20	AL 2122 T	(-)	Seal, oil
21	JD 8230 T	(-)	Cup, bearing
22	JD 8194 T	(-)	Cone, bearing
23	T 11400 T	(-)	Washer, spacer (sub. for M135T)
24	AT 16550 T	(-)	Gear, cluster (19, 26, and 43 teeth) (sub. for M4205T and AT10746T)
25	JD 7939 T	(-)	Bearing (2 used)
26	M 132 T	(-)	Spacer (sub. for AM658T)
27	M 1926 T	(-)	Washer, front
28	M 4278 T	(-)	Shaft, power
29	M 3590 T	(-)	Coupling
30	JD 8124 T	(-)	Cone, bearing
31	JD 7443 T	(-)	Cup, bearing
32	M 136 T	(-)	Shim, .002" (use quantity required) (packed 10 in a pkg.)
	M 137 T	(-)	Shim, .005" (use quantity required) (packed 10 in a pkg.)
	M 138 T	(-)	Shim, .010" (use quantity required) (packed 5 in a pkg.)
33	M 234 T	(-)	Cover
34	19H 1731 A	(-)	Screw, cap, 3/8" x 1" (4 used)
35	AT 16608 T	(-)	Shaft, output pinion (T18450T) (7 teeth); gear, ring, differential (T18451T) (32 teeth) (matched set) (sub. for AM3912T)
36	JD 8907 T	(-)	Cone, bearing
37	JD 8240 T	(-)	Cup, bearing
38	M 4260 T	(-)	Shim, .002" (use quantity required) (packed 10 in a pkg.)
	M 4261 T	(-)	Shim, .005" (use quantity required) (packed 10 in a pkg.)
	M 4262 T	(-)	Shim, .010" (use quantity required) (packed 10 in a pkg.)
39	M 4209 T	(-)	Gear, second-and reverse-speed sliding (31 and 38 teeth)
40	M 4202 T	(-)	Gear, first-and fourth-speed sliding (24 teeth)
41	M 4206 T	(-)	Gear, third-speed sliding (35 teeth)
42	M 4263 T	(-)	Washer, spacer
43	M 2056 T	(-)	Shim, .002" (use quantity required) (packed 10 in a pkg.)
	M 2057 T	(-)	Shim, .005" (use quantity required) (packed 10 in a pkg.)
	M 2058 T	(-)	Shim, .010" (use quantity required) (packed 10 in a pkg.)
44	M 4259 T	(-)	Washer
45	14H 534 A	(-)	Nut, hex., slotted, 3/4"
46	M 159 T	(-)	Gasket
47	M 160 T	(-)	Cover
48	19H 1936 A	(-)	Screw, cap, 3/8" x 3/4" (3 used)
49	11H 237 A	(-)	Pin, cotter, 1/8" x 2"


FIVE-SPEED TRANSMISSION GEARS AND SHAFTS



FIVE-SPEED TRANSMISSION GEARS AND SHAFTS -- Continued


Key	Part No.	Serial No.	Description
1	11H 222 A	(-)	Pin, cotter, 3/16" x 2"
2	M 2343 T	(-)	Coupling
3	JD 8225 A	(-)	Cup, bearing (3 used)
4	JD 8187 A	(-)	Cone, bearing (3 used)
5	T 10221 T	(-)	Shaft, input
6	26H 82 A	(-)	Key, Woodruff, 1/4" x 7/8" (3 used)
7	T 11999 T	(-)	Washer, rear (sub. for T10247T)
8	M 4195 T	(-453018)	Sub. one T12001T, one T11999T, one T18609T, and two JD7927R
	T 12001 T	(453019-)	Gear, first speed cluster (27 and 37 teeth)
9	JD 8823 N	(-453018)	Bearing, needle (2 used)
	JD 7927 R	(453019-)	Bearing, roller (2 used)
10	M 4197 T	(-)	Gear, fifth-speed (27 teeth)
11	M 4271 T	(-)	Gear, fourth-speed (19 teeth)
12	M 144 T	(-)	Spacer
13	M 4270 T	(-)	Gear, third-speed (16 teeth)
14	M 147 T	(-)	Shim, .002" (use quantity required) (packed 6 in a pkg.)
	M 148 T	(-)	Shim, .005" (use quantity required) (packed 6 in a pkg.)
	M 149 T	(-)	Shim, .010" (use quantity required) (packed 6 in a pkg.)
15	M 3505 T	(-)	Quill
16	AL 2122 T	(-)	Seal, oil
17	19H 1139 A	(-)	Screw, cap, 3/8" x 1-1/8" (4 used)
18	12H 304 A	(-)	Washer, lock, 3/8" (11 used)
19	JD 8230 T	(-)	Cup, bearing
20	JD 8194 T	(-)	Cone, bearing
21	T 11400 T	(-)	Washer, spacer (sub. for M135T)
22	AT 16550 T	(-)	Gear, cluster (19, 26, and 43 teeth) (sub. for M4205T and AT10746T)
23	JD 7939 T	(-)	Bearing (2 used)
24	M 132 T	(-)	Spacer (sub. for AM658T)
25	M 1926 T	(-)	Washer, front
26	M 4278 T	(-)	Shaft, power
27	M 3590 T	(-)	Coupling
28	JD 8124 T	(-)	Cone, bearing
29	JD 7443 T	(-)	Cup, bearing
30	M 136 T	(-)	Shim, .002" (use quantity required) (packed 10 in a pkg.)
	M 137 T	(-)	Shim, .005" (use quantity required) (packed 10 in a pkg.)
	M 138 T	(-)	Shim, .010" (use quantity required) (packed 5 in a pkg.)
31	M 234 T	(-)	Cover
32	19H 1731 A	(-)	Screw, cap, 3/8" x 1" (4 used)
33	AT 16608 T	(-)	Shaft, output pinion (T18450T) (7 teeth); gear, ring, differential (T18451T) (32 teeth) (sub. for AM3912T)
34	JD 8907 T	(-)	Cone, bearing
35	JD 8240 T	(-)	Cup, bearing
36	M 4260 T	(-)	Shim, .002" (use quantity required) (packed 10 in a pkg.)
	M 4261 T	(-)	Shim, .005" (use quantity required) (packed 10 in a pkg.)
	M 4262 T	(-)	Shim, .010" (use quantity required) (packed 10 in a pkg.)
37	M 4209 T	(-)	Gear, second-and reverse-speed sliding (31 and 38 teeth)
38	M 4202 T	(-)	Gear, first-and fifth-speed sliding (24 teeth)
39	T 17608 T	(-)	Gear, third-and fourth-speed driven (32 and 39 teeth) (sub. for AM3898T and AT15106T)
40	M 4263 T	(-)	Washer, spacer
41	M 2056 T	(-)	Shim, .002" (use quantity required) (packed 10 in a pkg.)
	M 2057 T	(-)	Shim, .005" (use quantity required) (packed 10 in a pkg.)
	M 2058 T	(-)	Shim, .010" (use quantity required) (packed 10 in a pkg.)
42	M 4259 T	(-)	Washer
43	14H 534 A	(-)	Nut, hex., slotted, 3/4"
44	M 159 T	(-)	Gasket
45	19H 1936 A	(-)	Screw, cap, 3/8" x 3/4" (3 used)
46	M 160 T	(-)	Cover
47	11H -237 A	(-)	Pin, cotter, 1/8" x 2"
48	T 18609 T	(453019-)	Washer, thrust (sub. for T12000T)

FOUR-SPEED TRANSMISSION TOP COVER AND SHIFTING PARTS




Key	Part No.	Serial No.	Description
1	M 4337 T	(-)	Knob
2	L 4022 T	(-)	Boot (sub. for AL4022T)
3	L 4035 T	(-)	Ring, snap
4	L 4027 T	(-)	Bearing
5	M 4284 T	(-)	Lever, shift
6	19H 1731 A	(-)	Screw, cap, 3/8" x 1" (7 used)
7	12H 304 A	(-)	Washer, lock, 3/8" (7 used)
8	M 3958 T	(-)	Cover
9	M 186 T	(-)	Gasket (packed 5 in a pkg.)
10	T 15756 T	(-)	Shifter, third-speed (sub. for M4266T)
11	25H 903 A	(-)	Pin, groov-, 7/32" x 1-1/8" (4 used)
12	M 4111 T	(-)	Shaft, third-speed shift
13	L 468 T	(-)	Spring (3 used)
14	405 R	(-)	Ball (7 used) (sub. for L467T)
15	M 4210 T	(-)	Fork, first-and fourth-speed shift
16	M 4112 T	(-)	Shaft, first-and fourth-speed shift
17	T 16267 T	(-)	Fork, second-and reverse-speed shift (sub. for M3967T)
18	M 4128 T	(-)	Shaft, second, and reverse-speed shift
19	M 180 T	(-)	Pin, inter-lock
20	M 4211 T	(-)	Fork, third-speed shift
21	M 3985 T	(-)	Spring
22	M 1970 T	(-)	Pin, lock
23	12H 303 A	(-)	Washer, lock, 5/16" (4 used)
24	19H 1813 A	(-)	Screw, cap, 5/16" x 5/8" (4 used)
25	M 3977 T	(-)	Guide, shifter

FIVE-SPEED TRANSMISSION TOP COVER AND SHIFTING PARTS



Key	Part No.	Serial No.	Description
1	M 4335 T	(-)	Knob
2	L 4022 T	(-)	Boot (sub. for AL4022T)
3	L 4035 T	(-)	Ring, snap
4	L 4027 T	(-)	Bearing
5	M 4254 T	(-)	Lever, shift
6	19H 1731 A	(-)	Screw, cap, 3/8" x 1" (7 used)
7	12H 304 A	(-)	Washer, lock, 3/8" (7 used)
8	M 3955 T	(-)	Cover
9	M 186 T	(-)	Gasket (packed 5 in a pkg.)
10	T 15756 T	(-)	Shifter (sub. for M4266T)
11	25H 903 A	(-)	Pin, groov-, 7/32" x 1-1/8" (4 used)
12	T 18592 T	(-)	Shaft, third-and fourth-speed shift (sub. for M4264T)
13	L 465 T	(-)	Spring (3 used)
14	405 R	(-)	Ball (7 used) (sub. for L467T)
15	T 11321 T	(-)	Fork, first-and fifth-speed shift (sub. for M4204T)
16	M 4265 T	(-)	Shaft, first-and fifth-speed shift
17	T 16267 T	(-)	Fork, second-and reverse-speed shift (sub. for M3967T)
18	M 4128 T	(-)	Shaft, second-and reverse-speed shift
19	M 130 T	(-)	Pin, inter-lock
20	M 4203 T	(-)	Fork, third-and fourth-speed shift
21	M 3983 T	(-)	Spring
22	M 1977 T	(-)	Pin, lock
23	12H 303 A	(-)	Washer, lock, 5/16" (4 used)
24	19H 1813 A	(-)	Screw, cap, 5/16" x 5/8" (4 used)
25	M 425 T	(-)	Guide, shifter

BELT PULLEY




Key	Part No.	Serial No.	Description
1	19H 1721 A	(-)	Screw, cap, 1/2" x 1-1/2" (4 used)
2	12H 301 A	(-)	Washer, lock, 1/2" (5 used)
3	AT 12542 T	(-)	Seal, oil (sub. for AM1977T)
4	M 1784 T	(-)	Quill
5	M 2050 T	(-)	Shim, .002" (approx. 2 used) (packed 2 in a pkg.)
	M 2051 T	(-)	Shim, .005" (approx. 1 used) (packed 2 in a pkg.)
	M 2052 T	(-)	Shim, .010" (approx. 6 used) (packed 2 in a pkg.)
6	JD 8220 T	(-)	Cup, bearing
7	JD 8179 T	(-)	Cone, bearing
8	AM 1978 T	(-)	Gear, drive, assembly
9	M 2206 T	(-)	Plug, cup
10	JD 7438 R	(-)	Cup, bearing
11	JD 8135 R	(-)	Cone, bearing
12	M 2053 T	(-)	Shim, .002" (approx. 2 used) (packed 2 in a pkg.)
	M 2054 T	(-)	Shim, .005" (approx. 2 used) (packed 2 in a pkg.)
	M 2055 T	(-)	Shim, .010" (approx. 3 used) (packed 2 in a pkg.)
13	M 1996 T	(-)	Shaft
14	AM 1979 T	(-)	Case (M1785T) with shaft
15	15H 623 A	(-)	Plug, pipe, sq. hd., 3/8"
16	M 1696 T	(-)	Shaft
17	26H 23 A	(-)	Key, Woodruff, 5/16" x 1"
18	11H 222 A	(-)	Pin, cotter, 3/16" x 2"
19	JD 8180 T	(-)	Cone, bearing
20	JD 8221 T	(-)	Cup, bearing
21	M 2059 T	(-)	Shim, inner bearing, .002" (approx. 2 used) (packed 3 in a pkg.)
	M 2060 T	(-)	Shim, inner bearing, .005" (approx. 2 used) (packed 3 in a pkg.)
	M 2061 T	(-)	Shim, inner bearing, .010" (approx. 3 used) (packed 3 in a pkg.)
22	M 2123 T	(-)	Spacer

BELT PULLEY -- Continued

Key	Part No.	Serial No.	Description
23	M 2056 T	(-)	Shim, outer bearing, .002" (approx. 2 used) (packed 10 in a pkg.)
	M 2057 T	(-)	Shim, outer bearing, .005" (approx. 3 used) (packed 10 in a pkg.)
	M 2058 T	(-)	Shim, outer bearing, .010" (approx. 5 used) (packed 10 in a pkg.)
24	JD 7449 D	(-)	Cup, bearing
25	JD 8134 D	(-)	Cone, bearing
26	14H 540 A	(-)	Nut, hex., 1"
27	24H 1452 A	(-)	Washer, plain, 1-1/32" x 1-3/4" x .105"
23	M 1786 T	(-)	Pulley, belt, dia., 9"
	M 2521 T	(-)	PULLEY, BELT, DIA., 5-5/8"
29	AM 1717 T	(-)	Seal, oil
30	14H 809 A	(-)	Nut, hex., 1/2"
31	16H 698 A	(-)	Rivet, 1/4" x 1" (5 used)
..	AM 1947 T	(-)	BELT PULLEY (ATTACHMENT)


POWERSHAFT ATTACHMENT



Key	Part No.	Serial No.	Description
1	AM 253 T	(-)	Seal, oil
2	JD 8819 T	(-)	Bearing, needle
3	AM 2553 T	(-)	Seal, oil
4	M 2017 T	(-)	Stud
5	AM 2750 T	(-)	Housing (M2915T) with stud
6	JD 7198 T	(-)	Bearing, ball
7	M 2354 T	(-)	Ring, snap
8	M 2353 T	(-)	Ring, snap
9	M 2916 T	(-)	Shaft
10	M 2746 T	(-)	Coupling
11	34H 200 A	(-)	Pin, roll, 1/4" x 1-3/4"
12	19H 1821 A	(-)	Screw, cap, 7/16" x 1-1/4" (3 used)
13	15H 566 A	(-)	Plug, pipe, slotted, 1/8"
14	12H 301 A	(-)	Washer, lock, 1/2"
15	14H 809 A	(-)	Nut, hex., 1/2"
16	M 1800 T	(-)	Guard
17	AT 10664 T	(-)	Shield, powershaft (sub. for AM1959T)
..	AM 2749 T	(-)	POWER TAKE-OFF ASSEMBLY (INCLUDES KEYS 1 THRU 11 AND KEY 13)
..	AM 2748 T	(-)	POWER TAKE-OFF (WITH GUARD AND SHIELD ATTACHMENT)


Capital letters indicate an attachment. Attachments must be listed on separate order from replacement order.

DIFFERENTIAL ASSEMBLY




Key	Part No.	Serial No.	Description
1	M 164 T	(-)	Washer (bronze) pinion, thrust (2 used)
2	M 163 T	(-)	Pinion (2 used) (sub. for AM664T)
3	M 1682 T	(-)	Gear (2 used)
4	M 1948 T	(-)	Washer (bronze) gear, thrust (2 used)
5	M 1711 T	(-)	Quill (2 used)
6	AM 253 T	(-)	Seal, oil (2 used)
7	JD 8205 T	(-)	Cup, bearing (2 used)
8	JD 8144 T	(-)	Cone, bearing (2 used)
9	M 808 T	(-)	Shim, .002" (approx. 4 used) (packed 4 in a pkg.)
	M 809 T	(-)	Shim, .005" (approx. 6 used) (packed 6 in a pkg.)
	M 810 T	(-)	Shim, .010" (approx. 12 used) (packed 12 in a pkg.)
10	AT 16608 T	(-)	Shaft, pinion (T18450T) (7 teeth); gear, ring (T18451T) (32 teeth) (matched set) (four-and five-speed transmissions) (sub. for AM3912T)
11	12H 304 A	(-)	Washer, lock, 3/8" (12 used)
12	19H 1139 A	(-)	Screw, cap, 3/8" x 1-1/8" (12 used)
13	25H 100 A	(-)	Pin, groov-, 1/4" x 2"
14	AT 10444 T	(-)	Cage, differential (T10592T), with attaching cap screws, cap screw locks and dowels
15	M 165 T	(-)	Shaft, pinion
16	M 254 T	(-)	Lock, double (6 used) (packed 6 in a pkg.)
17	M 4062 T	(-)	Screw, cap, special, 3/8" x 1-1/8" (10 used)
18	M 4339 T	(-)	Dowel (2 used)

TRANSMISSION REAR COVER (Auburn Trencher Transmission)




Key	Part No.	Serial No.	Description
1	19H 1821 A	(-)	Screw, cap, 7/16" x 1-1/4" (3 used)
2	12H 293 A	(-)	Washer, lock, 7/16" (3 used)
3	M 2347 T	(-)	Cover
4	M 2348 T	(-)	Seal
5	T 11424 T	(-)	Cover, transmission, rear (sub. for M2856T)
6	12H 304 A	(-)	Washer, lock, 3/8" (9 used)
7	19H 1731 A	(-)	Screw, cap, 3/8" x 1" (9 used)

FIVE-SPEED TRANSMISSION GEARS AND SHAFTS
(For Tractors Equipped with Auburn Trencher)

FIVE-SPEED TRANSMISSION GEARS AND SHAFTS -- Continued
 (For Tractors Equipped with Auburn Trencher)

Key	Part No.	Serial No.	Description
1	AM 3535 T	(-)	Seal, oil
2	JD 8225 A	(-)	Cup, bearing (4 used)
3	JD 8187 A	(-)	Cone, bearing (4 used)
4	M 3534 T	(-)	Shaft, input
5	26H 82 A	(-)	Key, Woodruff, 1/4" x 7/8" (3 used)
6	T 11999 T	(-)	Washer, rear (sub. for T10247T)
7	M 4195 T	(-453018)	Sub. one T12001T, one T11999T, one T18609T, and two JD7927R
	T 12001 T	(453019-)	Gear, first speed cluster (27 and 37 teeth)
8	JD 8823 N	(-453018)	Bearing, needle (2 used)
	JD 7927 R	(453019-)	Bearing, roller (2 used)
9	M 4197 T	(-)	Gear, fifth speed (27 teeth)
10	M 4271 T	(-)	Gear, fourth speed (19 teeth)
11	12H 304 A	(-)	Washer, lock, 3/8" (3 used)
	12H 304 A	(-)	Washer, lock, 3/8" (1 used)
12	M 144 T	(-)	Spacer
13	M 4270 T	(-)	Gear, third speed (16 teeth)
14	M 2502 T	(-455849)	Screw, cap, socket head, 3/8" x 3/4" (1 used) (sub. for M3651T)
	M 2502 T	(455850-)	Screw, cap, socket head, 3/8" x 3/4" (3 used)
15	JD 8839 T	(-)	Bearing, needle
16	M 2152 T	(-)	Dowel, hollow (2 used)
17	M 3659 T	(-)	Gasket
18	M 3502 T	(-)	Housing
19	M 3660 T	(-)	Screw, cap, socket head, 3/8" x 2" (5 used)
20	M 147 T	(-)	Shim, .002" (use quantity required) (packed 6 in a pkg.)
	M 148 T	(-)	Shim, .005" (use quantity required) (packed 6 in a pkg.)
	M 149 T	(-)	Shim, .010" (use quantity required) (packed 6 in a pkg.)
21	T 15996 T	(-)	Quill (sub. for M3500T and T10815T)
22	19H 1139 A	(-455849)	Screw, cap, 3/8" x 1-1/8" (3 used)
	19H 1139 A	(455850-)	Screw, cap, 3/8" x 1-1/8" (1 used)
23	AM 3491 T	(-)	Seal, oil
24	M 3546 T	(-)	Gear, powershaft drive (13 teeth)
25	M 3649 T	(-)	Ring, snap
26	JD 8568 T	(-)	Bearing, ball
27	M 3648 T	(-)	Ring, snap (2 used)
28	AM 3572 T	(-)	Seal, oil
29	JD 8230 T	(-)	Cup, bearing
30	JD 8194 T	(-)	Cone, bearing
31	T 11400 T	(-)	Washer, spacer (sub. for M135T)
32	AT 16550 T	(-)	Gear, cluster (19, 26, and 43 teeth) (sub. for AT10746T)
33	JD 7939 T	(-)	Bearing, roller (2 used)
34	M 132 T	(-)	Spacer (sub. for AM658T)
35	M 1926 T	(-)	Washer (2 used)
36	34H 200 A	(-)	Pin, roll, 1/4" x 1-3/4"
37	M 2746 T	(-)	Coupling, powershaft
38	T 16006 T	(-)	Shaft, power (sub. for T10897T) (also order one T16005T)
39	T 16005 T	(-)	Coupling (sub. for M3590T) (also order one T16006T)
40	T 10878 T	(-)	Ring, snap
41	T 10877 T	(-)	Gear, powershaft driven (43 teeth)
42	M 3658 T	(-)	Washer, spacer
43	L 279 T	(-)	Shim, .010" (use quantity required) (packed 4 in a pkg.)
	L 280 T	(-)	Shim, .005" (use quantity required) (packed 4 in a pkg.)
	L 281 T	(-)	Shim, .002" (use quantity required) (packed 4 in a pkg.)
44	M 3501 T	(-)	Cover
45	M 112 T	(-)	Lock, screw (3 used) (packed 3 in a pkg.)
46	19H 1731 A	(-)	Screw, cap, 3/8" x 1" (3 used)
47	AT 16608 T	(-)	Shaft, output pinion (T18450T) (7 teeth) gear, ring, differential (T18451T) (32 teeth) (sub. for AM3912T)
48	JD 3907 T	(-)	Cone, bearing
49	JD 8240 T	(-)	Cup, bearing
50	M 4260 T	(-)	Shim, .002" (use quantity required) (packed 10 in a pkg.)
	M 4261 T	(-)	Shim, .005" (use quantity required) (packed 10 in a pkg.)
	M 4262 T	(-)	Shim, .010" (use quantity required) (packed 10 in a pkg.)
51	M 4209 T	(-)	Gear, second and reverse speed sliding (31 and 38 teeth)
52	M 4202 T	(-)	Gear, first and fifth speed sliding (24 teeth)
53	AM 3698 T	(-)	Gear, third and fourth speed driven (32 and 35 teeth)
54	M 4263 T	(-)	Washer, spacer
55	M 2056 T	(-)	Shim, .002" (use quantity required) (packed 10 in a pkg.)
	M 2057 T	(-)	Shim, .005" (use quantity required) (packed 10 in a pkg.)
	M 2058 T	(-)	Shim, .010" (use quantity required) (packed 10 in a pkg.)
56	11H 237 A	(-)	Pin, cotter, 1/8" x 2"
57	M 4259 T	(-)	Washer
58	14H 534 A	(-)	Nut, hex., slotted, 3/4"
59	T 12471 T	(455162-)	Washer, copper (2 used)
60	T 18609 T	(453019-)	Washer, thrust (sub. for T12000T)


FINAL DRIVE ASSEMBLY



FINAL DRIVE ASSEMBLY -- Continued

Key	Part No.	Serial No.	Description
1	19H 1905 A	(-)	Screw, cap, 5/16" x 1" (4 used)
2	12H 303 A	(-)	Washer, lock, 5/16" (4 used)
3	M 3129 T	(-)	Quill
4	M 994 T	(-)	Shim, .002" (approx. 2 used) (packed 4 in a pkg.)
	M 995 T	(-)	Shim, .005" (approx. 2 used) (packed 4 in a pkg.)
	M 996 T	(-)	Shim, .010" (approx. 2 used) (packed 4 in a pkg.)
5	JD 8230 T	(-)	Cup, bearing (2 used)
6	JD 8194 T	(-)	Cone, bearing (2 used)
7	M 4440 T	(-)	Shaft, with pinion (21 and 13 teeth)
8	M 3159 T	(-)	Gasket
9	30H 15 A	(-)	Plug, expansion, 1-1/8" (2 used)
10	AT 10772 T	(-)	Housing, final drive (T10917T, T10918T, and T10919T), with expansion plugs (sub. for AM3047T, M3449T, M3450T, and M3451T)
11	M 2671 T	(-)	Screw, cap, special, 5/8" x 3-3/4" (4 used)
12	AM 2924 T	(-)	Seal, oil
13	M 3127 T	(-)	Stud, front
14	JD 7589 T	(-)	Cone, bearing
15	JD 8315 T	(-)	Cup, bearing
16	M 1002 T	(-)	Shim, .002" (approx. 2 used) (packed 4 in a pkg.)
	M 1003 T	(-)	Shim, .005" (approx. 2 used) (packed 4 in a pkg.)
	M 1004 T	(-)	Shim, .010" (approx. 2 used) (packed 4 in a pkg.)
17	AM 939 T	(-)	Seal, oil
18	M 1001 T	(-)	Quill (sub. for AM972T)
19	12H 293 A	(-)	Washer, lock, 7/16" (4 used)
20	19H 1978 A	(-)	Screw, cap, 7/16" x 1-1/2" (4 used)
21	M 3210 T	(-)	Stud (4 used)
22	A 1892 R	(-)	Nut, hex., special (6 used) (carton of 25)
23	M 3210 T	(-)	Stud, rear
24	M 1554 T	(-)	Washer, special (2 used)
25	14H 760 A	(-)	Nut, hex., 5/8"
26	14H 656 A	(-)	Nut, hex., 1-1/2"
27	24H 1542 A	(-)	Washer, plain, 1-17/32" x 3" x 5/16"
28	M 3419 T	(-)	Hub
29	T 10384 T	(-)	Shaft, axle
30	15H 624 A	(-)	Plug, pipe, hex. ctsk., 1/2" (2 used)
31	19H 1801 A	(-)	Screw, cap, 3/8" x 2" (8 used)
32	12H 304 A	(-)	Washer, lock, 3/8" (11 used)
33	M 3132 T	(-)	Pan, left housing
	M 3133 T	(-)	Pan, right housing
34	M 3124 T	(-)	Gasket
35	M 2152 T	(-)	Dowel, hollow (4 used)
36	AM 4008 T	(-)	Gear assembly (M3125T and M4439T) (64 teeth)
37	30H 11 A	(-)	Plug, expansion, 7/8" (used in replacement final drive housing only)
38	M 3489 T	(-)	Stud
39	12H 294 A	(-)	Washer, lock, 5/8"
40	M 1005 T	(-)	Washer
41	JD 7590 T	(-)	Cone, bearing
42	JD 8314 T	(-)	Cup, bearing
43	M 2369 T	(-)	Retainer
44	M 2370 T	(-)	Lock, cap screw
45	19H 1741 A	(-)	Screw, cap, 1/2" x 1-1/4" (2 used)
46	M 3126 T	(-)	Gasket
47	M 3583 T	(-)	Cover
48	M 3724 T	(-)	Ring, sealing
49	19H 1731 A	(-)	Screw, cap, 3/8" x 1" (3 used)


MANUAL STEERING GEAR AND FRONT END SUPPORT



MANUAL STEERING GEAR AND FRONT END SUPPORT -- Continued

Key	Part No.	Serial No.	Description
1	M 937 T	(-)	Screw, adjusting
2	14H 469 A	(-)	Nut, hex., jam, 7/16"
3	M 735 T	(-)	Screw, cap, special (4 used)
4	M 728 T	(-)	Washer, copper (5 used)
5	12H 303 A	(-)	Washer, lock, 5/16" (2 used)
6	M 2838 T	(-)	Cover, top
7	M 2839 T	(-)	Gasket
8	AM 2684 T	(-)	Seal, oil
9	AM 1514 T	(-)	Stud, lever shaft (1 pkg. of 2) (1 pkg. used)
10	AM 2683 T	(-)	Lever shaft assembly
11	AM 2724 T	(-)	Housing, with bushings and oil seals
12	P 44271 H	(-)	Bushing, trunnion (2 used)
13	AM 906 T	(-)	Seal, oil, with cork washer
14	19H 1800 A	(-)	Screw, cap, 3/8" x 1-1/2"
15	T 10553 T	(-)	Support, steering gear
16	12H 304 A	(-)	Washer, lock, 3/8"
17	14H 812 A	(-)	Nut, hex., 3/8"
18	15H 604 A	(-)	Plug, pipe, sq. hd., 1/4"
19	M 933 T	(-)	Ring, snap (2 used)
20	M 932 T	(-)	Cup, ball bearing (2 used)
21	R 26552 R	(-)	Ball bearing (22 used) (sub. for M719T)
22	M 2573 T	(-)	Worm, steering
23	M 720 T	(-)	Shim, .002" (use quantity required) (packed 5 in a pkg.)
	M 721 T	(-)	Shim, .003" (use quantity required) (packed 5 in a pkg.)
	M 722 T	(-)	Shim, .010" (use quantity required) (packed 3 in a pkg.)
24	AM 3669 T	(-)	Cover, front, with washers and cap screws
25	19H 2127 A	(-)	Screw, cap, 5/16" x 7/8" (3 used)
26	JD 19 R	(-)	Bolt, special
27	19H 1899 A	(-)	Screw, cap, 7/16" x 2" (3 used)
28	12H 304 A	(-)	Washer, lock, 7/16" (3 used)
29	M 827 T	(-)	Dowel, hollow
30	M 4377 T	(-)	Washer
31	M 2669 T	(-)	Support, radiator (2 used)
32	T 10417 T	(-)	Bar, grille mounting
33	14H 826 A	(-)	Nut, hex., jam, 1/2" (2 used)
34	22H 692 A	(-)	Screw, set, 1/2" x 1-1/2" (2 used)
35	R 35645 R	(-)	Seal, oil (2 used) (sub. for AM2555T)
36	M 2670 T	(-)	Bushing
37	AT 10274 T	(-)	Support, front end (T10367T), with radiator supports, oil seals, and bushing
38	T 11330 T	(-)	Arm, steering (sub. for M3315T)
39	12H 245 A	(-)	Washer, lock, 7/8"
40	M 2837 T	(-)	Nut, steering arm
41	M 285 T	(-)	Screw, cap, special, upper left screw (packed 5 in a pkg.)
42	M 434 T	(-)	Screw, cap, special (3 used)
43	M 3244 T	(-)	Washer, plain, special (4 used) (packed 4 in a pkg.)

POWER STEERING RACK AND PINION ASSEMBLY




Key	Part No.	Serial No.	Description
1	M 4244 T	(-)	Support, steering gear
2	19H 339 A	(-)	Screw, cap, 7/16" x 1-3/8" (3 used)
3	12H 293 A	(-)	Washer, lock, 7/16" (6 used)
4	M 827 T	(-)	Dowel, hollow (2 used)
5	M 4246 T	(-)	Coupling
6	JD 7191 R	(-)	Bearing, ball
7	M 4226 T	(-)	Pinion
8	M 4231 T	(-)	Washer, thrust
9	12H 245 A	(-)	Washer, lock, 7/8"
10	M 2837 T	(-)	Nut, hex., special
11	M 4245 T	(-)	Gasket
12	M 4242 T	(-)	Cover
13	19H 1919 A	(-)	Screw, cap, 1/4" x 5/8" (4 used)
14	12H 302 A	(-)	Washer, lock, 1/4" (4 used)

POWER STEERING RACK AND PINION ASSEMBLY -- Continued


Key	Part No.	Serial No.	Description
15	M 4243 T	(-)	Gasket
16	M 4223 T	(-)	Housing, rack and pinion
17	M 4228 T	(-)	Shim, .002" (packed 2 in a pkg.)
	M 4229 T	(-)	Shim, .005" (packed 2 in a pkg.)
	M 4230 T	(-)	Shim, .010" (packed 2 in a pkg.)
18	M 4227 T	(-)	Pad, thrust
19	M 4225 T	(-)	Plug, cupped
20	M 331 T	(-)	Ring, snap (packed 2 in a pkg.)
21	M 4234 T	(-)	Ring, snap
22	JD 8820 T	(-)	Bearing, needle
23	AM 253 T	(-)	Seal, oil
24	19H 1899 A	(-)	Screw, cap, 7/16" x 2" (3 used)
25	19H 1100 A	(-)	Screw, cap, 3/8" x 1-3/8" (4 used)
26	12H 304 A	(-)	Washer, lock, 3/8" (4 used)
27	M 4241 T	(-)	Housing, cylinder
28	AM 3762 T	(-460563)	Union, 45°
	A 4925 R	(460564-)	Connector (2 used)
29	M 4224 T	(-)	Plug, cupped
30	15H 253 A	(-)	Plug, pipe, sq. hd., 1/8"
31	M 4247 T	(-)	Nut, special
32	M 4240 T	(-)	Ring, piston (2 used) (packed 2 in a pkg.)
33	M 4239 T	(-)	Piston
34	M 2834 T	(-)	Washer
35	M 4237 T	(-)	Ring, "O"
36	M 4235 T	(-)	Head, cylinder
37	M 4236 T	(-)	Ring, "O"
38	P 48347 H	(-)	Ring, "O" (sub. for M4238T)
39	M 4233 T	(-)	Rod, piston
40	M 4232 T	(-)	Rack

POWER STEERING CONTROL VALVE ASSEMBLY



Key	Part No.	Serial No.	Description
1	19H 1914 A	(-)	Screw, cap, 1/4" x 1" (6 used)
2	12H 302 A	(-)	Washer, lock, 1/4" (6 used)
3	T 10785 T	(-)	Cap, end (2 used)
4	T 16318 T	(-)	Ring, "O" (2 used) (sub. for M4118T) (packed 10 in a pkg.)
5	T 16316 T	(-)	Ring, "O" (2 used) (sub. for M4119T and T15478T) (packed 10 in a pkg.)
6	M 4122 T	(-)	Spring (2 used)
7	M 4121 T	(-)	Ball (4 used) (packed 2 in a pkg.)
8		(-)	Sub. AT17759T
9	M 4125 T	(-)	Ring, "O"
10	M 4126 T	(-)	Body, control valve
11	T 10784 T	(-)	Shaft, follow
12	T 10567 T	(-)	Pin (2 used)
13	M 4124 T	(-)	Pin
..	AT 17759 T	(-)	Control valve assembly, complete (sub. for AT10537T)


POWER STEERING OIL LINES AND STEERING SHAFTS
 Serial No. (-455701)



T 2794


Key	Part No.	Serial No.	Description
1	26H 77 A	(-455701)	Key, Woodruff, 3/16" x 1/4"
2	34H 104 A	(-455701)	Pin, roll, 1/4" x 1-3/8"
3	A 4925 R	(-455701)	Connector (2 used)
4	AM 3762 T	(-455701)	Union, 45° (2 used)
5	AT 12095 T	(-455701)	Line, oil (sub. for AP22690H) (also order one AT12096T and two A4925R)
	AT 12096 T	(-455701)	Line, oil (sub. for AP22690H) (also order one AT12095T and two A4925R)
6	AT 10308 T	(-455701)	Pump, power steering
7	AT 11970 T	(-455701)	Line, oil, pump to valve, pressure (sub. for AT10419T and AT10617T)
8	AT 10420 T	(-455701)	Line, oil, valve to pump, return
9	AR 21837 R	(-455701)	Clamp, hose (2 used) (sub. for AT10473T)
10	T 10567 T	(-455701)	Pin (3 used)
11	M 594 T	(-455701)	Screw, cap, socket head, 1/4" x 1-1/8" (packed 5 in a pkg.)
12	T 10564 T	(-455701)	Hose, oil, valve to pump, return
13	T 10566 T	(-455701)	Coupling
14	T 10674 T	(-455701)	Coupling
15	T 10675 T	(-455701)	Shaft, steering
16	T 10676 T	(-455701)	Coupling
17	T 10747 T	(-455701)	Key, Woodruff, special
18	AT 17759 T	(-455701)	Control valve assembly, complete (sub. for AT10537T)
19	34H 63 A	(-455701)	Pin, roll, 5/32" x 1-3/8"

POWER STEERING OIL LINES AND STEERING SHAFTS
 Serial No. (455702-Up)



T 2795


Key	Part No.	Serial No.	Description
1	T 10675 T	(455702-	Shaft, steering
2	34H 63 A	(455702-	Pin, roll, 5/32" x 1-3/8"
3	34H 104 A	(455702-	Pin, roll, 1/4" x 1-3/8"
4	T 10676 T	(455702-	Coupling
5	T 10567 T	(455702-	Pin (3 used)
6	AT 17759 T	(455702-	Control valve assembly, complete (sub. for AT10537T)
7	T 10674 T	(455702-	Coupling
8	T 10566 T	(455702-	Coupling
9	M 594 T	(455702-	Screw, cap, socket head, 1/4" x 1-1/8" (packed 5 in a pkg.)
10	26H 77 A	(455702-	Key, Woodruff, 3/16" x 1/4"
11	AP 22690 H	(455702-460563)	Sub. one AT12095T, one AT12096T and four A4925R
	AT 12095 T	(460564-	Line, oil
12	AM 3762 T	(455702-460563)	Union, 45° (2 used)
	A 4925 R	(460564-	Connector (4 used)
13	AP 22690 H	(455702-460563)	Sub. one AT12095T, one AT12096T and four A4925R
	AT 12096 T	(460563-	Line, oil
14	AT 11717 T	(455702-	Pump, power steering
15	AR 21837 R	(455702-	Clamp, hose (2 used) (sub. for AT10473T)
16	T 12270 T	(455702-	Hose, oil, valve to pump, return
17	T 12269 T	(455702-	Elbow
18	AT 11970 T	(455702-	Line, oil, pump to valve, pressure (sub. for AT11815T)
19	T 10747 T	(455702-	Key, Woodruff, special

POWER STEERING PUMP ASSEMBLY
Serial No. (-455701)

POWER STEERING PUMP ASSEMBLY -- Continued
 Serial No. (-455701)


Key	Part No.	Serial No.	Description
1	19H 1904 A	(-455701)	Screw, cap, 5/16" x 3"
2	T 10753 T	(-455701)	Washer, plain, special
3	AT 10600 T	(-455701)	Cover, reservoir, with gasket
4	T 10752 T	(-455701)	Gasket
5	T 10754 T	(-455701)	Screw, special (4 used) (packed 2 in a pkg.)
6	T 10767 T	(-455701)	Spring
7	T 10756 T	(-455701)	Retainer
8	T 10759 T	(-455701)	Filter
9	T 10758 T	(-455701)	Manifold, reservoir body
10	AT 10602 T	(-455701)	Reservoir body
11	T 10760 T	(-455701)	Gasket (2 used)
12	T 10768 T	(-455701)	Cover, pump
13	T 10749 T	(-455701)	Screw, cap, special, 5/16" x 3-1/8" (2 used) (packed 2 in a pkg.)
14	T 10748 T	(-455701)	Screw, cap, special, 5/16" x 2-3/8" (2 used) (packed 2 in a pkg.)
15	T 10751 T	(-455701)	Union
16	T 13642 T	(-455701)	Seal (sub. for T10750T)
17	T 10761 T	(-455701)	Spring
18	AT 10604 T	(-455701)	Valve, control
19	T 10764 T	(-455701)	Plate, pressure
20		(-455701)	Sub. AT10603T
21	T 10765 T	(-455701)	Ring, pump
22	T 10757 T	(-455701)	Rotor, pump
23	AT 10601 T	(-455701)	Vane, rotor (pkg. of 10) (1 pkg. used)
24	AT 10606 T	(-455701)	Ring, rotor and vane service kit
25	T 10755 T	(-455701)	Pin, dowel (2 used)
26	AT 10605 T	(-455701)	Body, pump, with seal
27	T 10769 T	(-455701)	Seal, drive shaft
28	T 10762 T	(-455701)	Ring, snap
29	T 10763 T	(-455701)	Shaft, drive
30	T 10747 T	(-455701)	Key, Woodruff, special
31	T 10543 T	(-455701)	Pulley
32	24H 1111 A	(-455701)	Washer, plain, 17/32" x 1-1/16" x .090"
33	14H 865 A	(-455701)	Nut, hex., 1/2"
..	AT 10603 T	(-455701)	Gasket service kit
..	AT 10308 T	(-455701)	Pump, power steering, complete

POWER STEERING PUMP ASSEMBLY Serial No. (455702-Up)



Key	Part No.	Serial No.	Description
1	T 10769 T	(455702-	Seal, drive shaft
2	T 12275 T	(455702-	Seal, "O" ring
3	AT 11823 T	(455702-	Housing, ball, plug and seal
4	T 12289 T	(455702-	Shaft, drive
5	H 26366 H	(455702-	Plate, thrust (sub. for T12290T)
6	AT 11821 T	(455702-	Kit, ring, rotor, and vane service
7	AT 11822 T	(455702-	Kit, vane service
8	AT 11824 T	(455702-	Rotor and sleeve
9	T 12280 T	(455702-	Ring, pump
10	T 12282 T	(455702-	Seal, "O" ring
11	T 12285 T	(455702-	Plate, pressure
12	T 12276 T	(455702-	Pin, pump ring dowel (2 used) (packed 2 in a pkg.)
13	T 12283 T	(455702-	Spring, pressure plate (2 used)
14	T 12281 T	(455702-	Seal, "O" ring
15	T 12277 T	(455702-	Plate, end
16	T 12279 T	(455702-	Ring, end plate retaining
17	AT 12368 T	(455702-	Cap
18	AT 12369 T	(455702-	Body
19	T 12288 T	(455702-	Seal
20	T 12287 T	(455702-	Stud, pump rear mounting
21	T 12284 T	(455702-	Union, flared tube
22	T 12273 T	(455702-	Seal, "O" ring
23	T 12272 T	(455702-	Seal, "O" ring
24	T 12271 T	(455702-	Ring, plug retaining
25	T 12286 T	(455702-	Seal, "O" ring
26	T 12278 T	(455702-	Plug, plunger retainer
27	AT 11819 T	(455702-	Valve, control
28	T 12274 T	(455702-	Spring, flow control
29	T 10747 T	(455702-	Key, Woodruff, special
30	AT 12371 T	(455702-	Filter
31	AT 12370 T	(455702-	Kit, rotor, thrust plate, pressure plate and shaft
..	AT 11820 T	(455702-	Kit, seal service
..	AT 11717 T	(455702-	Pump, power steering, complete


POWER STEERING GEAR AND SUPPORT



60279

Key	Part No.	Serial No.	Description
1	M 937 T	(-)	Screw, adjusting
2	14H 469 A	(-)	Nut, hex., jam, 7/16"
3	M 735 T	(-)	Screw, cap, special (4 used)
4	M 728 T	(-)	Washer, copper (5 used)
5	12H 303 A	(-)	Washer, lock, 5/16" (2 used)
6	M 2838 T	(-)	Cover, top
7	M 2839 T	(-)	Gasket
8	AM 2684 T	(-)	Seal, oil
9	AM 1514 T	(-)	Stud, lever, shaft (pkg. of 2) (1 pkg. used)
10	AM 3976 T	(-)	Lever shaft assembly
11	AM 2724 T	(-)	Housing, with bushings and oil seals
12	P 44271 H	(-)	Bushing, trunnion (2 used)
13	AM 906 T	(-)	Seal, oil, with cork washer
14	19H 1800 A	(-)	Screw, cap, 3/8" x 1-1/2"
15	M 4244 T	(-)	Support, steering gear
16	12H 304 A	(-)	Washer, lock, 3/8"
17	14H 812 A	(-)	Nut, hex., 3/8"
18	15H 604 A	(-)	Plug, pipe, sq. hd., 1/4"
19	M 933 T	(-)	Ring, snap (2 used)
20	M 932 T	(-)	Cup, ball bearing (2 used)
21	R 26552 R	(-)	Bearing, ball (22 used) (sub. for M719T)
22	M 2573 T	(-)	Worm, steering
23	M 720 T	(-)	Shim, .002" (use quantity required) (packed 5 in a pkg.)
	M 721 T	(-)	Shim, .003" (use quantity required) (packed 5 in a pkg.)
	M 722 T	(-)	Shim, .010" (use quantity required) (packed 3 in a pkg.)
24	AM 3669 T	(-)	Cover, front, with cap screws and washers
25	19H 2127 A	(-)	Screw, cap, 5/16" x 7/8" (3 used)
26	JD 19 R	(-)	Bolt, special


POWER STEERING PUMP AND ATTACHING PARTS
Serial No. (-455701)



64389


Key	Part No.	Serial No.	Description
1	T 10542 T	(-455701)	Bracket, valve support
2	19H 1731 A	(-455701)	Screw, cap, 3/8" x 1" (6 used)
3	12H 304 A	(-455701)	Washer, lock, 3/8" (9 used)
4	T 10541 T	(-455701)	Bracket, radiator support
5	16H 173 A	(-455701)	Rivet, 5/32" x 3/8" (8 used)
6	AM 640 T	(-455701)	Cushion, with rivets (4 used)
7	AT 10389 T	(-455701)	Support, radiator left, with cushion and rivets
8	AT 10308 T	(-455701)	Pump, power steering
9	T 10747 T	(-455701)	Key, Woodruff, special
10	19H 2284 A	(-455701)	Screw, cap, 3/8" x 7/8" (3 used)
11	AT 10391 T	(-455701)	Support, radiator right, with cushion and rivets
12	T 10552 T	(-455701)	Belt, pump and fan drive
13	T 10543 T	(-455701)	Pulley
14	24H 1111 A	(-455701)	Washer, plain, 17/32" x 1-1/16" x .090"
15	14H 865 A	(-455701)	Nut, hex., 1/2"

POWER STEERING PUMP AND ATTACHING PARTS
 Serial No. (455702-Up)



Key	Part No.	Serial No.	Description
1	T 12265 T	(455702-	Bracket, valve support
2	12H 304 A	(455702-	Washer, lock, 3/8" (9 used)
3	19H 1731 A	(455702-	Screw, cap, 3/8" x 1" (6 used)
4	16H 173 A	(455702-	Rivet, 5/32" x 3/8" (8 used)
5	AM 640 T	(455702-	Cushion, with rivets (2 used)
6	AT 11817 T	(455702-	Support, radiator left, with cushion and rivets
7	19H 1936 A	(455702-	Screw, cap, 3/8" x 3/4" (3 used)
8	T 12267 T	(455702-	Belt, pump drive
9	T 12266 T	(455702-	Pulley
10	24H 1111 A	(455702-	Washer, plain, 17/32" x 1-1/16" x .090"
11	14H 865 A	(455702-	Nut, hex., 1/2"
12	AT 11812 T	(455702-	Plate, pump mounting
13	T 10747 T	(455702-	Key, Woodruff, special
14	AT 11717 T	(455702-	Pump, power steering
15	T 12264 T	(455702-	Bracket, radiator support


INSTRUMENT PANEL, HOUSING, AND STEERING SHAFT ASSEMBLY



INSTRUMENT PANEL, HOUSING, AND STEERING SHAFT ASSEMBLY -- Continued

Key	Part No.	Serial No.	Description
1	26H 77 A	(-)	Key, Woodruff, 3/16" x 3/4" (2 used)
2	M 594 T	(-)	Screw, cap, socket head, 1/4" x 1-1/8" (packed 5 in a pkg.)
3	AT 10263 T	(-453457)	Shaft, manual steering
	AT 10768 T	(453458-)	Shaft, manual steering
4	M 4323 T	(-)	Coupling
5	34H 78 A	(-)	Pin, roll, 3/16" x 1-1/8"
6	T 11423 T	(-453457)	Screw, cap, special
7	AT 11379 T	(-453457)	Bushing, sleeve
8	T 11716 T	(-453457)	Block, center
9	AT 10264 T	(-453457)	Joint, universal
10	19H 1139 A	(-)	Screw, cap, 3/8" x 1-1/8" (3 used)
11	12H 304 A	(-)	Washer, lock, 3/8" (3 used)
12	AT 10474 T	(-453457)	Support, steering shaft (T10368T), with bushings and oil seal
	AT 10760 T	(453458-)	Support, steering shaft (T10862T), with bushings and oil seal
13	M 4376 T	(-)	Bushing (2 used) (sub. for M4320T)
14	AM 3935 T	(-)	Seal, oil
15	M 4322 T	(-)	Washer
16	AM 3914 T	(-)	Wheel, steering
17	14H 866 A	(-)	Nut, hex., jam, 5/8"
18	B 3690 R	(-)	Ring, "O"
19	F 3630 R	(-)	Emblem, manual steering
	R 34324 R	(-)	Emblem, power steering (sub. for F3629R)
20	AT 10900 T	(-443841)	Adapter with bushings (used when AT10793T has been installed as a replacement part)
21	T 10306 T	(-441863)	Bushing
	T 10729 T	(441864-443841)	Bushing (2 used) (packed 2 in a pkg.)
	T 10910 T	(443842-)	Bushing
22	AT 10266 T	(-441863)	Sub. AT12381T and one AT10900T
	AT 10573 T	(441864-443841)	Sub. AT12381T and one AT10900T
	AT 12381 T	(443842-)	Panel, rear (T13275T) with bushing and rollpin (sub. for AT10793T, AT12077T, T10949T, and T12915T)
23	M 2047 T	(-)	Button, plug, dash lamp hole and key switch hole (2 used)
24	T 10951 T	(-)	Panel, instrument (sub. for T10385T and T10789T)
25	M 2291 T	(-)	Button, plug, cigarette lighter
26	21H 1144 A	(-)	Screw, mach., 1/4" x 1/2" (4 used)
27	19H 1800 A	(-)	Screw, cap, 3/8" x 1-1/2"
28	12H 304 A	(-)	Washer, lock, 3/8" (4 used)
29	19H 1732 A	(-)	Screw, cap, 3/8" x 1-1/4" (3 used)
30	34H 101 A	(-)	Pin, roll, 1/4" x 1"
31	T 11534 T	(443842-)	Pin, groov-, special (sub. for 34H105A)
32	T 11717 T	(-453457)	Pin, cross
33	AT 10791 T	(453458-)	Joint, universal


TOUCH-O-MATIC OIL LINES



TOUCH-O-MATIC OIL LINES -- Continued


Key	Part No.	Serial No.	Description
1	21H 1019 A	(-)	Screw, mach., No. 10 x 1/2" (2 used)
2	12H 246 A	(-)	Washer, lock, No. 10 (2 used)
3	T 10531 T	(-)	Clamp, tube (2 used)
4	AM 2998 T	(-)	Line, pump inlet in panel
5	M 3247 T	(-)	Ring, seal (2 used)
6	M 3246 T	(-)	Seal (3 used)
7	M 3250 T	(-)	Flange (2 used)
8	12H 302 A	(-)	Washer, lock, 1/4" (8 used)
9	19H 1948 A	(-)	Screw, cap, 1/4" x 3/4" (4 used)
10	T 10527 T	(-)	Line, pump inlet, front
11	M 567 T	(-)	Screw, sheet metal, No. 10 x 1-1/4"
12	AM 2985 T	(-)	Clamp, tube, with speed nut (2 used)
13	M 364 T	(-)	Screw, sheet metal, No. 10 x 7/8"
14	M 3190 T	(-)	Nut
15	M 3189 T	(-)	Sleeve
16	AM 2945 T	(-)	Connector, with nut and sleeve
17	M 3192 T	(-)	Gasket
18	19H 2036 A	(-)	Screw, cap, 1/4" x 7/8"
19	M 3251 T	(-)	Bracket
20	AT 10379 T	(-)	Line, pump outlet, front
21	M 1350 T	(-)	Connector (2 used)
22	AT 10382 T	(-)	Line, pump outlet in panel
23	T 10532 T	(-)	Clamp (3 used)
24	M 2395 T	(-)	Sleeve (4 used)
25	19H 1791 A	(-)	Screw, cap, 1/4" x 1-1/4" (3 used)
26	AM 2991 T	(-)	Line, pump outlet, rear
27	M 2394 T	(-)	Clamp
28	M 3249 T	(-)	Nut
29	T 10528 T	(-)	Line, pump inlet, rear
30	M 1370 T	(-)	Connector

REMOTE CONTROL HYDRAULIC OIL LINES



Key	Part No.	Serial No.	Description
1	AM 3106 T	(-)	Line, instrument panel to control valve
2	M 1342 T	(-)	Elbow, control valve (3 used)
3	L 1670 C	(-)	Adaptor control valve (2 used)
4	AM 2453 T	(-)	Line, control valve to front cover
5	M 1370 T	(-)	Connector (2 used)
6	M 3352 T	(-)	Line, bypass, control valve to front cover
7	M 1166 T	(-)	Nut, connector (2 used)
8	M 1167 T	(-)	Seal, connector (2 used)
9	M 2638 T	(-)	Body, connector (2 used)
10	AM 3514 T	(-)	Line, coupling, left
11	AM 3515 T	(-)	Line, coupling, right

TOUCH-O-MATIC ROCKSHAFT ASSEMBLY




T 2799

Key	Part No.	Serial No.	Description
1	T 18536 T	(-)	Pin (2 used) (also order one A3581R) (sub. for AM1927T and AT11986T)
2	T 11297 T	(-)	Screw, cap, special (2 used) (sub. for M1664T) (packed 100 in a pkg.)
3	12H 294 A	(-)	Washer, lock, 5/8" (2 used)
4	24H 1374 A	(-)	Washer, plain, 21/32" x 3" x 3/8" (2 used)
5	M 2851 T	(-)	Arm, left lift
6	M 1886 T	(-456542)	Retainer
7	M 2108 T	(-456542)	Seal
8	AM 3432 T	(456543-)	Seal, oil, with retainer
9	M 3169 T	(-456542)	Sub. one AT11949T, one AM3432T, and one AM3433T
10	AT 11949 T	(456543-)	Housing, rockshaft, assembly (T12735T)
11	M 827 T	(-)	Dowel, hollow (2 used)
12	M 3271 T	(-)	Gasket
13	34H 167 A	(-)	Pin, roll, 1/4" x 2-1/8" (2 used)
14	M 1975 T	(-)	Spacer
15	M 2138 T	(-)	Arm, crank, left
16	M 2109 T	(-)	Pin, groov-, special (2 used)
17	M 554 T	(-)	Rod, connecting (2 used) (sub. for AM761T)
18	M 2396 T	(-)	Ring, snap (2 used) (packed 10 in a pkg.)
19	M 2137 T	(-)	Arm, crank, right
20	M 2107 T	(-456542)	Sub. AT13262T
21	AM 3433 T	(456543-)	Seal, oil, with retainer
22	M 1880 T	(-456542)	Sub. AT13262T
23	T 10539 T	(-)	Arm, right lift
24	M 3168 T	(-)	Spring

TOUCH-O-MATIC ROCKSHAFT ASSEMBLY -- Continued

Key	Part No.	Serial No.	Description
22	M 1873 T	(-)	Dowel (2 used)
23	M 3272 T	(-)	Screw, cap, special, 1/2" x 5-3/4" (3 used)
24	M 2834 T	(-)	Washer, plain, special, 33/64" x 7/8" x .090" (3 used)
25	AM 292 T	(-)	Cock, drain
26	15H 604 A	(-)	Plug, pipe, sq. hd., 1/4" (2 used)
27	M 3244 T	(-)	Washer, plain, special, 37/64" x 1" x .090" (2 used) (packed 4 in a pkg.)
28	M 285 T	(-)	Screw, cap, special, 9/16" x 5-1/2" (2 used) (packed 5 in a pkg.)
29	T 10538 T	(-)	Rockshaft
30	AT 10383 T	(-)	Anchor, spring (used when tractor is not equipped with drawbar)
31	T 12738 T	(456543-	Bushing (2 used)
32	T 12740 T	(456543-	Bushing (2 used)


CONTROLS AND LINKAGE FOR CONTROL VALVE ASSEMBLY



T 479

Key	Part No.	Serial No.	Description
1	19H 2127 A	(-)	Screw, cap, 5/16" x 7/8" (3 used)
2	12H 303 A	(-)	Washer, lock, 5/16" (5 used)
3	M 2636 T	(-)	Guard
4	M 2615 T	(-)	Bracket, control shaft, left
5	L 4668 T	(-)	Pin (4 used)
6	11H 206 A	(-)	Pin, cotter, 3/32" x 3/4" (4 used)
7	M 1716 T	(-)	End, yoke
8	14H 774 A	(-)	Nut, hex., jam
9	M 2634 T	(-)	Bolt, eye
10	M 2616 T	(-)	Crank
11	M 2635 T	(-)	Link (2 used)
12	19H 1275 A	(-)	Screw, cap, 5/16" x 1-5/8" (2 used)
13	M 2673 T	(-)	Bracket, control, shaft, right
14	24H 1375 A	(-)	Washer, plain, 11/16" x 1-1/8" x .060"
15	25H 903 A	(-)	Pin, groov-, 7/32" x 1-1/8" (2 used)
16	M 2674 T	(-)	Shaft, control
17	M 526 T	(-)	Knob


TOUCH-O-MATIC FRONT COVER AND QUADRANT



TOUCH-O-MATIC FRONT COVER AND QUADRANT -- Continued

Key	Part No.	Serial No.	Description
1	11H 233 A	(-)	Pin, cotter, 3/32" x 1/2" (4 used)
2	L 307 T	(-)	Pin (4 used)
3	AM 1918 T	(-)	Link assembly
4	19H 1905 A	(-)	Screw, cap, 5/16" x 1" (3 used)
5	12H 303 A	(-)	Washer, lock, 5/16" (10 used)
6	M 1821 T	(-)	Spacer
7	19H 2117 A	(-)	Screw, cap, 5/16" x 1-1/8" (3 used)
8	T 10313 T	(-)	Anchor
9	T 10314 T	(-)	Spring
10	M 2097 T	(-)	Disk, friction (2 used)
11	T 10556 T	(-)	Lever
12	19H 1813 A	(-)	Screw, cap, 5/16" x 5/8" (2 used)
13	34H 188 A	(-)	Pin, roll, 5/16" x 1-3/4" (2 used)
14	T 10787 T	(-)	Hub (sub. for T10557T)
15	24H 1305 A	(-)	Washer, plain, 13/32" x 13/16" x .060"
16	12H 304 A	(-)	Washer, lock, 3/8" (3 used)
17	14H 812 A	(-)	Nut, hex., 3/8"
18	AT 10482 T	(-)	Lever, control
19	M 526 T	(-)	Knob
20	3H 1505 A	(-)	Bolt, mach., 5/16" x 1-3/4" (2 used)
21	14H 819 A	(-)	Nut, wing, 5/16"
22	M 1977 T	(-)	Washer, plain, special
23	M 2101 T	(-)	Segment
24	M 1211 T	(-)	Screw, stop
25	T 10558 T	(-)	Quadrant
26	14H 785 A	(-)	Nut, hex., 5/16" (2 used)
27	AM 3143 T	(-)	Line, by-pass (2 used)
28	M 1370 T	(-)	Connector (3 used)
29	M 1746 T	(-)	Cap, filler
30	T 13213 T	(-)	Washer, aluminum (sub. for M1038T) (packed 2 in a pkg.)
31	M 3375 T	(-)	Adaptor
32	15H 253 A	(-)	Plug, pipe, sq. hd., 1/8" (2 used)
33	15H 583 A	(-)	Plug, pipe, hex. ctsk., 3/8"
34	M 543 T	(-)	Sub. one T13119T and one T12619T
35	M 3266 T	(-)	Sub. one T12619T and one T13119T
36	M 3265 T	(-)	Ring, snap (2 used) (packed 2 in a pkg.)
37	M 2093 T	(-456542)	Seal, oil (2 used) (packed 2 in a pkg.)
60	12H 302 A	(-)	Washer, lock, 1/4" (8 used)
	AT 11952 T	(456543-)	Seal, oil (2 used)
38	M 1976 T	(-)	Dowel
39	M 1937 T	(-)	Shaft, control
40	M 2095 T	(-)	Ring, snap
41	M 2170 T	(-)	Retainer
42	M 4430 T	(-)	Spring
43	JD 7797	(-)	Fitting, grease
44	19H 1146 A	(-)	Screw, cap, 7/16" x 2-1/2"
45	24H 1325 A	(-)	Washer, plain, 15/32" x 59/64" x .060"
46	AM 1924 T	(-)	Joint, ball assembly, R.H. thread
47	14H 774 A	(-)	Nut, hex., jam, ball joint assembly, 3/8"
48	M 3170 T	(-)	Rod, control
49	14H 769 A	(-)	Nut, hex., jam, ball joint assembly, 3/8", L.H. thread
50	AM 1925 T	(-)	Joint, ball assembly, L.H. thread
51	14H 846 A	(-)	Nut, hex., 3/8" (2 used)
52	T 11267 T	(-)	Lever, equalizing (sub. for M3370T)
53	M 1972 T	(-450058)	Bushing
	T 11266 T	(450059-)	Bushing
54	AM 1915 T	(-)	Shaft, lever assembly
55	14H 849 A	(-)	Nut, hex., jam, 7/16"
56	34H 47 A	(-)	Pin, roll, 1/8" x 1-1/4"
57	T 13228 T	(-)	Extension, lever
58	M 2012 T	(-456542)	Retainer
59	19H 1948 A	(-)	Screw, cap, 1/4" x 3/4" (8 used)
60	12H 302 A	(-)	Washer, lock, 1/4" (8 used)
61	M 1806 T	(-)	Crank, control (2 used)
62	M 1980 T	(-)	Link, right (2 used)
63	M 2157 T	(-)	Link, left (2 used)
64	M 3150 T	(-)	Seal (2 used) (packed 5 in a pkg.)
65	T 18502 T	(-)	Cover, front (sub. for M3245T)
66	15H 624 A	(-)	Plug, pipe, hex. ctsk., 1/2"
67	T 10535 T	(-)	Anchor, control rod (without 3-point hitch and load control)
68	19H 1936 A	(-)	Screw, cap, 3/8" x 3/4" (without 3-point hitch and load control)
69	12H 304 A	(-)	Washer, lock, 3/8" (without 3-point hitch and load control)
70	14H 812 A	(-)	Nut, hex., 3/8" (without 3-point hitch and load control)


TOUCH-O-MATIC CYLINDER AND VALVE HOUSING



TOUCH-O-MATIC CYLINDER AND VALVE HOUSING -- Continued

Key	Part No.	Serial No.	Description
1	M 1832 T	(-)	Screw, lock (2 used)
2	M 521 T	(-)	Screw, adjusting (2 used)
3	M 1522 T	(-)	Spring (2 used)
4	M 886 T	(-)	Ball (2 used)
5	AM 3004 T	(-)	Housing, cylinder and valve (M3378T), with cupped plugs and bushing
6	12H 293 A	(-)	Washer, lock, 7/16" (2 used)
7	19H 1740 A	(-)	Screw, cap, 7/16" x 1-3/4" (2 used)
8	M 1102 T	(-)	Plug, cup (2 used)
9	M 3150 T	(-)	Seal (2 used) (packed 5 in a pkg.)
10	M 4099 T	(-)	Washer, back-up (2 used) (packed 4 in a pkg.)
11	AT 10487 T	(-)	Plug, with washer (2 used)
12	M 4407 T	(-)	Plate, valve
13	19H 1139 A	(-)	Screw, cap, 3/8" x 1-1/8" (2 used)
14	12H 304 A	(-)	Washer, lock, 3/8" (2 used)
15	AM 1074 T	(-)	Breather
16	15H 275 A	(-)	Plug, pipe, hex. ctsk., 1/4" (6 used)
17	15H 253 A	(-)	Plug, pipe, sq. hd., 1/8" (3 used)
18	15H 624 A	(-)	Plug, pipe, hex. ctsk., 1/2" (2 used)
19	AM 1920 T	(-)	Valve control, with rollpin (2 used)
20	34H 35 A	(-)	Pin, roll, 1/8" x 3/8" (2 used)
21	L 307 T	(-)	Pin (4 used)
22	11H 233 A	(-)	Pin, cotter, 3/32" x 1/2" (4 used)
23	M 3231 T	(-)	Screw, cap, rear, special, 1/4" x 4" (2 used)
24	M 3232 T	(-)	Screw, cap, front, special, 1/4" x 4-1/2" (2 used)
25	AM 1078 T	(-)	Rod, valve control (2 used)
26	M 1117 T	(-)	Gasket, front cover (packed 2 in a pkg.)
27	M 1984 T	(-)	Equalizer (2 used)
28	M 1898 T	(-)	Clip (2 used)
29	M 2396 T	(-)	Ring, snap (2 used) (packed 10 in a pkg.)
30	M 2104 T	(-)	Pin (2 used)
31	M 2105 T	(-)	Spring (2 used)
32	M 3267 T	(-)	Ring, retaining (2 used)
33	M 540 T	(-)	Seal (2 used)
34	M 3268 T	(-)	Head, cylinder (2 used)
35	M 3228 T	(-)	Spacer (2 used)
36	M 4431 T	(-)	Rod, push (2 used)
37	AT 10470 T	(-)	Ball, check, push rod service package, with check valve (2 used) (sub. for AM4001T)
	AT 10565 T	(-)	Ball, check, push rod service package
38	M 4429 T	(-)	Shim (approx. 6 used) (packed 3 in a pkg.)
39	AT 10470 T	(-)	Ball, check, push rod service package, with check valve (2 used) (sub. for M4422T)
40	34H 7 A	(-)	Pin, roll, 5/64" x 5/8" (2 used)
41	M 2081 T	(-)	Ball (2 used)
42	M 4428 T	(-)	Spring (2 used)
43	T 10604 T	(-)	Spring (2 used) (sub. for M1321T)
44	M 3266 T	(-)	Sub. one T12619T and one T13119T
45	M 543 T	(-)	Sub. one T13119T and one T12619T
46	M 3265 T	(-)	Ring, snap (4 used) (packed 2 in a pkg.)
47	M 1342 T	(-)	Elbow (2 used)
48	T 16270 T	(-)	Adaptor, 3/8" x 1/4" (2 used) (sub. for M3376T)
49	M 1098 T	(-)	Plug, cup
50	M 3377 T	(-)	Bushing
51	M 522 T	(-)	Valve, by-pass (2 used)
52	F 3322 R	(-)	Spring (2 used)
53	A 3459 RT	(-)	Ring, piston (2 used)
54	A 3460 RT	(-)	Washer (2 used)
55	M 2041 T	(-)	Piston (2 used)
56	19H 2020 A	(-)	Screw, cap, 5/16" x 1/2"
57	12H 303 A	(-)	Washer, lock, 5/16"
58	M 2103 T	(-)	Anchor, spring
59	AT 10471 T	(-)	Two stage check valve assembly (2 used)


CONTROL VALVE ASSEMBLY



CONTROL VALVE ASSEMBLY -- Continued

Key	Part No.	Serial No.	Description
1	8H 2711 A	(-)	Bolt, mach., 3/8" x 6-3/4" (4 used)
2	M 4039 T	(-)	Cover
3	15H 253 A	(-)	Plug, pipe, sq. hd., 1/8" (2 used)
4	M 3150 T	(-)	Seal, oil (3 used) (packed 5 in a pkg.)
5	M 3331 T	(-)	Housing, control valve (2 used)
6	M 4090 T	(-)	Washer (4 used)
7	M 2620 T	(-)	Spring (2 used) (packed 2 in a pkg.)
8	M 4089 T	(-)	Ring, snap (2 used)
9	M 1307 T	(-)	Washer, copper (2 used)
10	M 2621 T	(-)	Cap (2 used)
11	M 2624 T	(-)	Seal (8 used) (packed 8 in a pkg.)
12	M 4088 T	(-)	Piston (2 used)
13	AM 586 T	(-)	Seal, oil (2 used)
14	15H 624 A	(-)	Plug, pipe, hex. ctsk., 1/2" (4 used)
15	M 4431 T	(-)	Rod, check valve push (2 used)
16	AT 10565 T	(-)	Ball check push rod service package
17	M 4429 T	(-)	Shim (approx. 6 used) (packed 3 in a pkg.)
18	AT 10470 T	(-)	Ball check push rod service package, with check valve (2 used)
19	34H 7 A	(-)	Pin, roll, 5/64" x 5/8" (2 used)
20	M 2081 T	(-)	Ball (2 used)
21	M 4428 T	(-)	Spring (2 used)
22	T 10604 T	(-)	Spring (2 used)
23	AT 10471 T	(-)	Two-stage check valve assembly
24	T 10608 T	(-)	Sub. one T18526T and one T13119T
25	M 543 T	(-)	Sub. one T13119T and one T18526T
26	M 3265 T	(-)	Ring, snap (2 used) (packed 2 in a pkg.)
27	AA 6314 R	(-)	Valve, relief (2 used)
28	T 13213 T	(-)	Washer, aluminum (sub. for M1038T) (packed 2 in a pkg.)
29	M 2625 T	(-)	Sub. one T19279T and one T19280T
30	T 19279 T	(-)	Plug (sub. for M2626T)
31	M 1317 T	(-)	Shim, .027" (packed 5 in a pkg.) (sub. for AM1333T)
	M 1477 T	(-)	Shim, .010" (packed 5 in a pkg.) (sub. for AM1524T)
32	M 886 T	(-)	Ball
33	M 3049 T	(-)	Base, control valve
34	14H 812 A	(-)	Nut, hex., 3/8" (2 used)
35	M 3348 T	(-)	Bracket, control valve
36	M 828 T	(-)	Screw, cap, special, 7/16" x 4-1/4" (2 used)


REMOTE CONTROL CYLINDER ASSEMBLY



REMOTE CONTROL CYLINDER ASSEMBLY -- Continued

Key	Part No.	Serial No.	Description
1	A 4736 R	(3-1/2 RC100 -)	Rod, stop
2	A 4739 R	(3-1/2 RC100 -)	Ring, snap (2 used)
3	A 4742 R	(3-1/2 RC100 -)	Ball, bleed valve
4	A 4741 R	(3-1/2 RC100 -)	Spring, bleed valve
5	AA 5731 R	(3-1/2 RC100 -)	Valve, bleed
6	A 3125 R	(3-1/2 RC100 -)	Plug, pipe
7	F 1441 R	(3-1/2 RC100 -)	Gasket, piston rod guide
8	F 1425 R	(3-1/2 RC100 -)	Cylinder, remote, housing
9	AA 5731 R	(3-1/2 RC100 -)	Valve, stop
10	A 4744 R	(3-1/2 RC100 -)	Spring, stop valve
11	A 4723 R	(3-1/2 RC100 -)	Gasket
12	AA 4864 R	(3-1/2 RC100 -)	Coupling for flexible oil line
13	AA 4542 R	(3-1/2 RC100 -)	Line, flexible oil, 88" (2 used)
14	19H 474 A	(3-1/2 RC100 -)	Screw, cap, 1/2" x 1-7/8" (4 used)
15	12H 301 A	(3-1/2 RC100 -)	Washer, lock, 1/2" (4 used)
16	F 1426 R	(3-1/2 RC100 -)	Cap, remote cylinder
17	F 1427 R	(3-1/2 RC100 -)	Gasket
18	F 1431 R	(3-1/2 RC100 -)	Washer, piston packing (2 used)
19	F 1430 R	(3-1/2 RC100 -)	Ring, "O"
20	F 2439 R	(3-1/2 RC100 -)	Nut, special lock
21	F 1428 R	(3-1/2 RC100 -)	Piston
22	A 4738 R	(3-1/2 RC100 -)	Washer, stop rod
23	A 4737 R	(3-1/2 RC100 -)	Spring, stop rod
24	24H 1301 A	(3-1/2 RC100 -)	Washer, stop rod
25	A 4748 R	(3-1/2 RC100 -)	Spring, stop rod packing
26	A 4747 R	(3-1/2 RC100 -)	Adaptor, stop rod packing, male
27	A 4745 R	(3-1/2 RC100 -)	V-packing, stop rod (3 used)
28	A 4746 R	(3-1/2 RC100 -)	Adaptor, stop rod packing, female
29	F 1440 R	(3-1/2 RC100 -)	Guide, piston rod
30	12H 304 A	(3-1/2 RC100 -)	Washer, lock, 3/8" (3 used)
31	19H 1731 A	(3-1/2 RC100 -)	Screw, cap, 3/8" x 1" (3 used)
32	25H 760 A	(3-1/2 RC100 -)	Pin, groov-, stop rod arm
33	A 5304 R	(3-1/2 RC29376-)	Arm, stop rod
34	A 3606 R	(3-1/2 RC100 -)	Ring, "O"
35	F 1432 R	(3-1/2 RC100 -)	Washer, piston rod packing
36	AP 19547 H	(3-1/2 RC100 -)	Seal, oil, piston rod wiper
37	A 147 R	(3-1/2 RC29376-)	Washer, on stop screw
38	R 27423 R	(3-1/2 RC29376-)	Stop, piston rod (sub. for F2300R)
39	A 5301 R	(3-1/2 RC29376-)	Screw, stop
40	11H 237 A	(3-1/2 RC100 -)	Pin, cotter, 1/8" x 2"
41	AF 2433 R	(3-1/2 RC29376-)	Rod, piston, with yoke
42	A 3581 R	(3-1/2 RC100 -)	Pin, spring locking (2 used)
43	AA 6307 R	(3-1/2 RC29376-)	Pin, attaching, with clip
44	AA 6309 R	(3-1/2 RC29376-)	Pin, attaching
45	A 5302 R	(3-1/2 RC29376-)	Lever, stop
46	34H 58 A	(3-1/2 RC29376-)	Pin, roll, 5/32" x 7/8"


HYDRAULIC PUMP



49451

Key	Part No.	Serial No.	Description
1	M 1845 T	(-)	Coupling
2	M 1039 T	(-)	Gasket (packed 2 in a pkg.)
3	M 1868 T	(-)	Shaft, drive
4	M 1869 T	(-)	Key, Woodruff, special
5	M 1871 T	(-)	Ring, snap (3 used)
6	M 1370 T	(-)	Connector
7	M 1769 T	(-)	Base
8	M 1027 T	(-)	Pin, dowel (2 used)
9	M 1865 T	(-)	Washer (packed 5 in a pkg.)
10	M 1866 T	(-)	Ring, "O"
11	JD 8804 T	(-)	Bearing, needle
12	T 16572 T	(-)	Ring, sealing (2 used) (sub. for M1030T) (packed 2 in a pkg.)
13	M 1029 T	(-)	Center (sub. for AM1100T)
14	M 1870 T	(-)	Gear (2 used)
15	JD 8803 T	(-)	Bearing, needle (3 used)
16	M 3190 T	(-)	Nut
17	M 3189 T	(-)	Sleeve, rubber
18	AM 2945 T	(-)	Connector, with nut and sleeve
19	M 3192 T	(-)	Gasket
20	M 3191 T	(-)	Cover
21	M 508 T	(-)	Screw, cap, special, 5/16" x 3-1/4"
22	M 507 T	(-)	Screw, cap, special, 5/16" x 2-1/2" (2 used)
23	M 1035 T	(-)	Screw, cap, special, 5/16" x 1-3/4" (4 used)
24	M 1036 T	(-)	Screw, cap, special, 5/16" x 2-1/4"
25	M 1867 T	(-)	Shaft, idler
..	AM 2947 T	(-)	Hydraulic pump, complete


BREAKAWAY COUPLING AND COUPLING BRACKET



T 481

Key	Part No.	Serial No.	Description
1	14H 511 A	(-)	Nut, hex., slotted, 5/16"
2	11H 231 A	(-)	Pin, cotter, 1/16" x 1"
3	A 3611 R	(-)	Cam
4	A 3610 R	(-)	Spring
5	A 3609 R	(-)	Pawl (2 used)
6	A 3612 R	(-)	Stud
7	19H 1800 A	(-)	Screw, cap, 3/8" x 1-1/2" (2 used)
8	M 1323 T	(-)	Body (sub. for AM1334T)
9	A 3190 R	(-)	Seal, "O" ring (4 used)
10	M 1324 T	(-)	Plug (2 used) (sub. for AM1335T)
11	M 3828 T	(-)	Bracket, coupling
12	19H 1726 A	(-)	Screw, cap, 3/8" x 2-1/4" (2 used)
13	12H 304 A	(-)	Washer, lock, 3/8" (4 used)
14	14H 812 A	(-)	Nut, hex., 3/8" (2 used)
15	M 1342 T	(-)	Elbow (2 used)
16	A 3614 R	(-)	Cap (2 used)
17	12H 302 A	(-)	Washer, lock, 1/4" (2 used)
18	M 1980 T	(-)	Clamp
19	AA 3754 R	(-)	Bracket, plug, with spring
20	24H 1287 A	(-)	Washer, plain, 9/32" x 5/8" x .060" (2 used)
21	19H 1948 A	(-)	Screw, cap, 1/4" x 3/4" (2 used)
22	AA 4279 R	(-)	Line, flexible, oil (2 used)
23	14H 786 A	(-)	Nut, hex., 1/4" (2 used)
24	A 3613 R	(-)	Coupling (2 used)


FRONT AXLE ASSEMBLY



FRONT AXLE ASSEMBLY -- Continued


Key	Part No.	Serial No.	Description
1	14H 865 A	(-)	Nut, hex., 1/2" (4 used)
2	12H 301 A	(-)	Washer, lock, 1/2" (6 used)
3	M 648 T	(-)	Cover, dust (4 used)
4	AM 496 T	(-)	End, tie rod, with dust cover, R.H. thread (2 used) (sub. for AM498T)
5	19H 2317 A	(-)	Screw, cap, 3/8" x 1-5/8" (4 used)
6	M 2300 T	(-)	Clamp (4 used)
7	T 10387 T	(-)	Intermediate (2 used)
8	AM 497 T	(-)	End, tie rod, with dust cover, L.H. thread (2 used) (sub. for AM499T)
9	12H 304 A	(-)	Washer, lock, 3/8" (4 used)
10	14H 846 A	(-)	Nut, hex., 3/8" (4 used)
11	M 4145 T	(-)	Washer, plain, special
12	M 4142 T	(-)	Washer, plain, special (2 used)
13	M 1111 T	(-)	Bushing (2 used)
14	JD 7759	(-)	Fitting, grease (3 used)
15	14H 826 A	(-)	Nut, hex., jam, 1/2"
16	22H 727 A	(-)	Screw, set, 1/2" x 2-3/4"
17	T 10416 T	(-)	Shaft, pivot
18	19H 1815 A	(-)	Screw, cap, 1/2" x 1-1/4" (2 used)
19	M 557 T	(-)	Washer, plain, special (2 used)
20	M 3983 T	(-)	Arm, steering (2 used)
21	M 1249 T	(-)	Shim, .010" (approx. 2 used) (packed 5 in a pkg.)
	M 1250 T	(-)	Shim, .027" (approx. 2 used) (packed 2 in a pkg.)
22	M 1518 T	(-)	Seal, upper (2 used)
23	JD 8820 T	(-)	Bearing, needle (4 used)
24	AT 10272 T	(-)	Axle, front, with grease fittings, needle bearings and bushing
25	JD 8407 H	(-)	Bearing, thrust (2 used)
26	M 2283 T	(-)	Washer, retainer (2 used)
27	M 2282 T	(-)	Seal, lower (2 used)
28	AT 10271 T	(-)	Spindle and knuckle assembly (2 used)
29	11H 218 A	(-)	Pin, cotter, 3/16" x 1-1/2" (2 used)
30	14H 534 A	(-)	Nut, hex., slotted, 3/4" (2 used)

FRONT WHEEL ASSEMBLY



Key	Part No.	Serial No.	Description
1	JD 19 R	(-)	Bolt, special (6 used)
2	JD 3002 T	(-)	Wheel, front, 16" rim (for 6:00 x 16 tire)
	JD 3003 T	(-)	Wheel, front, 16" rim (for 7:50 x 16 tire)
3	M 825 T	(-)	Cap, hub (sub. for AM978T)
4	11H 218 A	(-)	Pin, cotter, 3/16" x 1-1/2"
5	14H 534 A	(-)	Nut, hex., slotted, 3/4"
6	T 10510 T	(-)	Washer, retainer (packed 10 in a pkg.)
7	JD 8905 H	(-)	Cone, bearing, outer
8	JD 8239 H	(-)	Cup, bearing, outer
9	AT 10348 T	(-)	Hub (T10511T), with bearing cups
10	JD 8230 T	(-)	Cup, bearing, inner
11	JD 8194 T	(-)	Cone, bearing, inner
12	AM 3094 T	(-)	Seal, oil


REAR WHEEL AND WHEEL WEIGHT ASSEMBLY



Key	Part No.	Serial No.	Description
1	T 10384 T	(-)	Shaft, axle
2	M 3419 T	(-)	Hub (12 x 26 and 13 x 26 tires)
	T 10475 T	(-)	Hub (12 x 28 tires)
3	JD 3007 T	(-)	Wheel, rear (12 x 28 tires)
	JD 3009 T	(-)	Wheel, rear (12 x 26 and 13 x 26 tires)
4	JD 16 R	(-)	Bolt, hub (8 used) (12 x 26 and 13 x 26 tires)
	JD 16 R	(-)	Bolt, hub (9 used) (12 x 28 tires)
5	24H 1542 A	(-)	Washer, plain, 1-17/32" x 3" x 5/16"
6	14H 656 A	(-)	Nut, hex., 1-1/2"
7	AT 15589 T	(-)	WEIGHT, REAR WHEEL (150 LBS.) (CONSISTS OF TWO M3580T REAR WEIGHTS AND ONE AT15597T ATTACHING HARDWARE) (FIRST WEIGHT TO WHEEL) (SUB. FOR AM3280T)
	AT 15590 T	(-)	WEIGHT, REAR WHEEL (150 LBS.) (CONSISTS OF TWO M3580T REAR WEIGHTS AND ONE AT15598T ATTACHING HARDWARE) (SECOND AND ADDITIONAL WEIGHTS) (SUB. FOR AM3280T)
8	3H 1781 A	(-)	Bolt, cge., 3/4" x 3-1/2" (3 used) (weight to additional weight)
9	12H 236 A	(-)	Washer, lock, 3/4" (3 used) (weight to additional weight)
10	14H 794 A	(-)	Nut, hex., 3/4" (3 used) (weight to additional weight)
11	3H 1780 A	(-)	Bolt, cge., 5/8" x 2-1/2" (4 used) (weight to rim)
12	12H 294 A	(-)	Washer, lock, 5/8" (4 used) (weight to rim)
13	14H 760 A	(-)	Nut, hex., 5/8" (4 used) (weight to rim)
14	AT 15597 T	(-)	BOLTS, REAR WHEEL WEIGHTS (WEIGHT TO RIM)

Capital letters indicate an attachment. Attachments must be listed on separate order from replacement order.


BRAKE ASSEMBLY



BRAKE ASSEMBLY -- Continued

Key	Part No.	Serial No.	Description
1	M 831 T	(-)	Spring (2 used) (packed 2 in a pkg.)
2	M 3332 T	(-)	Disk, actuating (2 used)
3	M 830 T	(-)	Ball, 7/8" dia. (3 used) (packed 3 in a pkg.)
4	M 834 T	(-)	Screw (2 used)
5	14H 882 A	(-)	Nut, hex. jam, 5/16" (2 used)
6	M 833 T	(-)	Link, plain
7	M 832 T	(-)	Link, yoke type
8	T 19037 T	(-)	Rod, yoke (sub. for M948T)
9	L 4668 T	(-)	Pin, yoke
10	11H 206 A	(-)	Pin, cotter, 3/32" x 3/4"
11	AM 1828 T	(-)	Disk, driven, with facings (2 used)
12	AM 3098 T	(-)	Brake assembly, less driven disks
13	M 827 T	(-)	Dowel, hollow (3 used)
14	M 1781 T	(-)	Housing
15	AM 1859 T	(-)	Lever
	AM 3064 T	(-)	Lever (used on left brake assembly when remote hydraulic control attachment has been installed)
16	M 2035 T	(-)	Retainer
	M 3297 T	(-)	Retainer (used on left brake assembly when remote hydraulic control attachment has been installed)
17	M 1949 T	(-)	Screw, cap, 7/16" x 3-3/4", special (3 used)
18	M 2036 T	(-)	Spring
19	AM 1858 T	(-)	Cam, left, with groov-pins
	AM 3063 T	(-)	Cam left, with groov-pins (used when remote hydraulic control attachment has been installed)
	AM 1861 T	(-)	Cam, right, with groov-pins
	AM 3109 T	(-)	Cam, right, with groov-pins (used when remote hydraulic control attachment has been installed)
20	M 2034 T	(-)	Pin, groov-, special
21	M 2396 T	(-)	Ring, snap (packed 10 in a pkg.)
22	M 2049 T	(-)	Pin, groov- (2 used)
23	M 331 T	(-)	Ring, snap (2 used) (packed 2 in a pkg.)
24	M 952 T	(-)	Pin
25	M 1306 T	(-)	Ring, snap (packed 2 in a pkg.)
26	M 2014 T	(-)	Pin, groov-
27	M 1756 T	(-)	Lever
28	25H 797 A	(-)	Pin, groov-, 5/16" x 7/8"
29	M 2037 T	(-)	Bolt, eye
30	14H 463 A	(-)	Nut, hex., jam, 5/16"
31	L 299 T	(-)	Yoke, adjustable
32	M 205 T	(-)	Ring, snap
33	24H 1474 A	(-)	Washer, plain, 1-5/32" x 1-1/2" x .060" (3 used)
34	M 2018 T	(-)	Bushing (2 used) (sub. for M2038T)
35	AT 15056 T	(-)	Pedal, brake, right (T16916T), with bushings (also order one T16917T) (sub. for AM3076T)
36	M 2222 T	(-)	Spring (2 used)
37	M 3230 T	(-)	Pedal, left brake
38	25H 154 A	(-)	Pin, groov-, 3/8" x 2" (2 used)
39	M 3233 T	(-)	Shaft
40	M 1735 T	(-)	Lever
	T 16917 T	(-)	Lever (used when AT15056T brake pedal has been installed)
41	M 949 T	(-)	Nut, hex., special
42	14H 774 A	(-)	Nut, hex., jam, 3/8"
43	L 307 T	(-)	Pin (2 used)
44	11H 206 A	(-)	Pin, cotter, 3/32" x 3/4" (2 used)
45	28H 3054 A	(-)	Spacer, pipe, 1-1/4" x 2-15/32" (sub. for M3234T)


3-POINT HITCH



3-POINT HITCH -- Continued


Key	Part No.	Serial No.	Description
1	M 2071 T	(-)	Pin, front
2	AM 1905 T	(-)	Link, upper, front, left-hand thread
3	A 3581 R	(-)	Pin, spring cotter
4	M 2469 T	(-)	Turnbuckle
5	AM 2297 T	(-)	Handle
6	M 2515 T	(-)	Nut
7	AM 1906 T	(-)	Link, upper, rear, right-hand thread
8	M 2092 T	(-)	Pin, cotter, special
9	AM 1908 T	(-)	Chain
10	M 2517 T	(-)	Hook
11	M 2090 T	(-456202)	Ring
12	AM 1909 T	(-456202)	Pin, quik-lock, and chain
13	F 2682 R	(-)	Pin, rear (sub. for M1703T and AT11985T) (also order one B11182B)
14	T 18536 T	(-)	Pin (2 used) (also order one A3581R) (sub. for AM1927T and AT11986T)
15	M 1701 T	(-)	Connector, sway (2 used)
16	11H 239 A	(-)	Pin, cotter, 5/32" x 1" (2 used)
17	M 2072 T	(-)	Pin (2 used)
18	AM 1896 T	(-)	Link, left lift
19	M 2653 T	(-)	Fork, lift link (2 used)
20	JD 7797	(-)	Fitting, grease (3 used)
21	14H 813 A	(-)	Nut, hex., 7/16" (2 used)
22	12H 293 A	(-)	Washer, lock, 7/16" (2 used)
23	24H 1325 A	(-)	Washer, plain, 15/32" x 59/64" x .060" (2 used)
24	AM 2713 T	(-)	Link, draft, left
25	M 2479 T	(-)	Pin (2 used)
26	11H 206 A	(-)	Pin, cotter, 3/32" x 3/4" (2 used)
27	AM 2779 T	(-)	Chain, sway (2 used)
28	M 2084 T	(-)	Bolt, sway chain (2 used)
29	M 1702 T	(-)	Anchor, rear (2 used)
30	AM 2715 T	(-)	Link, draft, right
31	14H 882 A	(-)	Nut, hex. jam, 5/16"
32	22H 705 A	(-)	Screw, set, 5/16" x 7/8"
33	M 2437 T	(-)	Housing
34	M 1995 T	(-)	Bushing
35	M 2438 T	(-)	Crank, leveling
36	M 2078 T	(-)	Washer, thrust
37	34H 90 A	(-)	Pin, roll, 7/32" x 1-1/4"
38	M 1699 T	(-)	Pinion
39	M 1744 T	(-)	Gear, with shaft
40	AM 1900 T	(-)	Plate, thrust
41	22H 704 A	(-)	Screw, set, 1/2" x 1-1/2"
42	14H 856 A	(-)	Nut, hex., jam, 1/2"
43	M 2083 T	(-)	Ring, snap
44	M 2085 T	(-)	Spring (packed 2 in a pkg.)
45	M 1930 T	(-)	Bushing
46	24H 1227 A	(-)	Washer, plain, 17/32" x 13/16" x .060"
47	M 2086 T	(-)	Ring, snap (packed 3 in a pkg.)
48	34H 164 A	(-)	Pin, roll, 5/16" x 2-1/8"
49	M 2735 T	(-)	Lock, crank
50	M 2494 T	(-)	Washer, spring (2 used)
51	AM 1910 T	(-456202)	Sub. one AM1909T
52	AM 1910 T	(-456202)	Sub. one AM1909T
53	AM 1909 T	(-456202)	Pin, quik-lock, and chain (2 used)
54	M 2092 T	(-456202)	Pin, cotter, special (2 used)
55	DA 5883 A	(-)	Pin, quik-lock (2 used)

DRAWBAR ASSEMBLY




Key	Part No.	Serial No.	Description
1	AM 2977 T	(-)	Drawbar assembly
2	M 3127 T	(-)	Stud, front (2 used)
3	M 3149 T	(-)	Dowel, hollow (2 used)
4	M 2485 T	(-)	Pin, pivot
5	A 3581 R	(-)	Pin, spring locking
6	M 1554 T	(-)	Washer, plain, special (4 used)
7	14H 760 A	(-)	Nut, hex., 5/8" (4 used)
8	11H 237 A	(-)	Pin, cotter, 1/8" x 2" (4 used)
9	14H 534 A	(-)	Nut, hex., 3/4" (4 used)
10	19H 1874 A	(-)	Screw, cap, 1/2" x 2-3/4" (2 used)
11	M 3217 T	(-)	Spacer (2 used)
12	M 3140 T	(-)	Trunnion (2 used)
13	M 1993 T	(-)	Washer, special (2 used)
14	M 3139 T	(-)	Drawbar
15	14H 809 A	(-)	Nut, hex., 1/2" (2 used)
16	12H 301 A	(-)	Washer, lock, 1/2" (4 used)
17	19H 1820 A	(-)	Screw, cap, 1/2" x 3" (2 used)
18	M 2479 T	(-)	Pin (2 used)
19	M 2876 T	(-)	Anchor, sway chain, front (2 used)
20	11H 206 A	(-)	Pin, cotter, 3/32" x 3/4" (2 used)
21	M 3210 T	(-)	Stud, rear (2 used)
22	12H 294 A	(-)	Washer, lock, 5/8" (4 used)
23	M 2545 T	(-)	Nut, stop, 1/2" (2 used)

BATTERY MOUNTING AND CABLES



Key	Part No.	Serial No.	Description
1	AT 10887 T	(-)	Cover, right (sub. for AT10284T)
2	T 10442 T	(-)	Pin, lock (2 used)
3	24H 1305 A	(-)	Washer, plain, 13/32" x 13/16" x .060" (2 used)
4	M 898 T	(-)	Spring (2 used)
5	25H 42 A	(-)	Pin, groov-, 1/8" x 3/4" (2 used)
6	12H 304 A	(-)	Washer, lock, 3/8"
7	19H 2021 A	(-)	Screw, cap, 3/8" x 5/8"
8	T 10407 T	(-)	Angle, hold-down
9	AL 2823 T	(-)	Strap, battery ground
10	AM 505 T	(-)	Bolt, with nut, special (2 used)
11	AT 10283 T	(-)	Cover, left
12	19H 1900 A	(-)	Screw, cap, 5/16" x 3/4" (4 used)
13	12H 303 A	(-)	Washer, lock, 5/16" (4 used)
14	AT 10309 T	(-)	Cable, battery with bolt and nut
15	11H 233 A	(-)	Pin, cotter, 3/32" x 1/2" (2 used)
16	T 10408 T	(-)	Bolt, hold-down (2 used)
17	AT 10249 T	(-)	Tray assembly
18	16H 646 A	(-)	Rivet, 1/4" x 1/2" (2 used)
19	24H 1287 A	(-)	Washer, plain, 9/32" x 5/8" x .060" (2 used)
20	14H 844 A	(-)	Nut, wing, 1/4" (2 used)
21	14H 786 A	(-)	Nut, hex., 1/4"
22	12H 302 A	(-)	Washer, lock, 1/4"
23	19H 1227 A	(-)	Screw, cap, 1/4" x 1/2"


FENDERS AND FOOTRESTS



50214


Key	Part No.	Serial No.	Description
1	AM 1834 T	(-)	Fender assembly (2 used)
2	19H 1833 A	(-)	Screw, cap, 5/8" x 1-1/4" (4 used)
3	12H 294 A	(-)	Washer, lock, 5/8" (4 used)
4	24H 1106 A	(-)	Washer, plain, 11/16" x 1-3/4" x .134" (4 used)
5	19H 1900 A	(-)	Screw, cap, 5/16" x 3/4" (6 used)
6	12H 303 A	(-)	Washer, lock, 5/16" (6 used)
7	AM 3275 T	(-)	Footrest assembly, left
8	AM 2950 T	(-)	Footrest assembly, right
9	M 1949 T	(-)	Screw, cap, special, 7/16" x 3-3/4" (2 used)

FENDER ATTACHMENT



Key	Part No.	Serial No.	Description
1	AT 10608 T	(-)	Fender (2 used)
2	19H 1833 A	(-)	Screw, cap, 5/8" x 1-1/4" (4 used)
3	12H 294 A	(-)	Washer, lock, 5/8" (4 used)
4	T 11033 T	(-)	Bracket, fender (2 used) (sub. for T10774T)
5	19H 1139 A	(-)	Screw, cap, 3/8" x 1-1/8" (12 used)
6	12H 304 A	(-)	Washer, lock, 3/8" (12 used)
7	14H 812 A	(-)	Nut, hex., 3/8" (12 used)

HOOD AND GRILLE ASSEMBLY




Key	Part No.	Serial No.	Description
1	19H 1732 A	(-445012)	Screw, cap, 3/8" x 1-1/4" (8 used) (sub. for T10617T)
2	19H 1732 A	(445013-)	Screw, cap, 3/8" x 1-1/4" (4 used) (sub. for T10617T)
3	M 1340 T	(-)	Washer, plain, special (8 used)
4	AT 11987 T	(-)	Hood assembly, with covers (sub. for AT10240T, AT11360T, and AT11347T)
5	AT 10241 T	(-)	Cover, fuel cap
6	T 10379 T	(-449369)	Clip (4 used)
7	T 10379 T	(449370-)	Clip (6 used)
8	16H 180 A	(-449369)	Rivet, 5/32" x 1/2" (8 used)
9	16H 180 A	(449370-)	Rivet, 5/32" x 1/2" (12 used)
10	AT 10242 T	(-)	Cover, radiator cap
11	T 10429 T	(-)	Support, grille, left
12	12H 304 A	(-)	Washer, lock, 3/8" (16 used)
13	19H 210 A	(-)	Screw, cap, 3/8" x 7/8" (6 used)
14	19H 1798 A	(-)	Screw, cap, 3/4" x 1-3/4" (2 used)
15	12H 236 A	(-)	Washer, lock, 3/4" (6 used)
16	AT 10277 T	(-)	Frame, left side
17	19H 2124 A	(-)	Screw, cap, 5/8" x 4-1/4" (2 used)
18	M 495 T	(-)	Washer, plain, special (2 used)
19	T 10427 T	(-)	Dowel, hollow (2 used)
20	19H 1805 A	(-)	Screw, cap, 1/2" x 2-1/4" (2 used)
21	12H 301 A	(-)	Washer, lock, 1/2" (2 used)
22	T 10371 T	(-)	Insert, grille
23	AT 10468 T	(-)	Screen, grille, with frame
24	19H 1800 A	(-)	Screw, cap, 3/8" x 1-1/2" (10 used)

HOOD AND GRILLE ASSEMBLY -- Continued

Key	Part No.	Serial No.	Description
22	AT 10276 T	(-)	Frame, right side
23	19H 1768 A	(-)	Screw, cap, 3/4" x 2" (4 used)
24	T 10428 T	(-)	Support, grille, right
25	T 10366 T	(-)	Grille
26	T 10671 T	(-)	Screw, drive, special (6 used) (packed 3 in a pkg.)
27	T 10551 T	(-)	Plate, name, "John Deere" (2 used) (for tractors painted industrial yellow)
	T 11203 T	(-)	Plate, name, "John Deere" (2 used) (for tractors painted green)
28	AT 10901 T	(-445013)	Hood-to-grille attaching hardware kit
29	19H 1801 A	(445013-	Screw, cap, 3/8" x 2" (4 used) (sub. for T11089T)
30	M 1340 T	(-)	Washer, plain, special (4 used)
31	12H 304 A	(445013-	Washer, lock, 3/8" (4 used) (sub. for T11088T)
32	T 11234 T	(445013-	Nut, stop (4 used) (sub. for T11087T)
33	T 11268 T	(-)	Designation, series (2 used) (for tractors painted industrial yellow) (sub. for T10350T) (packed 2 in a pkg.)
	T 11206 T	(-)	Designation, series (2 used) (for tractors painted green) (packed 2 in a pkg.)
34	AT 11478 T	(449370-	Cover, reservoir cap


CRANKSHAFT DRIVEN HYDRAULIC PUMP MOUNTING PARTS



T 8720

Key	Part No.	Serial No.	Description
1	AT 10469 T	(-)	Screen, grille, with frame
2	19H 1731 A	(-)	Screw, cap, 3/8" x 1" (2 used)
3	12H 304 A	(-)	Washer, lock, 3/8" (10 used)
4	T 10480 T	(-)	Guard, pump
5	T 10481 T	(-)	Dowel, hollow (2 used)
6	24H 1368 A	(-)	Washer, plain, 21/32" x 1-5/16" x .090" (2 used)
7	12H 294 A	(-)	Washer, lock, 5/8" (2 used)
8	19H 1374 A	(-)	Screw, cap, 5/8" x 2" (2 used)
9	19H 1800 A	(-)	Screw, cap, 3/8" x 1-1/2" (8 used)

SEAT




SEAT -- Continued

Key	Part No.	Serial No.	Description
1	AM 339 T	(-)	Back, seat (black)
2	AM 1839 T	(-)	Cushion (black)
3	AM 2739 T	(-)	Frame (used when tractor is equipped with touch-o-matic)
	AM 1956 T	(-)	Frame (used when tractor is not equipped with touch-o-matic)
4	M 2474 T	(-)	Screw, No. 10 x 1" (4 used) (packed 4 in a pkg.)
5	M 2517 T	(-)	Hook (2 used) (used when tractor is equipped with touch-o-matic)
6	AM 2286 T	(-)	Chain (used when tractor is equipped with touch-o-matic)
7	AT 10432 T	(-)	Bracket, mounting (used when tractor is not equipped with touch-o-matic)
	AM 1836 T	(-)	Bracket, mounting (used when tractor is equipped with touch-o-matic)
8	19H 1936 A	(-)	Screw, cap, 3/8" x 3/4" (4 used)
9	12H 304 A	(-)	Washer, lock, 3/8" (4 used)
10	M 360 T	(-)	Ring, snap (packed 2 in a pkg.)
11	M 359 T	(-)	Washer
12	M 358 T	(-)	Spring
13	M 1501 T	(-)	Pin, lock
14	M 4146 T	(-)	Pin
15	M 4147 T	(-)	Lever
16	AM 3472 T	(-)	Support, seat (used when tractor is not equipped with touch-o-matic)
17	19H 1792 A	(-)	Screw, cap, 1/2" x 1" (4 used) (used when tractor is not equipped with touch-o-matic)
18	12H 301 A	(-)	Washer, lock, 1/2" (4 used) (used when tractor is not equipped with touch-o-matic)
19	14H 812 A	(-)	Nut, hex., 3/8" (4 used) (used when tractor is not equipped with touch-o-matic)
20	AA 6022 R	(-)	CUSHION, SIDE (2 used)

Capital letters indicate an attachment. Attachments must be listed on separate order from replacement order.


FLOAT-RIDE SEAT ATTACHMENT



FLOAT-RIDE SEAT ATTACHMENT -- Continued

Key	Part No.	Serial No.	Description
1	AT 10535 T	(-)	Cushion, right side
2	T 11226 T	(-)	Sleeve, rubber (2 used)
3	T 11225 T	(-)	Pin (6 used)
4	34H 45 A	(-)	Pin, roll, 1/8" x 1" (6 used)
5	AT 11015 T	(-)	Seat assembly
6	21H 1021 A	(-)	Screw, mach., 1/4" x 1/2" (2 used)
7	AT 10533 T	(-)	Cushion, seat
8	AT 10534 T	(-)	Cushion, seat back
9	12H 303 A	(-)	Washer, lock, 5/16" (8 used) (when equipped with touch-o-matic)
	12H 303 A	(-)	Washer, lock, 5/16" (6 used) (when not equipped with touch-o-matic)
10	19H 1813 A	(-)	Screw, cap, 5/16" x 5/8" (2 used) (when equipped with touch-o-matic)
11	T 10887 T	(-)	Support, top link (when equipped with touch-o-matic)
12	M 2517 T	(-)	Hook (2 used) (when equipped with touch-o-matic)
13	AT 10737 T	(-)	Chain (when equipped with touch-o-matic)
14	14H 785 A	(-)	Nut, hex., 5/16" (2 used) (when equipped with touch-o-matic)
15	AT 10536 T	(-)	Cushion, left side
16	AT 11014 T	(-)	Bracket assembly
17	T 11229 T	(-)	Bumper, rubber (2 used)
18	14H 650 A	(-)	Nut, hex., 5/16" (8 used)
19	T 11224 T	(-)	Shaft, spring (4 used)
20	34H 47 A	(-)	Pin, roll, 1/8" x 1-1/4" (8 used)
21	AT 11047 T	(-)	Arm, upper
22	AT 11048 T	(-)	Handle, adjuster
23	T 11232 T	(-)	Bushing, pivot (2 used)
24	AT 11050 T	(-)	Bearing, ball (2 used)
25	T 11231 T	(-)	Insert, pivot bushing
26	34H 77 A	(-)	Pin, roll, 3/16" x 1"
27	T 11230 T	(-)	Pin, adjuster
28	AT 11046 T	(-)	Arm, spring
29	T 11227 T	(-)	Bushing, rolled
30	AT 11049 T	(-)	Spring, rubber
31	T 11228 T	(-)	Washer
32	AT 11011 T	(-)	Adjuster, seat, right, with handle
33	T 11233 T	(-)	Spring, latch
34	AT 10729 T	(-)	Bracket, seat (used when equipped with touch-o-matic)
35	19H 1936 A	(-)	Screw, cap, 3/8" x 3/4" (4 used) (used when equipped with touch-o-matic)
36	12H 304 A	(-)	Washer, lock, 3/8" (4 used) (used when equipped with touch-o-matic)
37	AT 11010 T	(-)	Adjuster, seat, left
38	AT 10728 T	(-)	Bracket, seat (used when not equipped with touch-o-matic)
39	19H 1900 A	(-)	Screw, cap, 5/16" x 3/4" (4 used) (used when not equipped with touch-o-matic)
40	12H 303 A	(-)	Washer, lock, 5/16" (4 used) (used when not equipped with touch-o-matic)
41	14H 785 A	(-)	Nut, hex., 5/16" (4 used) (used when not equipped with touch-o-matic)
42	T 10880 T	(-)	Support, seat base, right (used when not equipped with touch-o-matic)
43	19H 1792 A	(-)	Screw, cap, 1/2" x 1" (4 used) (used when not equipped with touch-o-matic)
44	12H 301 A	(-)	Washer, lock, 1/2" (4 used) (used when not equipped with touch-o-matic)
45	T 10881 T	(-)	Support, seat base, left (used when not equipped with touch-o-matic)
46	AT 12665 T	(-)	Kit, rubber shield
47	T 18045 T	(-)	Shield, rubber

WIRING HARNESS, LEAD WIRES AND ELECTRICAL SYSTEM




T 486

Key	Part No.	Serial No.	Description
1	AT 10571 T	(-)	Lamp, front (2 used) (sub. for AM3257T)
2		(-)	Wire, lead, 30" (make from R32007R wire, R32016R spade, and R32026R bullet from wire repair kit) (sub. for AT10908T)
3	AM 531 T	(-)	Connector, three-way

WIRING HARNESS, LEAD WIRES, AND ELECTRICAL SYSTEM -- Continued


Key	Part No.	Serial No.	Description
4	AP 17671 H	(-)	Oil pressure sending unit
5	AT 10191 T	(-)	Harness, wiring, front
6	M 632 T	(-)	Clip, wiring harness to fuel tank (3 used)
7	AM 3397 T	(-)	Motor, starting (Delco-Remy No. 1107165)
8	AM 1803 T	(-)	Generator (Delco-Remy No. 1101859)
9	AM 373 T	(-)	Coil, ignition (Delco-Remy No. 1115379) (sub. for AM791T)
10		(-)	Wire, lead, 14" (make from R32008R wire and two R32017R spades from wire repair kit) (sub. for AM355T)
11	AM 3090 T	(-)	Distributor (Delco-Remy No. 1112571)
12	AM 374 T	(-)	Cable, coil to distributor
13	AM 1949 T	(-)	Lighter, cigarette
14	AF 2749 R	(-)	Ammeter (sub. for AM1864T)
15		(-)	Wire, lead, 14" (make from R32008R wire and two R32017R spades from wire repair kit) (sub. for AM355T)
16	AM 2702 T	(-)	Regulator, voltage (Delco-Remy No. 1119575)
17	AM 3120 T	(-)	Holder, fuse, with cap and lead wires
18	AM 1866 T	(-)	Switch, ignition assembly
19		(-)	Wire, lead, 4-1/2" (make from R32007R wire, R32016R spade, and R32018R spade from wire repair kit) (sub. for AT10437T)
20	AM 1879 T	(-)	Dash lamp assembly
21	AT 10415 T	(-)	Gauge, oil pressure (North American)
	AT 11326 T	(-)	Gauge, oil pressure (Export)
22	AT 10731 T	(-)	Harness, wiring, rear (sub. for AT10484T)
23	AM 2985 T	(-451964)	Clamp, tube, with speed nut (2 used) (used when equipped with power lift attachment)
	T 12016 T	(451965-)	Clip, speed (2 used) (used when equipped with power attachment)
24	M 1221 T	(-451964)	Screw, sheet metal, No. 10 x 1/2" (2 used)
25	M 644 T	(-)	Clip (4 used)
26	AR 28227 R	(-)	Lamp, rear (sub. for AM1980T and AT10569T)
27	AL 2976 T	(-)	Connector, two-wire
28	M 2399 T	(-)	Sleeve, connector, rubber
29	AM 2049 T	(-)	Socket, auxiliary light
30	L 4353 T	(-)	Clamp (2 used) (used when not equipped with power lift attachment)
31		(-)	Wire, lead, 24-1/8" (make from R32007R wire, R32026R bullet, and R32016R spade from wire repair kit) (sub. for AL2971T)

ENGINE ELECTRIC HOUR METER ATTACHMENT



Key	Part No.	Serial No.	Description
1	AM 1664 T	(-)	Vibration dampener
2	21H 1076 A	(-)	Screw, mach., No. 6 x 5/16" (6 used)
3	AT 10427 T	(-)	Hour meter assembly
4		(-)	Wire, lead, 20" (make from R32007R wire and two R32016R spades from wire repair kit) (sub. for AT10527T)
5	21H 1189 A	(-)	Screw, mach., No. 10 x 1/4" (2 used)
6	12H 246 A	(-)	Washer, lock, No. 10 (2 used)
7	AM 1662 T	(-)	Pressure switch
8	T 10612 T	(-)	Adapter, pressure switch

SWITCHES AND LIGHTER




67549

Key	Part No.	Serial No.	Description
1	AM 1949 T	(-)	CIGARETTE LIGHTER ATTACHMENT
2	AM 2091 T	(-)	Pop-out unit
3	AM 2151 T	(-)	Fuse, lighter
4	AM 2152 T	(-)	Cord
5	21H 973 A	(-)	Screw, mach., No. 8 x 3/8" (3 used)
6	12H 315 A	(-)	Washer, lock, No. 8 (sub. for M2064T and A766R)
7	1902694	(-)	Lever
8	AM 1866 T	(-)	Switch, less lever
9	A 4655 R	(-)	Nut, hex., 1/2" (sub. for 1902692)
10	12H 292 A	(-)	Washer, lock, internal tooth, 1/2"
11	1902924	(-)	Washer, plain
12	21H 971 A	(-)	Screw, mach., No. 8 x 5/16" (4 used)
13	1929313	(-)	Coil, dimmer (Delco-Remy) (sub. for 814545)
	AM 2757 T	(-)	Coil, dimmer (Cole-Hersee)
14	12H 290 A	(-)	Washer, lock, internal tooth, No. 8 (6 used) (sub. for A2734R)
15	AT 10621 T	(-)	KEY SWITCH ATTACHMENT
16		(-)	Wire, lead, 4-1/2" (make from R32008R wire and two R32017R spades from wire repair kit) (sub. for AT10622T)


Capital letters indicate an attachment. Attachments must be listed on separate order from replacement order.

FRONT LIGHTS, DASH LAMP, AND FUSE ASSEMBLY



Key	Part No.	Serial No.	Description
1	T 10355 T	(-)	Bracket, lamp (2 used)
2	12H 304 A	(-)	Washer, lock, 3/8" (4 used)
3	19H 1731 A	(-)	Screw, cap, 3/8" x 1" (4 used)
4	22H 724 A	(-)	Screw, set, 5/16" x 1" (2 used)
5	14H 611 A	(-)	Nut, hex., jam, 5/16" (2 used)
6	T 10356 T	(-)	Arm, light (2 used)
7	AT 10571 T	(-)	Lamp, front (2 used) (sub. for AM3257T)
8	M 640 T	(-)	Spacer (2 used)
9	M 1482 T	(-)	Clamp (2 used)
10	24H 1111 A	(-)	Washer, plain, 17/32" x 1-1/16" x .090" (2 used)
11	14H 809 A	(-)	Nut, hex., 1/2" (2 used)
12	21H 972 A	(-)	Screw, mach., No. 8 x 5/16" (2 used)
13	12H 290 A	(-)	Washer, lock, internal tooth, No. 8 (2 used) (sub. for A2734R)
14	AA 3495 R	(-)	Post, terminal
15	A 2899 R	(-)	Spring
16	AT 11122 T	(-)	Lead, wire (sub. for 5945114)
17	M 3499 T	(-)	Screw, sheet metal, No. 8 x 1/4"
18	AT 11121 T	(-443397)	Seal beam unit (sub. for 5945110)
	AF 3893 R	(443398-)	Seal beam unit
19	A 2729 R	(-)	Screw, special
20	AT 11120 T	(-443397)	Moulding (sub. for 5941577)
	AF 3891 R	(443398-)	Moulding
21	B 3267 R	(-)	Cover, dash lamp
22	AB 2582 R	(-)	Bulb
23	M 2207 T	(-)	Screw, metal, No. 6 x 5/16" (2 used)
24	AB 4725 R	(-)	Wire assembly, dash lamp
25	AM 1879 T	(-)	Dash lamp assembly
26	AM 3208 T	(-)	Cap, fuse holder
27	AL 2919 T	(-)	Fuse, 20 amp. (packed 10 in a pkg.)
28	AM 3120 T	(-)	Holder, fuse, with cap and lead wires


REAR LIGHT ASSEMBLY



REAR LIGHT ASSEMBLY -- Continued


Key	Part No.	Serial No.	Description
1	AL 2976 T	(-)	Connector, two-wire
2	AM 2049 T	(-)	Socket, auxiliary light
3	T 11341 T	(-)	Arm, rear light (sub. for M2015T)
4	M 640 T	(-)	Spacer
5	M 1482 T	(-)	Clamp
6	AR 28227 R	(-)	Lamp, rear (sub. for AM1980T and AT10569T)
7	M 644 T	(-)	Clip, wiring
8	24H 1111 A	(-)	Washer, plain, 17/32" x 1-1/16" x .090" (2 used)
9	14H 786 A	(-)	Nut, hex., 1/2"
10	M 2068 T	(-)	Bracket, auxiliary light socket
11	M 2399 T	(-)	Sleeve, connector
12	14H 611 A	(-)	Nut, hex. jam, 5/16"
13	22H 724 A	(-)	Screw, set, 5/16" x 1"
14	14H 778 A	(-)	Nut, hex., No. 10 (2 used)
15	12H 246 A	(-)	Washer, lock, No. 10 (2 used)
16	21H 1019 A	(-)	Screw, mach., No. 10 x 1/2" (2 used)
17	A 2729 R	(-)	Screw
18	AA 3241 R	(-)	Moulding
19	A 2731 R	(-)	Lens
20	AA 3239 R	(-)	Gasket
21	AB 2820 R	(-)	Bulb, 6-8 volt, 32 C.P., single contact
22	AA 4666 R	(-443397)	Lead, large bulb
	AT 10570 T	(443398-)	Lead, large bulb
23	AA 4924 R	(-443397)	Reflector
	AA 6734 R	(443398-)	Reflector
24	AA 4926 R	(-443397)	Lead, warning bulb
25	AA 4925 R	(-443397)	Jewel, red
26	AB 4059 R	(-443397)	Bulb, 6-8 volt, 1 C.P., single contact (pack 10 in a pkg.)
	AF 3089 R	(443398-)	Bulb, 6-8 volt, 15 C.P., single contact (pack 10 in a pkg.)
27		(-)	Body (sub. AT10569T)
28	A 2899 R	(-)	Spring, terminal (2 used)
29	12H 290 A	(-)	Washer, lock, internal tooth, No. 8 (4 used) (sub. for A2734R)
30	21H 972 A	(-)	Screw, mach., No. 8 x 5/16" (4 used)
31	AB 3495 R	(-)	Post, terminal (2 used) (sub. for AB3739R)
32	M 646 T	(-)	Bracket (used when not equipped with touch-o-matic)
33	12H 303 A	(-)	Washer, lock, 5/16" (2 used)
34	19H 1905 A	(-)	Screw, cap, 5/16" x 1" (2 used)
..	AT 10393 T	(-)	Lighting attachment (includes 2 front and 1 rear lamps)

ELECTRICAL GAUGES



Key	Part No.	Serial No.	Description
1	M 633 T	(-)	Clip (3 used)
2	AM 3092 T	(-)	Indicator, heat (North America)
	AM 3833 T	(-)	Indicator, heat (Export)
3	14H 631 A	(-)	Nut, hex., No. 10 (6 used)
4	12H 246 A	(-)	Washer, lock, No. 10 (6 used)
5	T 366 T	(-)	Bracket
6	M 731 T	(-)	Washer, plain (2 used)
7	AM 2158 T	(-)	Clamp
8	AF 2749 R	(-)	Ammeter (sub. for AM1864T)


DISTRIBUTOR
Delco-Remy No. 1112571



DISTRIBUTOR -- Continued
Delco-Remy No. 1112571

Key	Part No.	Serial No.	Description
1	AM 514 T	(-)	Plug, spark, Champion, type H-10 (2 used)
	AM 1535 T	(-)	Plug, spark, A.C., type 45L (2 used)
	AT 17208 T	(-)	Plug, spark, Prestolite type 14L7B (2 used) (sub. for AM1536T)
2	AM 3055 T	(-)	Cable, spark plug (2 used)
3	AM 374 T	(-)	Cable, coil
4	A 3539 R	(-)	Nipple, rubber (3 used)
5	1909008	(-)	Cap
6	820445	(-)	Rotor
7	1914309	(-)	Seal, with retainer
8	1900119	(-)	Cover, with seal and gasket
9	1889966	(-)	Gasket
10	131949	(-)	Screw, attaching
11	AT 14468 T	(-)	Condenser (sub. for 1869704) (packed 10 in a pkg.)
12	AT 14467 T	(-)	Point set, regular (sub. for 1911119) (packed 10 in a pkg.)
	AT 14469 T	(-)	Point set, heavy duty (sub. for 1882965) (packed 10 in a pkg.)
13	816784	(-)	Screw, mach., adjusting
14	1847643	(-)	Plate, breaker
15	14H 631 A	(-)	Nut, hex., No. 10 (2 used)
16	1885558	(-)	Washer, lock (2 used)
17	1885557	(-)	Plate
18	816803	(-)	Wick
19	1909004	(-)	Cam
20	1902376	(-)	Spring (2 used)
21	1880902	(-)	Weight (4 used)
22	1935139	(-)	Plate
23	12H 290 A	(-)	Washer, lock, internal tooth, No. 8 (3 used) (sub. for A2734R)
24	21H 972 A	(-)	Screw, mach., No. 8 x 5/16"
25	1917900	(-)	Housing, distributor
26	811912	(-)	Washer, spacer (2 used)
27	1889967	(-)	Spring (2 used)
28	1847289	(-)	Support (2 used)
29	21H 996 A	(-)	Screw, mach., No. 8 x 3/8" (2 used)
30	810074	(-)	Shim, .005" (as needed)
	810078	(-)	Shim, .010" (as needed)
31	829421	(-)	Pin
32	1909273	(-)	Coupling
33	M 415 T	(-)	Clip, mounting (2 used)
34	12H 303 A	(-)	Washer, lock, 5/16" (4 used)
35	19H 1905 A	(-)	Screw, cap, 5/16" x 1" (2 used)
36	F 2632 R	(-)	Gasket (sub. for M414T)
37	L 756 T	(-)	Plug, pipe, 1/8"
38	14H 605 A	(-)	Nut, hex., outside, No. 8
39	1914144	(-)	Clip, stud
40	1916806	(-)	Stud
41	1914142	(-)	Bushing, insulating, outside
42	1916805	(-)	Bushing, insulating, inside
43	810794	(-)	Washer, inside
44	817363	(-)	Nut, hex., inside
45	A 4159 R	(-)	Nipple (sub. for M416T)
46	14H 631 A	(-)	Nut, hex., No. 10 (2 used)
47	1909206	(-)	Lock (2 used)
48	AM 373 T	(-)	Coil, ignition (Delco-Remy No. 1115379) (sub. for AM791T)
49	P 47210 H	(-)	Nut, speed (2 used)
50	24H 1122 A	(-)	Washer, plain, 3/8" x 7/8" x .075" (2 used)
51	19H 2020 A	(-)	Screw, cap, 5/16" x 1/2" (2 used)
52	AM 355 T	(-)	Wire, lead, coil
53	AT 14465 T	(-)	Point set with condenser, regular (packed 10 in a pkg.)
	AT 14466 T	(-)	Point set with condenser, heavy duty (packed 10 in a pkg.)
..	AM 3090 T	(-)	Distributor, complete

STARTING MOTOR Delco-Remy No. 1107165



38401


STARTING MOTOR -- Continued
Delco-Remy No. 1107165

Key	Part No.	Serial No.	Description
1	21H 964 A	(-)	Screw, mach., No. 6 x 1/2" (4 used)
2	AM 3397 T	(-)	Starting motor
3	811553 *	(-)	Brush (4 used)
4	R 11090 R	(-)	Holder, brush (4 used) (sub. for 810226)
5	R 11091 R	(-)	Spring, brush (4 used) (sub. for 813521)
6	809053	(-)	Bolt, thru (2 used)
7	21H .986 A	(-)	Screw, mach., No. 10 x 1-1/4"
8	14H 631 A	(-)	Nut, No. 10, plated
9	AR 11066 R	(-)	Band, cover (sub. for 1886923)
10	12H 302 A	(-)	Washer, lock, 1/4" (2 used)
11	802691 *	(-)	Wick, oiler
12	114998 *	(-)	Oiler
13	1881625	(-)	Frame, commutator end, with pins and oiler
14	1865182 *	(-)	Plug, expansion
15	AR 11062 R	(-)	Pin and insulator, stop (2 used) (sub. for 812015)
16	R 11093 R	(-)	Pin, stop (2 used) (sub. for 817314)
17	R 11092 R	(-)	Pin, hinge (2 used) (sub. for 817313)
18	R 11086 R	(-)	Pin, dowel (sub. for 809062)
19	AR 11063 R	(-)	Pin and insulator, hinge (2 used) (sub. for 812016)
20	12H 290 A	(-)	Washer, lock, internal tooth, No. 8 (2 used) (sub. for A2734R)
21	21H 969 A	(-)	Screw, mach., No. 8 x 1/4" (2 used)
22	AR 11064 R	(-)	Lead, brush ground (2 used) (sub. for 813554)
23	AR 11065 R	(-)	Lead, brush jumper (sub. for 819362)
24	21H 1189 A	(-)	Screw, mach., No. 10 x 1/4" (4 used)
25	12H 246 A	(-)	Washer, lock, No. 10 (4 used)
26	1923195	(-)	Coil, field, R.H. (distributor side of tractor)
27	810601 *	(-)	Shoe, pole (4 used)
28	1923194	(-)	Coil, field, L.H. (carburetor side of tractor)
29	R 11104 R	(-)	Screw, pole shoe (4 used) (sub. for 1881869)
30	R 11087 R	(-)	Pin, dowel, drive body to main body (sub. for 809593)
31	11H 231 A	(-)	Pin, cutter, 1/16" x 1"
32	1880254 *	(-)	Pin, switch
33	1882323	(-)	Switch, complete, with hardware
34	816911 *	(-)	Insulation, switch side (2 used)
35	14H 732 A	(-)	Nut, hex., 3/8"
36	12H 304 A	(-)	Washer, lock, switch terminal, 3/8"
37	24H 1303 A	(-)	Washer, plain, 13/32" x 11/16" x .060" (3 used)
38	821524	(-)	Stud
39	R 11099 R	(-)	Washer, insulating (large) (2 used) (sub. for 1861076)
40	R 11107 R	(-)	Washer, insulating (small) (2 used) (sub. for 1904669)
41	14H 732 A	(-)	Nut, hex., jam, 3/8"
42	R 11096 R	(-)	Washer (2 used) (sub. for 833602)
43	1872505	(-)	Armature
44	26H 10 A	(-)	Key, Woodruff, 5/32" x 5/8"
45	1848530	(-)	Head, drive
46	1855630	(-)	Spring, drive
47	A 2783 R	(-)	Washer, lock (2 used) (sub. for 805057)
48	1848180	(-)	Screw, head spring
49	1848531	(-)	Screw, shaft spring
50	1855629	(-)	Gear and shaft, with service sleeve
51	1855548	(-)	Drive assembly
52	T 10337 T	(-)	Housing, drive
53	810620 *	(-)	Bushing, drive housing
..	AM 3397 T	(-)	Sub. one AT16882T starting motor, complete

*Parts provided to John Deere Branch Houses by John Deere Waterloo Tractor Works of Waterloo, Iowa.


HEAVY-DUTY STARTING MOTOR

Delco-Remy No. 1108072



HEAVY-DUTY STARTING MOTOR -- Continued
Delco-Remy No. 1108072

Key	Part No.	Serial No.	Description
1	21H 964 A	(-)	Screw, mach., No. 6 x 1/2" (4 used)
2	T 10794 T	(-)	Bushing, commutator end
3	811553	(-)	Brush (4 used)
4	R 11090 R	(-)	Holder, brush (4 used) (sub. for 810226)
5	R 11091 R	(-)	Spring, brush (4 used) (sub. for 813521)
6	809053	(-)	Bolt, thru (2 used)
7	21H 986 A	(-)	Screw, mach., No. 10 x 1-1/4"
8	14H 631 A	(-)	Nut, hex., No. 10
9	AR 11066 R	(-)	Band, cover (sub. for 1886923)
10	12H 302 A	(-)	Washer, lock, 1/4" (2 used)
11	802691	(-)	Wick, oiler
12	114998	(-)	Oiler
13	AT 10628 T	(-)	Frame, commutator end, with bearing and pin
14	30H 9 A	(-)	Plug, expansion, 3/4"
15	AR 11062 R	(-)	Pin and insulator, stop (2 used) (sub. for 812015)
16	R 11093 R	(-)	Pin, stop (2 used) (sub. for 817314)
17	R 11092 R	(-)	Pin, hinge (2 used) (sub. for 817313)
18	R 11086 R	(-)	Pin, dowel (sub. for 809062)
19	AR 11063 R	(-)	Pin and insulator, hinge (2 used) (sub. for 812016)
20	12H 290 A	(-)	Washer, lock, internal tooth, No. 8 (2 used) (sub. for A2734R)
21	21H 969 A	(-)	Screw, mach., No. 8 x 1/4" (2 used)
22	AR 11064 R	(-)	Lead, brush ground (2 used) (sub. for 813554)
23	AR 11065 R	(-)	Lead, brush jumper (sub. for 819362)
24	21H 1189 A	(-)	Screw, mach., No. 10 x 1/4" (4 used)
25	12H 246 A	(-)	Washer, lock, No. 10 (4 used) (sub. for A767R)
26	AT 10627 T	(-)	Coil, field, upper half
27	810601	(-)	Shoe, pole (4 used)
28	AT 10626 T	(-)	Coil, field, lower half
29	R 11104 R	(-)	Screw, pole shoe (sub. for 1881869)
30	R 11087 R	(-)	Pin, dowel (sub. for 809593)
31	11H 231 A	(-)	Pin, cotter, 1/16" x 1"
32	1880254	(-)	Pin, switch
33	1882323	(-)	Switch, complete, with hardware
34	816911	(-)	Insulation, switch side (2 used)
35	14H 732 A	(-)	Nut, hex., 3/8"
36	12H 304 A	(-)	Washer, lock, 3/8"
37	24H 1303 A	(-)	Washer, plain, 13/32" x 11/16" x .060" (3 used)
38	T 10795 T	(-)	Stud
39	R 11099 R	(-)	Washer, insulating, (large) (2 used) (sub. for 1861076)
40	R 11107 R	(-)	Washer, insulating, (small) (2 used) (sub. for 1904669)
41	T 10793 T	(-)	Nut, hex., special
42	R 11096 R	(-)	Washer (2 used) (sub. for 833602)
43	1872505	(-)	Armature assembly
44	26H 10 A	(-)	Key, Woodruff, 5/32" x 5/8"
45	1848530	(-)	Head, drive
46	1855630	(-)	Spring, drive
47	A 2783 R	(-)	Washer, lock (sub. for 805057)
48	1848180	(-)	Screw, head spring
49	1848531	(-)	Screw, shaft, spring
50	1855629	(-)	Gear and shafts, with service sleeve
51	1855548	(-)	Drive assembly
52	AT 10629 T	(-)	Housing, drive, with bushing
53	810620	(-)	Bushing, drive housing
54	21H 995 A	(-)	Screw, mach., No. 10 x 3/8" (2 used)
55	12H 246 A	(-)	Washer, lock, No. 10 (sub. for A3009R)
56	1838667	(-)	Center bearing
..	AT 10224 T	(-)	Heavy-duty starter, complete


REPLACEMENT STARTING MOTOR
Delco-Remy No. 1108093

REPLACEMENT STARTING MOTOR -- Continued
Delco Remy No. 1108093

Key	Part No.	Serial No.	Description
1	T 741 T	(-)	Bolt, thru (2 used)
2	AT 517 T	(-)	End, commutator, with bearing
3	T 742 T	(-)	Screw, special (4 used)
4	T 18712 T	(-)	Brush (4 used)
5	T 738 T	(-)	Holder, brush, grounded (2 used)
6	T 740 T	(-)	Spring, brush (2 used)
7	T 18099 T	(-)	Holder, brush, insulated (2 used)
8	14H 778 A	(-)	Nut, hex., No. 10 (4 used)
9	12H 246 A	(-)	Washer, lock, No. 10 (6 used)
10	21H 1020 A	(-)	Screw, mach., No. 10 x 1/2" (4 used)
11	T 736 T	(-)	Pin, brush holder (2 used)
12	AT 514 T	(-)	Lead assembly (2 used)
13	AT 516 T	(-)	Brush support package, includes ground lead, brush holder pin, support, screws, lock washers, and hex. nuts (2 used)
14	T 18713 T	(-)	Coil, field
15	810601	(-)	Pole piece (4 used)
16	821524	(-)	Screw, terminal
17	21H 1189 A	(-)	Screw, mach., No. 10 x 1/4" (2 used)
18	1880254	(-)	Pin, switch
19	11H 231 A	(-)	Pin, cotter, 1/16" x 1"
20	1882323	(-)	Switch, starter
21	T 18711 T	(-)	Washer, large
22	T 18710 T	(-)	Washer, special snap-on (2 used)
23	24H 1303 A	(-)	Washer, 13/32" x 11/16" x .060" (3 used)
24	12H 304 A	(-)	Washer, lock, 3/8"
25	14H 732 A	(-)	Nut, hex., 3/8" (2 used)
26	816911	(-)	Insulation, side (2 used)
27	T 18714 T	(-)	Gasket, switch to starter
28	R 11099 R	(-)	Washer, insulating, large (2 used)
29	R 11107 R	(-)	Washer, insulating, small (2 used)
30	R 11087 R	(-)	Pin, dowel
31	R 11104 R	(-)	Screw, pole shoe (4 used)
32	T 10793 T	(-)	Nut, hex., 3/8"
33	R 11096 R	(-)	Washer, thrust (2 used)
34	1872505	(-)	Armature
35	26H 10 A	(-)	Key, Woodruff, 5/32" x 5/8"
36	1848530	(-)	Head, drive
37	1848180	(-)	Screw, spring, head
38	1848531	(-)	Screw, spring, shaft
39	A 2783 R	(-)	Washer, lock, special (2 used)
40	1849782	(-)	Sleeve, service
41	1855629	(-)	Gear and shaft, with service sleeve
42	1855630	(-)	Spring, drive
43	T 10337 T	(-)	Housing, drive
44	810620 *	(-)	Bushing, drive housing
45	1855548	(-)	Drive assembly
..	AT 16882 T	(-)	Starter, complete

*Parts provided to John Deere Branch Houses by John Deere Waterloo Tractor Works of Waterloo, Iowa.

GENERATOR
Delco-Remy No. 1101859




GENERATOR -- Continued
Delco-Remy No. 1101859

Key	Part No.	Serial No.	Description
1	1905673	(-)	Bolt, thru (2 used)
2	12H 303 A	(-)	Washer, lock, 5/16" (2 used)
3	E 2302 RT	(-)	Cup, oil
4	T 12868 T	(-)	Wick (sub. for 804080)
5	1925748	(-)	Commutator, end frame and brush holder assembly
6	1857412	(-)	Washer, brush arm spacer (2 used)
7	1878184	(-)	Spring, main brush (2 used)
8	T 11649 T	(-)	Arm, brush (2 used) (sub. for 1878183)
9	12H 314 A	(-)	Washer, lock, No. 6 (2 used) (sub. for 1904377 and R11106R)
10	T 11647 T	(-)	Screw, mach., brush lead, No. 6 x 1/4" (2 used) (sub. for 132688)
11	AT 14388 T	(-)	Brush assembly (2 used) (sub. for 1906950)
12	1917296	(-)	Armature assembly
13	26H 72 A	(-)	Key, Woodruff, 1/8" x 5/8"
14	R 11088 R	(-)	Washer, spacer (sub. for 809945)
15	200182 *	(-)	Terminal
16	14H 608 A	(-)	Nut, hex., terminal stud (4 used)
17	12H 316 A	(-)	Washer, lock, No. 12 (4 used) (sub. for A3011R)
18	A 3031 R	(-)	Washer, terminal stud (2 used)
19	R 11098 R	(-)	Washer, insulating (2 used) (sub. for 1858753)
20	T 11650 T	(-)	Insulator, terminal stud (2 used) (sub. for 1885090)
21	1858751	(-)	Stud, terminal (2 used)
22	1925098	(-)	Coil, field, assembly
23	1916747	(-)	Shoe, pole (2 used)
24	1916748	(-)	Insulator, field coil (2 used) (packed 2 in a pkg.)
25	1861502	(-)	Band, cover assembly
26	T 18353 T	(-)	Screw, pole shoe (2 used) (sub. for 1843646 and R11097R)
27	R 11087 R	(-)	Dowel (sub. for 809593)
28	21H 1127 A	(-)	Screw, mach., No. 10 x 7/16" (3 used) (sub. for 1904370 and R11105R)
29	12H 246 A	(-)	Washer, lock, No. 10 (3 used) (sub. for A3009R)
30	R 11109 R	(-)	Plate, inner bearing (sub. for 1911263)
31	R 11110 R	(-)	Gasket (sub. for 1912008)
32	JD 7180 R	(-)	Bearing assembly, inner
33	R 11094 R	(-)	Retainer, felt washer (sub. for 819104)
34	R 11089 R	(-)	Washer, felt (sub. for 809961)
35	AT 12050 T	(-)	Cup, oil (sub. for 1880641)
36	T 12869 T	(-)	Frame, drive end, with oiler (sub. for 1925097)
37	T 11648 T	(-)	Collar, drive end (sub. for 1858603)
38	1911978	(-)	Pulley and fan assembly
39	T 10745 T	(-)	Washer, spring (sub. for 804000)
40	806915 *	(-)	Nut, hex., armature shaft
41	19H 1813 A	(-)	Screw, cap, 5/16" x 5/8"
42	12H 303 A	(-)	Washer, lock, 5/16" (2 used)
43	L 1183 T	(-)	Washer, plain
44	M 245 T	(-)	Link, adjusting
	T 12842 T	(-)	Link, adjusting (when equipped with power steering)
45	14H 812 A	(-)	Nut, hex., 3/8" (2 used)
46	12H 304 A	(-)	Washer, lock, 3/8" (2 used)
47	M 386 T	(-)	Stud, pivot
48	19H 1697 A	(-)	Screw, cap, 3/8" x 4"
49	M 1862 T	(-)	Belt, generator
50	19H 1813 A	(-)	Screw, cap, 5/16" x 5/8"
	19H 1900 A	(-)	Screw, cap, 5/16" x 3/4" (when equipped with power steering)
..	AM 1803 T	(-)	Generator, complete


*Parts provided to John Deere Branch Houses by John Deere Waterloo Tractor Works of Waterloo, Iowa.

CURRENT-VOLTAGE REGULATOR Delco-Remy No. 1119575




Key	Part No.	Serial No.	Description
1	R 11170 R	(-)	Screw (2 used) (sub. for 1927982)
2	R 11115 R	(-)	Washer, insulating (2 used) (sub. for 1922996)
3	R 11168 R	(-)	Cover (sub. for 1927980)
4	R 11169 R	(-)	Gasket (sub. for 1927981)
5	21H 971 A	(-)	Screw, mach., No. 8 x 5/16" (4 used)
6	12H 290 A	(-)	Washer, lock, internal tooth, No. 8 (4 used) (sub. for 1868137 and A2734R)
7	AH 14145 H	(-)	Armature assembly, relay (sub. for 1878780)
8	12H 314 A	(-)	Washer, lock, No. 6 (2 used) (sub. for 1904377 and R11106R)
9	AT 11339 T	(-)	Screw, with lock washer (2 used) (sub. for 454431 and 1924764)
10	R 11112 R	(-)	Spring (sub. for 1912176)
11	H 24106 H	(-)	Screw, adjusting (sub. for 1922408 and T11662T)
12	AH 18478 H	(-)	Resistance assembly (sub. for 1910183)
13	AR 11103 R	(-)	Support assembly, contact (sub. for 1878517)
14	R 11102 R	(-)	Insulator (2 used) (sub. for 1878507)
15	R 11114 R	(-)	Insulator (sub. for 1922599)
16	R 11101 R	(-)	Washer, double lock (sub. for 1878505)
17	R 11107 R	(-)	Bushing, insulator (2 used) (sub. for 1878506)
18	R 11103 R	(-)	Screw (2 used) (sub. for 1878516)
19	R 11111 R	(-)	Screw, armature adjusting (sub. for 1912159)
20	21H 1142 A	(-)	Screw, mach., 1/4" x 1/2" (2 used)
21	12H 302 A	(-)	Washer, lock, 1/4" (2 used)
..	AM 2732 T	(-)	Current voltage regulator, complete

WARNING LAMP ATTACHMENT



Key	Part No.	Serial No.	Description
1	AM 2813 T	(-)	Warning lamp assembly
2	24H 1625 A	(-)	Washer, plain, 17/32" x 1" x .120"
3	14H 849 A	(-)	Nut, hex., jam, 7/16"
4	AM 2810 T	(-)	Mast assembly
5	AM 3144 T	(-)	Lead, light, 94"
6	AL 2976 T	(-)	Connector
7	19H 1732 A	(-)	Screw, cap, 3/8" x 1-1/4"
8	21H 964 A	(-)	Screw, mach., No. 6 x 1/2" (6 used)
9	A 5276 R	(-)	Lens, red
10	A 5277 R	(-)	Gasket (pkg. of 2) (1 pkg. used)
11	M 2207 T	(-)	Screw, metal, special (4 used)
12	A 5278 R	(-)	Lens, outlook (2 used)
13	A 5279 R	(-)	Gasket (pkg. of 2) (1 pkg. used)
14	AA 6165 R	(-)	Bulb
15		(-)	Sub. AM2813T
16	A 5275 R	(-)	Lens, amber
17	AM 2815 T	(-)	Socket assembly, with rollpin
18	34H 82 A	(-)	Pin, roll, 3/16" x 1-5/8" (2 used)
19	19H 1906 A	(-)	Screw, cap, 5/16" x 1-1/2" (2 used)
20	8H 555 A	(-)	Bolt, sq. hd., 1/2" x 2-1/4"
21	M 2987 T	(-)	Clamp, pivot
22	14H 785 A	(-)	Nut, hex., 5/16" (3 used)
23	12H 303 A	(-)	Washer, lock, 5/16"
24		(-)	Wire, lead, 10" (make from R32007R wire and two R32022R eyelets from wire repair kit) (sub. for AM2812T)
25	10H 2127 A	(-)	Screw, cap, 5/16" x 7/8"
26	24H 1111 A	(-)	Washer, plain, 17/32" x 1-1/16" x .090"
27	D 1748 R	(-)	Wheel, hand tightener
28		(-)	Wire, lead, 24-1/8" (make from R32007R wire, R32026R bullet, and R32016R spade from wire repair kit) (sub. for AL2971T)
29	M 644 T	(-)	Clip, wiring (5 used)
..	AM 2781 T	(-)	WARNING LAMP ATTACHMENT


ENGINE OVERHAUL GASKET SET



50610


Part No.	Serial No.	Description
AM 3188 T	(-)	Gasket set, engine overhaul,
consisting of the following gaskets:		
AM 2848 T		Cylinder head gasket (1)
L 4152 T		Front oil seal plate gasket (1)
M 19 T		Rear oil seal plate gasket (1)
M 85 T		Oil pan gasket (1) (packed 3 in a pkg.)
M 96 T		Oil filter case gasket (1) (packed 3 in a pkg.)
M 97 T		Oil filter base gasket (1)
M 111 T		Gear cover gasket (1)
M 276 T		Governor case gasket (1) (packed 2 in a pkg.)
M 410 T		Carburetor gasket (1)
F 2632 R		Distributor (1) (sub. for M414T)
T 13213 T		Oil pan drain plug washer (1) (sub. for M1038T) (packed 2 in a pkg.)
M 3047 T		Water pump to cylinder block (1) (packed 2 in a pkg.)
M 3065 T		Manifold gasket (1)
M 3066 T		Rocker arm cover gasket (1) (packed 3 in a pkg.)
M 3109 T		Water outlet manifold gasket (2)
M 3219 T		Water inlet elbow gasket (1)
T 379 T		Rocker arm cover studs seal (2) (packed 2 in a pkg.)
T 437 T		Thermostat cover (1) (packed 2 in a pkg.)

DECALCOMANIAS



Key	Part No.	Serial No.	Description
1	T 11356 T	(-)	Decalcomania for direction reverser (sub. for T10669T)

ENGINE TUNE-UP GASKET SET






T 8238

Part No.	Serial No.	Description
AM 3189 T	(-)	Gasket set, engine overhaul,
consisting of the following gaskets:		
AM 2848 T		Cylinder head gasket (1)
M 96 T		Oil filter gasket (1) (packed 3 in a pkg.)
M 410 T		Carburetor gasket (1)
F 2632 R		Distributor gasket (1) (sub. for M414T)
M 3066 T		Rocker arm cover gasket (1) (packed 3 in a pkg.)
M 3109 T		Water outlet manifold gasket (2)
M 3219 T		Water inlet elbow gasket (1)
T 379 T		Rocker arm cover seal (2) (packed 2 in a pkg.)

DECALCOMANIA KIT

440 440




T 372



Part No.	Serial No.	Description
AT 10593 T	(-)	Decalcomania kit for "440" Industrial Wheel-Type Tractor --
consisting of:		
(1) A5176R		Decal, Speed Safety
(1) A5177R		Decal, Powershaft Safety
(1) JD260		Decal, "Leaping Deer"
(2) M2988T		Decal, Breather Cap
(1) M3388T		Decal, Touch-O-Matic
(3) M3491T		Mask, Gauge
(1) M3802T		Decal, Tire Inflation
(2) T11268T		Decal, Series Designation
(1) T14668T		Decal, Instruction, Air Cleaner

TRANSMISSION AND FINAL DRIVE GASKET SET



53477

Part No.	Serial No.	Description
AM 3584 T	(-)	Gasket set, final drive,
consisting of the following gaskets:		
M 159 T		Output shaft cover gasket (1)
T 12840 T		Transmission case rear cover gasket (2) (sub. for M174T) (packed 3 in a pkg.)
M 186 T		Transmission case top cover gasket (1) (packed 5 in a pkg.)
M 2165 T		Differential quill gasket (2)
M 2599 T		Seal retainer gasket (2)
M 3124 T		Final drive pan gasket (2)
M 3126 T		Axle bearing cover gasket (2)
M 3159 T		Final drive housing gasket (2)
M 3659 T		Powershaft gear housing gasket (1)

NUMERICAL INDEX
Tractor -- 440 Industrial Wheel-Type

95-1

Part No.	Page	Key	Part No.	Page	Key	Part No.	Page	Key	Part No.	Page	Key
10-4075	15-11	21	810620	85-11	53	1869704	85- 9	11	1927980	85-18	3
10-4125	15-11	21	810620	85-13	53	1872505	85-11	43	1927981	85-18	4
14-273	15-11	5	810620	85-15	44	1872505	85-13	43	1927982	85-18	1
15-A85	15-11	6	810794	85- 9	43	1872505	85-15	34	1929313	85- 4	13
15-A93	15-11	34	811553	85-11	3	1878183	85-17	8	1935139	85- 9	22
15-483	15-11	4	811553	85-13	3	1878184	85-17	7	5941577	85- 5	20
16-A41	15-11	18	811912	85- 9	26	1878505	85-18	16	5945110	85- 5	18
16-654	15-11	13	812015	85-11	15	1878506	85-18	17	5945144	85- 5	16
16-654	15-11	28	812015	85-13	15	1878507	85-18	14			
16-654	15-11	30	812016	85-11	19	1878516	85-18	18	405 R	30- 2	9
24-A3	15-11	35	812016	85-13	19	1878517	85-18	13	405 R	30- 8	14
24-262	15-11	11	813521	85-11	5	1878780	85-18	7	405 R	30- 9	14
24-292	15-11	41	813521	85-13	5	1880254	15- 7	46			
24-340	15-11	46	813554	85-11	22	1880254	85-11	32			
27-121	15-11	42	813554	85-13	22	1880254	85-13	32			
27-548	15-11	43	814545	85- 4	13	1880254	85-15	18			
28-49	15-11	38	816784	85- 9	13	1880641	85-17	35			
29-81	15-11	40	816803	85- 9	18	1880902	85- 9	21	A	147 R	55-13 37
29-81	15-13	40	816911	85-11	34	1881625	85-11	13	A	766 R	85- 4 6
29-538	15-11	33	816911	85-13	34	1881869	85-11	29	A	767 R	85-13 25
30-739	15-11	20	816911	85-15	26	1881869	85-13	29	A	1892 R	35- 3 22
32-16	15-11	31	817313	85-11	17	1882323	85-11	33	A	2729 R	85- 5 19
43-33	15-11	45	817313	85-13	17	1882323	85-13	33	A	2729 R	85- 7 17
43-678	15-11	25	817314	85-11	16	1882323	85-15	20	A	2731 R	85- 7 19
43-699	15-11	25	817314	85-13	16	1882965	85- 9	12	A	2734 R	85- 4 14
44-38	15-11	32	817363	85- 9	44	1885090	85-17	20	A	2734 R	85- 5 13
44-51	15-11	27	819104	85-17	33	1885557	85- 9	17	A	2734 R	85- 7 29
44-68	15-11	16	819362	85-11	23	1885558	85- 9	16	A	2734 R	85- 9 23
46-A12	15-11	19	819362	85-13	23	1886923	85-11	9	A	2734 R	85-11 20
47-451	15-11	29	820445	85- 9	6	1886923	85-13	9	A	2734 R	85-13 20
47-455	15-11	29	821524	85-11	38	1889966	85- 9	9	A	2734 R	85-18 6
49-101-L	15-11	9	821524	85-15	16	1889967	85- 9	9	A	2783 R	85-11 47
49-258	15-11	17	829421	85- 9	31	1900119	85- 9	27	A	2783 R	85-13 47
49-289	15-11	48	833602	85-11	42	1902376	85- 9	8	A	2783 R	85-15 39
55-261	15-11	10	833602	85-13	42	1902376	85- 9	20	A	2899 R	85- 5 15
55-285	15-11	26	1101859	85- 3	8	1902692	85- 4	9	A	3009 R	85-13 55
67-523	15-13	25	1107165	85- 3	7	1902694	85- 4	7	A	3009 R	85-17 29
80-169	15-11	22	1112571	85- 3	11	1902924	85- 4	11	A	3011 R	85-17 17
80-171	15-11	7	1115379	85- 3	9	1904370	85-17	28	A	3031 R	85-17 18
82-16	15-11	39	1115379	85- 9	48	1904377	85-17	9	A	3125 R	55-13 6
87-3A	15-11	24	1119575	85- 3	16	1904377	85-18	8	A	3190 R	55-15 9
95-78	15-11	23	1838667	85-13	56	1904669	85-11	40	A	3190 R	55-15 9
233-543	15-11	44	1843646	85-17	26	1904669	85-13	40	A	3459 RT	55- 9 53
			1847289	85- 9	28	1905673	85-17	1	A	3460 RT	55- 9 54
			1847643	85- 9	14	1906950	85-17	11	A	3539 R	85- 9 4
114998	85-11	12	1848180	85-11	48	1909004	85-17	11	A	3581 R	20- 3 5
114998	85-13	12	1848180	85-13	48	1909008	85- 9	19	A	3581 R	55- 4 1
131949	85- 9	10	1848180	85-15	37	1909206	85- 9	5	A	3581 R	55-13 42
132688	85-17	10	1848530	85-11	45	1909273	85- 9	47	A	3581 R	70- 3 3
200182	85-17	15	1848530	85-13	45	1910183	85- 9	32	A	3581 R	70- 3 14
454431	85-18	9	1848530	85-15	36	1911119	85-18	12	A	3581 R	70- 4 5
802691	85-11	11	1848531	85-11	49	1911263	85- 9	12	A	3606 R	55-13 34
802691	85-13	11	1848531	85-13	49	1911263	85-17	30	A	3609 R	55-15 5
804000	85-17	39	1848531	85-15	38	1911978	85-17	38	A	3610 R	55-15 4
804080	85-17	5	1849782	85-15	40	1912008	85-17	31	A	3611 R	55-15 3
805057	85-11	47	1855548	85-11	51	1912159	85-18	19	A	3612 R	55-15 6
805057	85-13	47	1855548	85-13	51	1912176	85-18	10	A	3613 R	55-15 24
806915	85-17	40	1855629	85-15	45	1914142	85- 9	41	A	3614 R	55-15 16
809053	85-11	6	1855629	85-15	50	1914144	85- 9	39	A	3910 R	10- 3 12
809053	85-13	6	1855629	85-17	37	1914309	85- 9	7	A	3910 R	25- 3 3
809062	85-11	18	1855630	85-13	46	1916747	85-17	23	A	4159 R	85- 9 45
809062	85-13	18	1855630	85-15	42	1916748	85-17	24	A	4655 R	85- 4 9
809593	85-11	30	1857412	85-17	6	1916805	85- 9	42	A	4723 R	55-13 11
809593	85-13	30	1858603	85-17	21	1916806	85- 9	40	A	4736 R	55-13 1
809593	85-17	27	1858751	85-17	19	1917296	85-17	12	A	4737 R	55-13 23
809945	85-17	14	1861076	85-11	39	1917900	85- 9	25	A	4738 R	55-13 22
809961	85-17	34	1861076	85-13	39	1922408	85-18	11	A	4739 R	55-13 2
810074	85- 9	30	1861502	85-17	25	1922599	85-18	15	A	4741 R	55-13 4
810078	85-11	4	1865182	85-11	14	1922996	85-18	2	A	4742 R	55-13 3
810226	85-13	4	1868137	85-18	6	1923194	85-11	28	A	4744 R	55-13 10
810226	85-11	27				1923195	85-11	26	A	4745 R	55-13 27
810601	85-13	27				1924764	85-18	9	A	4746 R	55-13 28
810601	85-15	15				1925097	85-17	36	A	4747 R	55-13 26
						1925098	85-17	22	A	4748 R	55-13 25
						1925748	85-17	5	A	4925 R	45- 3 28

NUMERICAL INDEX
Tractor -- 440 Industrial Wheel-Type

Part No.	Page	Key	Part No.	Page	Key	Part No.	Page	Key	Part No.	Page	Key
A 4925 R	45- 4	3	AH 14145 H	85-18	7	AM 677 T	10- 3	25	AM 1859 T	65- 3	15
A 4925 R	45- 4	5	AH 18478 H	85-18	12	AM 677 T	10- 7	43	AM 1861 T	65- 3	19
A 4925 R	45- 5	11				AM 678 T	10- 7	45	AM 1864 T	85- 3	14
A 4925 R	45- 5	12				AM 680 T	10- 7	41	AM 1864 T	85- 7	8
A 4925 R	45- 5	13				AM 682 T	10- 3	2	AM 1866 T	85- 3	18
A 5176 R	90- 3	1	AL			AM 682 T	10- 7	37	AM 1866 T	85- 4	8
A 5177 R	90- 3	1	AL 2096 T	15- 7	37	AM 683 T	10- 7	15	AM 1879 T	85- 3	20
A 5275 R	85-19	16	AL 2122 T	30- 5	20	AM 718 T	10- 3	26	AM 1879 T	85- 5	25
A 5276 R	85-19	9	AL 2122 T	30- 7	16	AM 718 T	10- 5	20	AM 1896 T	70- 3	18
A 5277 R	85-19	10	AL 2653 T	10- 5	30	AM 719 T	10- 3	26	AM 1900 T	70- 3	40
A 5278 R	85-19	12	AL 2691 T	15- 5	10	AM 719 T	10- 5	20	AM 1905 T	70- 3	2
A 5279 R	85-19	13	AL 2730 T	15-13	22	AM 720 T	10- 3	26	AM 1906 T	70- 3	7
A 5301 R	55-13	39	AL 2823 T	75- 1	9	AM 720 T	10- 5	20	AM 1908 T	70- 3	9
A 5302 R	55-13	45	AL 2919 T	85- 5	27	AM 722 T	10- 5	22	AM 1909 T	70- 3	12
A 5304 R	55-13	33	AL 2971 T	85- 3	31	AM 724 T	10- 3	37	AM 1909 T	70- 3	51
			AL 2971 T	85-19	28	AM 724 T	10- 5	17	AM 1909 T	70- 3	52
			AL 2976 T	85- 3	27	AM 725 T	10- 3	37	AM 1909 T	70- 3	53
AA			AL 2976 T	85- 7	1	AM 725 T	10- 5	17	AM 1910 T	70- 3	51
AA 2899 R	85- 7	28	AL 2976 T	85-19	6	AM 726 T	10- 3	37	AM 1910 T	70- 3	52
AA 3239 R	85- 7	20	AL 4022 T	30- 8	2	AM 726 T	10- 5	17	AM 1915 T	55- 7	54
AA 3241 R	85- 7	18	AL 4022 T	30- 9	2	AM 727 T	10- 5	12	AM 1918 T	55- 7	3
AA 3495 R	85- 5	14				AM 728 T	10- 5	13	AM 1920 T	55- 9	19
AA 3754 R	55-15	19	AM			AM 730 T	10- 8	8	AM 1924 T	55- 7	46
AA 4279 R	55-15	22				AM 731 T	10- 8	9	AM 1925 T	55- 7	50
AA 4542 R	55-13	13				AM 732 T	10- 8	10	AM 1927 T	55- 4	1
AA 4666 R	85- 7	22	AM 220 T	10- 5	12	AM 733 T	10- 8	11	AM 1927 T	70- 3	14
AA 4864 R	55-13	12	AM 229 T	10- 8	9	AM 734 T	10- 8	14	AM 1935 T	25- 1	26
AA 4924 R	85- 7	23	AM 230 T	10- 8	14	AM 735 T	10- 9	6	AM 1935 T	25- 3	1
AA 4925 R	85- 7	25	AM 234 T	10- 3	8	AM 736 T	10- 9	12	AM 1935 T	25- 5	48
AA 4926 R	85- 7	24	AM 234 T	15-13	9	AM 738 T	10- 9	3	AM 1947 T	30-11	...
AA 5731 R	55-13	5	AM 235 T	10- 3	9	AM 756 T	10- 3	27	AM 1949 T	85- 3	13
AA 5731 R	55-13	9	AM 236 T	10- 9	3	AM 761 T	55- 4	15	AM 1949 T	85- 4	1
AA 5757 R	20- 3	15	AM 253 T	25- 5	5	AM 791 T	85- 3	9	AM 1956 T	80- 3	3
AA 6022 R	80- 3	20	AM 253 T	30-11	1	AM 791 T	85- 9	48	AM 1959 T	30-11	17
AA 6165 R	85-19	14	AM 253 T	30-12	6	AM 902 T	10- 3	16	AM 1977 T	30-10	3
AA 6307 R	55-13	43	AM 253 T	45- 3	23	AM 902 T	10- 5	24	AM 1978 T	30-10	8
AA 6309 R	55-13	44	AM 271 T	10- 7	15	AM 906 T	40- 3	13	AM 1979 T	30-10	14
AA 6314 R	55-11	27	AM 292 T	10- 3	46	AM 906 T	45- 9	13	AM 1980 T	85- 3	26
AA 6734 R	85- 7	23	AM 292 T	25- 3	32	AM 931 T	10- 3	16	AM 1980 T	85- 7	6
			AM 292 T	25- 5	50	AM 931 T	10- 5	24	AM 2049 T	85- 3	29
			AM 292 T	55- 5	25	AM 939 T	35- 3	17	AM 2049 T	85- 7	2
			AM 295 T	15- 5	20	AM 972 T	35- 3	18	AM 2091 T	85- 4	2
AB			AM 298 T	20- 3	17	AM 978 T	60- 4	3	AM 2137 T	10- 3	33
AB 1629 R	15- 4	9	AM 339 T	80- 3	1	AM 1074 T	55- 9	15	AM 2151 T	85- 4	3
AB 2582 R	85- 5	22	AM 355 T	85- 3	10	AM 1078 T	55- 9	25	AM 2152 T	85- 4	4
AB 2820 R	85- 7	21	AM 355 T	85- 3	15	AM 1088 T	10- 3	19	AM 2158 T	85- 7	7
AB 3495 R	85- 7	31	AM 355 T	85- 9	52	AM 1100 T	55-14	13	AM 2286 T	80- 3	6
AB 3739 R	85- 7	31	AM 371 T	15- 4	5	AM 1333 T	55-11	31	AM 2297 T	70- 3	5
AB 4059 R	85- 7	26	AM 373 T	85- 3	9	AM 1334 T	55-15	8	AM 2453 T	55- 3	4
AB 4725 R	85- 5	24	AM 373 T	85- 9	48	AM 1335 T	55-15	10	AM 2553 T	30-11	3
			AM 374 T	85- 3	12	AM 1514 T	40- 3	9	AM 2555 T	40- 3	35
			AM 374 T	85- 9	3	AM 1514 T	45- 8	9	AM 2576 T	25- 7	20
			AM 467 T	15- 4	5	AM 1524 T	55-11	31	AM 2606 T	15-13	39
AF			AM 496 T	60- 3	4	AM 1535 T	85- 9	1	AM 2607 T	15-13	34
AF 1934 R	30- 2	23	AM 497 T	60- 3	8	AM 1536 T	85- 9	1	AM 2608 T	15-13	33
AF 1934 R	30- 3	24	AM 498 T	60- 3	4	AM 1662 T	85- 3	7	AM 2683 T	40- 3	10
AF 2057 R	20- 4	8	AM 499 T	60- 3	8	AM 1664 T	85- 3	1	AM 2684 T	40- 3	8
AF 2433 R	55-13	41	AM 505 T	75- 1	10	AM 1717 T	30-11	29	AM 2684 T	45- 9	8
AF 2749 R	85- 3	14	AM 514 T	85- 9	1	AM 1766 T	20- 3	25	AM 2702 T	85- 3	16
AF 2749 R	85- 7	8	AM 531 T	85- 2	3	AM 1782 T	10- 5	6	AM 2702 T	85-18	..
AF 2914 R	15-13	8	AM 586 T	55-11	13	AM 1783 T	10- 5	18	AM 2713 T	70- 3	24
AF 3089 R	85- 7	26	AM 640 T	20- 3	18	AM 1784 T	10- 5	18	AM 2715 T	70- 3	30
AF 3583 R	15- 4	1	AM 640 T	45-10	6	AM 1788 T	10- 3	33	AM 2724 T	40- 3	11
AF 3891 R	85- 5	20	AM 640 T	45-11	5	AM 1791 T	15- 5	1	AM 2724 T	45- 9	11
AF 3893 R	95- 5	18	AM 646 T	25- 7	23	AM 1792 T	15- 5	13	AM 2739 T	80- 3	3
			AM 648 T	25- 7	26	AM 1799 T	15- 7	42	AM 2748 T	30-11	..
			AM 650 T	25- 7	20	AM 1803 T	85- 3	8	AM 2749 T	30-11	..
			AM 654 T	30- 5	12	AM 1803 T	85-17	..	AM 2750 T	30-11	5
AH			AM 658 T	30- 5	26	AM 1828 T	65- 3	11	AM 2757 T	85- 4	13
AH 1111 RT	10- 9	7	AM 658 T	30- 7	24	AM 1834 T	75- 2	1	AM 2779 T	70- 3	27
AH 11982 H	15-11	43	AM 658 T	31- 3	34	AM 1836 T	80- 3	7	AM 2780 T	10- 3	13
AH 13770 H	15- 4	3	AM 664 T	30-12	2	AM 1839 T	80- 3	2	AM 2780 T	20- 4	14
			AM 669 T	10- 7	4	AM 1858 T	65- 3	19	AM 2781 T	85-19	..

NUMERICAL INDEX
Tractor -- 440 Industrial Wheel-Type

95-3

Part No.	Page	Key	Part No.	Page	Key	Part No.	Page	Key	Part No.	Page	Key
AM 2810 T	85-19	4	AM 3246 T	15- 2	18	AR 11066 R	85-11	9	AT 10394 T	10- 3	45
AM 2812 T	85-19	24	AM 3257 T	85- 2	1	AR 11066 R	85-13	9	AT 10415 T	10- 9	17
AM 2813 T	85-19	1	AM 3257 T	85- 5	7	AR 11103 R	85-18	13	AT 10415 T	85- 3	21
AM 2813 T	85-19	15	AM 3275 T	75- 2	7	AR 21837 R	20- 3	8	AT 10416 T	10- 7	5
AM 2815 T	85-19	17	AM 3280 T	60- 5	7	AR 21837 R	45- 4	9	AT 10419 T	45- 4	7
AM 2840 T	20- 4	20	AM 3397 T	85- 3	7	AR 21837 R	45- 5	15	AT 10420 T	45- 4	8
AM 2845 T	10- 7	14	AM 3397 T	85-11	2	AR 21840 R	15- 4	11	AT 10427 T	85- 3	3
AM 2847 T	10- 7	18	AM 3397 T	85-11	..	AR 21840 R	20- 3	13	AT 10432 T	80- 3	7
AM 2848 T	10- 7	31	AM 3432 T	25- 5	51	AR 21840 R	20- 4	23	AT 10437 T	10- 9	21
AM 2848 T	90- 2	1	AM 3432 T	55- 4	7	AR 28227 R	85- 3	26	AT 10437 T	85- 3	19
AM 2848 T	90- 3	1	AM 3432 T	55- 4	8	AR 28227 R	85- 7	6	AT 10438 T	25- 5	25
AM 2849 T	10- 7	22	AM 3433 T	55- 4	8				AT 10439 T	25- 5	12
AM 2852 T	20- 3	28	AM 3433 T	55- 4	18				AT 10444 T	30-12	14
AM 2924 T	35- 3	12	AM 3451 T	15- 5	21				AT 10463 T	25- 1	13
AM 2945 T	55- 3	16	AM 3472 T	80- 3	16				AT 10464 T	15-13	23
AM 2945 T	55-14	18	AM 3491 T	31- 3	23				AT 10468 T	75- 4	20
AM 2947 T	55-14	..	AM 3492 T	15- 9	1				AT 10469 T	75- 5	1
AM 2959 T	20- 3	16	AM 3514 T	55- 3	10				AT 10470 T	55- 9	37
AM 2977 T	70- 4	1	AM 3515 T	55- 3	11				AT 10470 T	55- 9	39
AM 2980 T	75- 2	8	AM 3535 T	31- 3	1				AT 10470 T	55-11	18
AM 2985 T	55- 3	12	AM 3572 T	31- 3	28				AT 10471 T	55- 9	59
AM 2985 T	85- 3	23	AM 3577 T	15- 5	23				AT 10471 T	55-11	23
AM 2991 T	55- 3	26	AM 3584 T	90- 4	1				AT 10473 T	45- 4	9
AM 2998 T	55- 3	4	AM 3585 T	15- 9	7				AT 10473 T	45- 5	15
AM 3004 T	55- 9	5	AM 3669 T	40- 3	24				AT 10474 T	50- 3	12
AM 3010 T	15- 4	11	AM 3669 T	45- 9	24				AT 10482 T	55- 7	18
AM 3012 T	10- 5	21	AM 3715 T	15- 9	1				AT 10484 T	85- 3	22
AM 3014 T	10- 8	..	AM 3716 T	15- 9	1				AT 10485 T	25- 5	19
AM 3015 T	10- 3	7	AM 3762 T	45- 3	28				AT 10486 T	25- 5	16
AM 3039 T	10- 5	1	AM 3762 T	45- 4	4				AT 10487 T	55- 9	11
AM 3047 T	35- 3	10	AM 3762 T	45- 5	12				AT 10522 T	15- 2	16
AM 3055 T	85- 9	2	AM 3772 T	15- 4	2				AT 10523 T	15- 2	17
AM 3058 T	10- 7	27	AM 3791 T	25- 7	21				AT 10523 T	15- 2	21
AM 3060 T	20- 4	..	AM 3833 T	85- 7	2				AT 10527 T	85- 3	4
AM 3063 T	65- 3	19	AM 3844 T	10- 5	9				AT 10529 T	15- 7	42
AM 3064 T	65- 3	15	AM 3898 T	30- 7	39				AT 10533 T	80- 5	7
AM 3076 T	65- 3	35	AM 3898 T	31- 3	53				AT 10534 T	80- 5	8
AM 3090 T	85- 3	11	AM 3912 T	30- 5	35				AT 10535 T	80- 5	1
AM 3090 T	85- 9	..	AM 3912 T	30- 7	33				AT 10536 T	80- 5	15
AM 3092 T	85- 7	2	AM 3912 T	30-12	10				AT 10537 T	45- 3	..
AM 3094 T	60- 4	12	AM 3912 T	31- 3	47				AT 10537 T	45- 4	18
AM 3098 T	65- 3	12	AM 3914 T	50- 3	16				AT 10537 T	45- 5	6
AM 3100 T	15-13	32	AM 3935 T	50- 3	14				AT 10565 T	55- 9	37
AM 3101 T	15- 2	1	AM 3976 T	45- 9	10				AT 10565 T	55-11	16
AM 3106 T	55- 3	1	AM 3983 T	25- 7	17				AT 10569 T	85- 3	26
AM 3109 T	65- 3	19	AM 3994 T	15-13	43				AT 10569 T	85- 7	6
AM 3120 T	85- 3	17	AM 3995 T	15-13	41				AT 10569 T	85- 7	27
AM 3120 T	85- 5	28	AM 4001 T	55- 9	37				AT 10570 T	85- 7	22
AM 3123 T	25- 7	27	AM 4008 T	35- 3	36				AT 10571 T	85- 2	1
AM 3130 T	15- 9	8							AT 10571 T	85- 5	7
AM 3131 T	15- 9	6							AT 10573 T	50- 3	22
AM 3132 T	15- 9	1							AT 10576 T	15-11	14
AM 3143 T	55- 7	27							AT 10580 T	15- 8	13
AM 3144 T	85-19	5							AT 10583 T	15- 8	11
AM 3166 T	10- 5	18							AT 10589 T	15- 4	9
AM 3167 T	10- 5	18							AT 10593 T	90- 3	1
AM 3168 T	10- 3	37							AT 10600 T	45- 7	3
AM 3168 T	10- 5	17							AT 10601 T	45- 7	23
AM 3169 T	10- 3	37							AT 10602 T	45- 7	10
AM 3169 T	10- 5	17							AT 10603 T	45- 7	20
AM 3170 T	10- 3	26							AT 10603 T	45- 7	..
AM 3170 T	10- 5	20							AT 10604 T	45- 7	18
AM 3171 T	10- 3	26							AT 10605 T	45- 7	26
AM 3171 T	10- 5	20							AT 10606 T	45- 7	24
AM 3172 T	15- 4	10							AT 10608 T	75- 3	1
AM 3188 T	90- 2	1							AT 10611 T	15- 2	19
AM 3189 T	90- 3	1							AT 10617 T	45- 4	7
AM 3190 T	10- 5	1							AT 10621 T	85- 4	15
AM 3191 T	10- 5	1							AT 10622 T	85- 4	16
AM 3208 T	85- 5	26							AT 10626 T	85-13	28
AM 3224 T	15- 3	8							AT 10627 T	85-13	26
AM 3233 T	10- 7	27							AT 10628 T	85-13	13
AM 3246 T	15- 2	16							AT 10629 T	85-13	52

NUMERICAL INDEX
Tractor -- 440 Industrial Wheel-Type

Part No.	Page	Key	Part No.	Page	Key	Part No.	Page	Key	Part No.	Page	Key
AT 10630 T	15-11	15	AT 11815 T	45- 5	18				JD 7198 T	30-11	6
AT 10631 T	15-11	36	AT 11817 T	45-11	6				JD 7438 R	30-10	10
AT 10646 T	15- 2	20	AT 11819 T	45- 8	27	B 367 R	10- 7	23	JD 7443 T	30- 5	31
AT 10664 T	30-11	17	AT 11820 T	45- 8	..	B 3267 R	85- 5	21	JD 7443 T	30- 7	29
AT 10728 T	80- 5	38	AT 11821 T	45- 8	6	B 3690 R	50- 3	18	JD 7449 D	30-11	24
AT 10729 T	80- 5	34	AT 11822 T	45- 8	7	B 11182 B	70- 3	13	JD 7589 T	35- 3	14
AT 10731 T	85- 3	22	AT 11823 T	45- 8	3				JD 7590 T	35- 3	41
AT 10737 T	80- 5	13	AT 11824 T	45- 8	8				JD 7681 H	25- 5	6
AT 10738 T	15-13	19	AT 11900 T	15- 4	15	BP			JD 7759	60- 3	14
AT 10746 T	30- 5	24	AT 11907 T	10- 5	1				JD 7763	25- 7	15
AT 10746 T	30- 7	22	AT 11908 T	10- 5	1	BP 12232 E	15-13	1	JD 7797	25- 3	31
AT 10746 T	31- 3	32	AT 11915 T	15-11	48				JD 7797	30- 3	3
AT 10753 T	25- 7	4	AT 11916 T	15-11	25				JD 7797	55- 7	43
AT 10757 T	15- 7	56	AT 11917 T	15-11	8				JD 7797	70- 3	20
AT 10760 T	50- 3	12	AT 11949 T	55- 4	8				JD 7927 R	30- 7	8
AT 10764 T	45- 7	19	AT 11952 T	55- 7	37	D			JD 7927 R	30- 7	9
AT 10768 T	50- 3	3	AT 11968 T	10- 3	41				JD 7927 R	31- 3	7
AT 10772 T	35- 3	10	AT 11970 T	45- 4	7	D 1748 R	85-19	27	JD 7927 R	31- 3	8
AT 10791 T	50- 3	33	AT 11970 T	45- 5	18				JD 7938 T	30- 5	9
AT 10793 T	50- 3	20	AT 11985 T	70- 3	13				JD 7939 T	30- 5	25
AT 10793 T	50- 3	22	AT 11986 T	55- 4	1	DA			JD 7939 T	30- 7	23
AT 10794 T	15- 7	15	AT 11986 T	70- 3	14				JD 7939 T	31- 3	33
AT 10794 T	15- 7	17	AT 11987 T	75- 4	3	DA 5883 A	70- 3	55	JD 8124 T	30- 5	30
AT 10838 T	15- 7	17	AT 12050 T	85-17	35				JD 8124 T	30- 7	28
AT 10838 T	15- 7	..	AT 12077 T	50- 3	22				JD 8134 D	30-11	25
AT 10887 T	75- 1	1	AT 12095 T	45- 4	5	E			JD 8135 R	30-10	11
AT 10888 T	15-11	8	AT 12095 T	45- 5	11	E 2302 RT	85-17	3	JD 8144 T	30-12	8
AT 10889 T	15-11	48	AT 12095 T	45- 5	13				JD 8179 T	30-10	7
AT 10890 T	15-11	8	AT 12096 T	45- 4	5				JD 8180 T	30-10	19
AT 10891 T	15-11	48	AT 12096 T	45- 5	11				JD 8187 A	30- 5	4
AT 10899 T	15- 2	22	AT 12096 T	45- 5	13				JD 8187 A	30- 7	4
AT 10900 T	50- 3	20	AT 12368 T	45- 8	17	F			JD 8187 A	31- 3	3
AT 10900 T	50- 3	22	AT 12369 T	45- 8	18	F 1425 R	55-13	8	JD 8194 T	30- 5	22
AT 10901 T	75- 5	28	AT 12370 T	45- 8	31	F 1426 R	55-13	16	JD 8194 T	30- 7	20
AT 10906 T	20- 3	10	AT 12371 T	45- 8	30	F 1427 R	55-13	17	JD 8194 T	31- 3	30
AT 10907 T	25- 3	11	AT 12381 T	50- 3	22	F 1428 R	55-13	21	JD 8194 T	35- 3	6
AT 10908 T	85- 2	2	AT 12542 T	30-10	3	F 1430 R	55-13	19	JD 8194 T	60- 4	11
AT 10951 T	25- 5	19	AT 12665 T	80- 5	46	F 1431 R	55-13	18	JD 8205 T	30-12	7
AT 10952 T	25- 5	13	AT 13262 T	55- 4	18	F 1432 R	55-13	35	JD 8220 T	30-10	6
AT 10953 T	25- 5	47	AT 13262 T	55- 4	19	F 1440 R	55-13	29	JD 8221 T	30-10	20
AT 10963 T	60- 5	14	AT 14388 T	85-17	11	F 1441 R	55-13	7	JD 8225 A	30- 5	3
AT 10974 T	15- 3	..	AT 14465 T	85- 9	53	F 1977 R	15- 9	2	JD 8225 A	30- 7	3
AT 11010 T	80- 5	37	AT 14466 T	85- 9	53	F 2300 R	55-13	38	JD 8225 A	31- 3	2
AT 11011 T	80- 5	32	AT 14467 T	85- 9	12	F 2439 R	55-13	20	JD 8230 T	30- 5	21
AT 11014 T	80- 5	16	AT 14468 T	85- 9	11	F 2632 R	85- 9	36	JD 8230 T	30- 7	19
AT 11015 T	80- 5	5	AT 14469 T	85- 9	12	F 2632 R	90- 2	1	JD 8230 T	31- 3	29
AT 11046 T	80- 5	28	AT 15056 T	65- 3	35	F 2632 R	90- 3	1	JD 8230 T	35- 3	5
AT 11047 T	80- 5	21	AT 15056 T	65- 3	40	F 2682 R	70- 3	13	JD 8230 T	60- 4	10
AT 11048 T	80- 5	22	AT 15106 T	30- 7	39	F 3322 R	55- 9	52	JD 8239 H	60- 4	8
AT 11049 T	80- 5	30	AT 15561 T	30- 2	23	F 3629 R	50- 3	19	JD 8240 T	30- 5	37
AT 11050 T	80- 5	24	AT 15561 T	30- 3	24	F 3630 R	50- 3	19	JD 8240 T	30- 7	35
AT 11120 T	85- 5	20	AT 15589 T	60- 5	7				JD 8240 T	31- 3	49
AT 11121 T	85- 5	18	AT 15590 T	60- 5	7				JD 8314 T	35- 3	42
AT 11122 T	85- 5	16	AT 15597 T	60- 5	7				JD 8315 T	35- 3	15
AT 11129 T	25- 3	4	AT 15598 T	60- 5	7	H			JD 8407 H	60- 3	25
AT 11158 T	15-11	14	AT 15955 T	15- 4	4	H 22551 H	15-11	41	JD 8511 T	25- 7	24
AT 11228 T	15- 4	8	AT 16550 T	30- 5	24	H 24106 H	85-18	11	JD 8549 T	20- 4	15
AT 11232 T	10- 7	27	AT 16550 T	30- 7	22	H 26366 H	45- 8	5	JD 8568 T	31- 3	26
AT 11326 T	10- 9	17	AT 16550 T	31- 3	32				JD 8803 T	55-14	15
AT 11326 T	85- 3	21	AT 16608 T	30- 5	35				JD 8804 T	55-14	11
AT 11339 T	85-18	9	AT 16608 T	30- 7	33	JD			JD 8818 H	30- 2	22
AT 11347 T	75- 4	3	AT 16608 T	30-12	10	JD 16 R	60- 5	4	JD 8818 H	30- 3	25
AT 11354 T	25- 7	30	AT 16608 T	31- 3	47	JD 19 R	40- 3	26	JD 8819 T	30-11	2
AT 11360 T	75- 4	3	AT 16838 T	15- 4	4	JD 19 R	45- 9	26	JD 8820 T	45- 3	22
AT 11379 T	50- 3	7	AT 16842 T	15- 4	1	JD 19 R	60- 4	1	JD 8820 T	60- 3	23
AT 11478 T	75- 5	34	AT 16843 T	15- 4	3	JD 260	90- 3	1	JD 8823 N	30- 7	9
AT 11492 T	25- 5	44	AT 16882 T	85-11	..	JD 3002 T	60- 4	2	JD 8823 N	31- 3	8
AT 11515 T	15- 4	10	AT 16882 T	85-15	..	JD 3003 T	60- 4	2	JD 8839 T	25- 5	30
AT 11577 T	15-13	10	AT 17208 T	85- 9	1	JD 3007 T	60- 5	3	JD 8839 T	31- 3	15
AT 11717 T	45- 5	14	AT 17437 T	15-11	44	JD 3009 T	60- 5	3	JD 8851 T	25- 5	34
AT 11717 T	45- 8	..	AT 17759 T	45- 3	8	JD 7180 R	85-17	32	JD 8852 T	25- 5	43
AT 11717 T	45-11	14	AT 17759 T	45- 3	..	JD 7191 R	45- 2	6	JD 8905 H	60- 4	7
AT 11812 T	45-11	12	AT 17759 T	45- 4	18				JD 8907 T	30- 5	36
			AT 17759 T	45- 5	6						

NUMERICAL INDEX
Tractor -- 440 Industrial Wheel-Type

95-5

Part No.	Page	Key	Part No.	Page	Key	Part No.	Page	Key	Part No.	Page	Key
JD 8907 T	30-	7 34	L 4668 T	55-	5 5	M 147 T	31-	3 20	M 557 T	60-	3 19
JD 8907 T	31-	3 48	L 4668 T	65-	3 9	M 148 T	30-	5 16	M 567 T	55-	3 11
L			M			M 148 T	30-	7 14	M 571 T	30-	5 10
L 279 T	31-	3 43	M 12 T	10-	7 39	M 148 T	31-	3 20	M 594 T	45-	4 11
L 280 T	31-	3 43	M 13 T	10-	7 40	M 149 T	30-	5 16	M 594 T	45-	5 9
L 281 T	31-	3 43	M 14 T	30-	2 16	M 149 T	30-	7 14	M 594 T	50-	3 2
L 299 T	65-	3 31	M 16 T	10-	5 22	M 149 T	31-	3 20	M 632 T	15-	9 5
L 307 T	55-	7 2	M 17 T	10-	5 16	M 159 T	30-	5 46	M 632 T	85-	3 6
L 307 T	55-	9 21	M 17 T	25-	5 40	M 159 T	30-	7 44	M 633 T	85-	7 1
L 307 T	65-	3 43	M 18 T	10-	5 13	M 159 T	90-	4 1	M 640 T	85-	5 8
L 308 T	25-	2 2	M 19 T	10-	5 15	M 160 T	30-	5 47	M 640 T	85-	7 4
L 324 T	25-	3 20	M 19 T	90-	2 1	M 160 T	30-	7 46	M 644 T	85-	3 25
L 357 T	25-	2 1	M 21 T	25-	7 26	M 163 T	30-	12 2	M 644 T	85-	7 7
L 372 T	25-	7 18	M 22 T	10-	7 46	M 164 T	30-	12 1	M 644 T	85-	19 29
L 467 T	30-	2 9	M 23 T	25-	7 23	M 165 T	30-	12 15	M 646 T	85-	7 32
L 467 T	30-	8 14	M 26 T	10-	3 27	M 174 T	30-	2 21	M 648 T	60-	3 3
L 467 T	30-	9 14	M 28 T	25-	1 14	M 174 T	90-	4 1	M 711 T	10-	5 5
L 468 T	30-	2 8	M 39 T	10-	8 11	M 180 T	30-	8 19	M 719 T	40-	3 21
L 468 T	30-	8 13	M 49 T	10-	7 45	M 180 T	30-	9 19	M 719 T	45-	9 21
L 468 T	30-	9 13	M 59 T	10-	9 12	M 186 T	30-	8 9	M 720 T	40-	3 23
L 587 T	15-	8 9	M 67 T	10-	5 2	M 186 T	30-	9 9	M 720 T	45-	9 23
L 587 T	15-	13 26	M 71 T	10-	8 9	M 186 T	90-	4 1	M 721 T	40-	3 23
L 588 T	15-	8 10	M 73 T	10-	8 10	M 205 T	65-	3 32	M 721 T	45-	9 23
L 588 T	15-	13 27	M 74 T	10-	7 13	M 219 T	25-	2 7	M 722 T	40-	3 23
L 689 T	25-	1 18	M 80 T	10-	8 15	M 219 T	25-	5 54	M 722 T	45-	9 23
L 752 T	10-	8 6	M 81 T	10-	7 16	M 226 T	25-	7 14	M 728 T	40-	3 4
L 754 T	10-	8 4	M 85 T	10-	3 30	M 234 T	30-	5 33	M 728 T	45-	9 4
L 754 T	30-	2 7	M 85 T	90-	2 1	M 234 T	30-	7 31	M 731 T	85-	7 6
L 756 T	85-	9 37	M 88 T	10-	9 8	M 245 T	85-	17 44	M 735 T	40-	3 3
L 768 T	10-	5 23	M 90 T	10-	9 5	M 254 T	30-	12 16	M 735 T	45-	9 3
L 885 T	15-	13 35	M 91 T	10-	9 4	M 273 T	15-	5 1	M 761 T	10-	3 25
L 886 T	15-	13 36	M 93 T	10-	9 2	M 276 T	15-	5 3	M 761 T	10-	7 43
L 985 T	15-	7 34	M 94 T	10-	9 1	M 276 T	90-	2 1	M 762 T	10-	3 2
L 987 T	15-	7 33	M 95 T	10-	9 9	M 283 T	10-	7 17	M 762 T	10-	7 37
L 1183 T	85-	17 43	M 96 T	10-	9 10	M 284 T	10-	7 8	M 788 T	25-	2 8
L 1196 T	10-	3 12	M 96 T	90-	2 1	M 285 T	10-	7 29	M 808 T	30-	12 9
L 1196 T	25-	3 3	M 96 T	90-	3 1	M 285 T	40-	3 41	M 809 T	30-	12 9
L 1198 T	10-	5 27	M 97 T	10-	9 11	M 285 T	55-	5 28	M 810 T	30-	12 9
L 1584 C	25-	3 11	M 97 T	90-	2 1	M 293 T	10-	9 6	M 825 T	60-	4 3
L 1670 C	55-	3 3	M 98 T	10-	3 35	M 331 T	45-	3 20	M 827 T	40-	3 29
L 4022 T	30-	8 2	M 102 T	10-	7 25	M 331 T	65-	3 23	M 827 T	45-	2 4
L 4022 T	30-	9 2	M 108 T	10-	3 3	M 335 T	25-	2 9	M 827 T	55-	4 9
L 4027 T	30-	8 4	M 108 T	10-	7 36	M 358 T	80-	3 12	M 827 T	65-	3 13
L 4027 T	30-	9 4	M 111 T	10-	3 14	M 359 T	80-	3 11	M 830 T	65-	3 3
L 4035 T	30-	8 3	M 111 T	90-	2 1	M 360 T	80-	3 10	M 831 T	65-	3 1
L 4035 T	30-	9 3	M 112 T	10-	7 41	M 364 T	55-	3 13	M 832 T	65-	3 7
L 4115 T	10-	5 26	M 112 T	31-	3 45	M 376 T	15-	13 1	M 833 T	65-	3 6
L 4121 T	10-	3 40	M 115 T	30-	2 4	M 386 T	85-	17 47	M 834 T	65-	3 4
L 4122 T	10-	8 3	M 119 T	30-	2 5	M 410 T	90-	2 1	M 886 T	55-	9 4
L 4126 T	10-	5 14	M 121 T	30-	2 3	M 410 T	90-	3 1	M 886 T	55-	11 32
L 4126 T	30-	2 20	M 123 T	30-	2 11	M 414 T	85-	9 36	M 898 T	75-	1 4
L 4128 T	10-	3 17	M 124 T	30-	2 6	M 414 T	90-	2 1	M 932 T	40-	3 20
L 4128 T	15-	5 4	M 132 T	30-	5 26	M 415 T	90-	3 1	M 932 T	45-	9 20
L 4129 T	10-	3 24	M 132 T	30-	7 24	M 416 T	85-	9 33	M 933 T	40-	3 19
L 4129 T	15-	5 2	M 132 T	31-	3 34	M 434 T	40-	3 42	M 933 T	45-	9 19
L 4152 T	10-	5 25	M 135 T	30-	5 23	M 463 T	10-	3 39	M 937 T	40-	3 1
L 4152 T	90-	2 1	M 135 T	30-	7 21	M 495 T	75-	4 15	M 937 T	45-	9 1
L 4158 T	15-	5 11	M 135 T	31-	3 31	M 507 T	55-	14 22	M 948 T	65-	3 8
L 4176 T	15-	5 18	M 136 T	30-	5 32	M 508 T	55-	14 21	M 949 T	65-	3 41
L 4177 T	15-	5 6	M 136 T	30-	7 30	M 510 T	10-	7 44	M 952 T	65-	3 24
L 4183 T	15-	5 19	M 137 T	30-	5 32	M 511 T	10-	7 48	M 994 T	35-	3 4
L 4187 T	10-	5 10	M 137 T	30-	7 30	M 521 T	55-	9 2	M 995 T	35-	3 4
L 4232 T	10-	8 5	M 138 T	30-	5 32	M 522 T	55-	9 51	M 996 T	35-	3 4
L 4233 T	10-	8 7	M 138 T	30-	7 30	M 523 T	25-	3 8	M 1001 T	35-	3 18
L 4265 T	15-	5 14	M 143 T	30-	5 12	M 526 T	55-	5 17	M 1002 T	35-	3 16
L 4266 T	10-	3 15	M 144 T	30-	5 13	M 526 T	55-	7 19	M 1003 T	35-	3 16
L 4266 T	15-	5 5	M 144 T	30-	7 12	M 540 T	55-	9 33	M 1004 T	35-	3 16
L 4353 T	85-	3 30	M 144 T	31-	3 12	M 543 T	55-	7 34	M 1005 T	35-	3 40
L 4411 T	25-	3 6	M 147 T	30-	5 16	M 543 T	55-	9 45	M 1027 T	55-	14 8
L 4668 T	25-	3 24	M 147 T	30-	7 14	M 554 T	55-	4 15	M 1029 T	55-	14 13
						M 555 T	30-	5 11	M 1030 T	55-	14 12
									M 1035 T	55-	14 23

NUMERICAL INDEX
Tractor -- 440 Industrial Wheel-Type

Part No.	Page	Key	Part No.	Page	Key	Part No.	Page	Key	Part No.	Page	Key
M 1036 T	55-14	24	M 1806 T	55- 7	61	M 2056 T	30-11	23	M 2354 T	30-11	7
M 1038 T	10- 3	32	M 1817 T	15- 5	7	M 2056 T	31- 3	55	M 2369 T	35- 3	43
M 1038 T	55- 7	30	M 1821 T	55- 7	6	M 2057 T	30- 5	43	M 2370 T	35- 3	44
M 1038 T	55-11	28	M 1832 T	55- 9	1	M 2057 T	30- 7	41	M 2394 T	55- 3	27
M 1038 T	90- 2	1	M 1845 T	10- 7	47	M 2057 T	30-11	23	M 2395 T	55- 3	24
M 1039 T	55-14	2	M 1845 T	55-14	1	M 2057 T	31- 3	55	M 2396 T	55- 4	16
M 1067 T	10- 3	19	M 1846 T	10- 5	7	M 2058 T	30- 5	43	M 2396 T	55- 9	29
M 1068 T	10- 3	18	M 1853 T	15- 5	22	M 2058 T	30- 7	41	M 2396 T	65- 3	21
M 1093 T	15- 3	15	M 1853 T	15- 7	22	M 2058 T	30-11	23	M 2399 T	85- 3	28
M 1093 T	20- 3	24	M 1857 T	15- 7	21	M 2058 T	31- 3	55	M 2399 T	85- 7	11
M 1098 T	55- 9	49	M 1858 T	15- 7	20	M 2059 T	30-10	21	M 2437 T	70- 3	33
M 1102 T	55- 9	8	M 1859 T	15- 7	17	M 2060 T	30-10	21	M 2438 T	70- 3	35
M 1111 T	60- 3	13	M 1859 T	15- 7	54	M 2061 T	30-10	21	M 2469 T	70- 3	4
M 1117 T	55- 9	26	M 1860 T	15- 7	16	M 2064 T	85- 4	6	M 2474 T	80- 3	4
M 1166 T	55- 3	7	M 1862 T	85-17	49	M 2068 T	85- 7	10	M 2479 T	70- 3	25
M 1167 T	55- 3	8	M 1863 T	15- 7	47	M 2071 T	30- 3	4	M 2479 T	70- 4	18
M 1206 T	10- 3	11	M 1865 T	55-14	9	M 2071 T	70- 3	1	M 2485 T	70- 4	4
M 1211 T	55- 7	24	M 1866 T	55-14	10	M 2072 T	70- 3	17	M 2494 T	70- 3	50
M 1221 T	85- 3	24	M 1867 T	55-14	25	M 2078 T	70- 3	36	M 2502 T	31- 3	14
M 1249 T	60- 3	21	M 1868 T	55-14	3	M 2081 T	55- 9	41	M 2515 T	70- 3	6
M 1250 T	60- 3	21	M 1869 T	55-14	4	M 2081 T	55-11	20	M 2517 T	70- 3	10
M 1304 T	10- 9	20	M 1870 T	55-14	14	M 2083 T	70- 3	43	M 2517 T	80- 3	5
M 1306 T	65- 3	25	M 1871 T	55-14	5	M 2084 T	70- 3	28	M 2517 T	80- 5	12
M 1307 T	55-11	9	M 1873 T	55- 5	22	M 2085 T	70- 3	44	M 2521 T	30-11	28
M 1309 T	25- 7	3	M 1880 T	55- 4	19	M 2086 T	70- 3	47	M 2544 T	15- 7	43
M 1317 T	55-11	31	M 1886 T	55- 4	6	M 2090 T	70- 3	11	M 2545 T	70- 4	23
M 1321 T	55- 9	43	M 1895 T	20- 3	35	M 2092 T	70- 3	8	M 2573 T	40- 3	22
M 1323 T	55-15	8	M 1898 T	55- 9	28	M 2092 T	70- 3	54	M 2573 T	45- 9	22
M 1324 T	55-15	10	M 1926 T	30- 5	27	M 2093 T	55- 7	37	M 2576 T	10- 5	8
M 1340 T	75- 4	2	M 1926 T	30- 7	25	M 2095 T	55- 7	40	M 2599 T	90- 4	1
M 1340 T	75- 5	30	M 1926 T	31- 3	35	M 2097 T	55- 7	10	M 2615 T	55- 5	4
M 1342 T	55- 3	2	M 1930 T	70- 3	45	M 2101 T	55- 7	23	M 2616 T	55- 5	10
M 1342 T	55- 9	47	M 1937 T	55- 7	39	M 2103 T	55- 9	58	M 2620 T	55-11	7
M 1342 T	55-15	15	M 1945 T	25- 2	3	M 2104 T	55- 9	30	M 2621 T	55-11	10
M 1350 T	55- 3	21	M 1948 T	30-12	4	M 2105 T	55- 9	31	M 2624 T	55-11	11
M 1370 T	55- 3	5	M 1949 T	65- 3	17	M 2107 T	55- 4	18	M 2625 T	55-11	29
M 1370 T	55- 3	30	M 1949 T	75- 2	9	M 2108 T	55- 4	7	M 2626 T	55-11	30
M 1370 T	55- 7	28	M 1970 T	30- 8	22	M 2109 T	55- 4	14	M 2634 T	55- 5	9
M 1370 T	55-14	6	M 1970 T	30- 9	22	M 2123 T	30-10	22	M 2635 T	55- 5	11
M 1477 T	55-11	31	M 1972 T	55- 7	53	M 2133 T	25- 1	25	M 2636 T	55- 5	3
M 1482 T	85- 5	9	M 1975 T	55- 4	12	M 2133 T	25- 3	2	M 2638 T	55- 3	9
M 1482 T	85- 7	5	M 1976 T	55- 7	38	M 2133 T	25- 5	49	M 2653 T	70- 3	19
M 1501 T	80- 3	13	M 1977 T	55- 7	22	M 2137 T	55- 4	17	M 2669 T	40- 3	31
M 1511 T	25- 7	25	M 1980 T	55- 7	62	M 2138 T	55- 4	13	M 2670 T	40- 3	36
M 1518 T	60- 3	22	M 1980 T	55-15	18	M 2152 T	31- 8	16	M 2671 T	35- 3	11
M 1522 T	55- 9	3	M 1984 T	55- 9	27	M 2152 T	35- 3	35	M 2673 T	55- 5	13
M 1554 T	35- 3	24	M 1993 T	70- 4	13	M 2157 T	55- 7	63	M 2674 T	55- 5	16
M 1554 T	70- 4	6	M 1995 T	70- 3	34	M 2165 T	90- 4	1	M 2679 T	30- 3	1
M 1664 T	55- 4	2	M 1996 T	30-10	13	M 2170 T	55- 7	41	M 2711 T	30- 3	2
M 1682 T	30-12	3	M 2012 T	55- 7	58	M 2200 T	30- 3	20	M 2735 T	70- 3	49
M 1683 T	15- 5	8	M 2014 T	65- 3	26	M 2203 T	30- 3	7	M 2746 T	30-11	10
M 1689 T	30- 5	14	M 2015 T	85- 7	3	M 2206 T	30-10	9	M 2746 T	31- 3	37
M 1691 T	10- 5	6	M 2017 T	30-11	4	M 2207 T	85- 5	23	M 2773 T	15-13	38
M 1696 T	30-10	16	M 2018 T	30- 3	34	M 2207 T	85-19	11	M 2834 T	45- 3	34
M 1699 T	70- 3	38	M 2018 T	65- 3	34	M 2212 T	30- 3	13	M 2834 T	55- 5	24
M 1701 T	70- 3	15	M 2023 T	30- 3	8	M 2222 T	65- 3	36	M 2837 T	40- 3	40
M 1702 T	70- 3	29	M 2034 T	65- 3	20	M 2282 T	60- 3	27	M 2837 T	45- 2	10
M 1703 T	70- 3	13	M 2035 T	65- 3	16	M 2283 T	60- 3	26	M 2838 T	40- 3	6
M 1709 T	15- 5	13	M 2036 T	65- 3	18	M 2291 T	50- 3	25	M 2838 T	45- 9	6
M 1709 T	15- 5	23	M 2037 T	65- 3	29	M 2300 T	60- 3	6	M 2839 T	40- 3	7
M 1711 T	30-12	5	M 2038 T	30- 3	34	M 2308 T	15-13	5	M 2839 T	45- 9	7
M 1716 T	55- 5	7	M 2038 T	65- 3	34	M 2308 T	15-13	11	M 2851 T	55- 4	5
M 1735 T	65- 3	40	M 2041 T	55- 9	55	M 2343 T	30- 5	2	M 2856 T	31- 1	5
M 1744 T	70- 3	39	M 2047 T	50- 3	23	M 2343 T	30- 7	2	M 2876 T	70- 4	19
M 1746 T	10- 3	31	M 2049 T	65- 3	22	M 2345 T	30- 3	18	M 2915 T	30-11	5
M 1746 T	55- 7	29	M 2050 T	30-10	5	M 2345 T	30- 3	27	M 2916 T	30-11	9
M 1756 T	65- 3	27	M 2051 T	30-10	5	M 2346 T	30- 3	19	M 2987 T	85-19	21
M 1769 T	55-14	7	M 2052 T	30-10	5	M 2346 T	30- 3	26	M 2988 T	90- 3	1
M 1781 T	65- 3	14	M 2053 T	30-10	12	M 2347 T	30- 2	25	M 3036 T	10- 7	26
M 1784 T	30-10	4	M 2054 T	30-10	12	M 2347 T	30- 3	16	M 3038 T	20- 4	9
M 1785 T	30-10	14	M 2055 T	30-10	12	M 2347 T	31- 1	3	M 3039 T	20- 4	27
M 1786 T	30-11	28	M 2056 T	30- 5	43	M 2348 T	31- 1	4	M 3043 T	10- 5	4
M 1800 T	30-11	16	M 2056 T	30- 7	41	M 2353 T	30-11	8	M 3044 T	10- 5	3

NUMERICAL INDEX
Tractor -- 440 Industrial Wheel-Type

95-7

Part No.	Page Key	Part No.	Page Key	Part No.	Page Key	Part No.	Page Key
M 3045 T	20- 4 5	M 3228 T	55- 9 35	M 3580 T	60- 5 7	M 4209 T	30- 7 37
M 3046 T	20- 4 6	M 3230 T	65- 3 37	M 3583 T	35- 3 47	M 4209 T	31- 3 51
M 3047 T	20- 4 3	M 3231 T	55- 9 23	M 3584 T	30- 5 15	M 4210 T	30- 8 15
M 3047 T	90- 2 1	M 3232 T	55- 9 24	M 3590 T	30- 5 29	M 4211 T	30- 8 20
M 3048 T	20- 4 4	M 3233 T	65- 3 39	M 3590 T	30- 7 27	M 4223 T	45- 3 16
M 3049 T	55-11 33	M 3234 T	65- 3 45	M 3590 T	31- 3 39	M 4224 T	45- 3 29
M 3055 T	20- 4 11	M 3244 T	10- 7 30	M 3636 T	25- 1 12	M 4225 T	45- 3 19
M 3056 T	20- 4 25	M 3244 T	40- 3 43	M 3648 T	31- 3 27	M 4226 T	45- 2 7
M 3057 T	15- 7 48	M 3244 T	55- 5 27	M 3649 T	31- 3 25	M 4227 T	45- 3 18
M 3057 T	20- 4 13	M 3245 T	55- 7 65	M 3651 T	31- 3 14	M 4228 T	45- 3 17
M 3059 T	20- 3 30	M 3246 T	55- 3 6	M 3658 T	31- 3 42	M 4229 T	45- 3 17
M 3061 T	20- 4 16	M 3247 T	55- 3 5	M 3659 T	31- 3 17	M 4230 T	45- 3 17
M 3065 T	90- 2 1	M 3249 T	55- 3 28	M 3659 T	90- 4 1	M 4231 T	45- 2 8
M 3066 T	10- 7 6	M 3250 T	55- 3 7	M 3660 T	31- 3 19	M 4232 T	45- 3 40
M 3066 T	90- 2 1	M 3251 T	55- 3 19	M 3665 T	25- 7 2	M 4233 T	45- 3 39
M 3066 T	90- 3 1	M 3265 T	55- 7 36	M 3724 T	35- 3 48	M 4234 T	45- 3 21
M 3106 T	20- 3 2	M 3265 T	55- 9 46	M 3799 T	15- 3 1	M 4235 T	45- 3 36
M 3107 T	20- 3 14	M 3265 T	55-11 26	M 3802 T	90- 3 1	M 4236 T	45- 3 37
M 3108 T	20- 3 9	M 3266 T	55- 7 35	M 3828 T	55-15 11	M 4237 T	45- 3 35
M 3109 T	20- 3 1	M 3266 T	55- 9 44	M 3874 T	30- 2 10	M 4238 T	45- 3 38
M 3109 T	90- 2 1	M 3267 T	55- 9 32	M 3880 T	10- 5 4	M 4239 T	45- 3 33
M 3109 T	90- 3 1	M 3268 T	55- 9 34	M 3881 T	10- 5 4	M 4240 T	45- 3 32
M 3111 T	20- 4 19	M 3271 T	55- 4 10	M 3882 T	10- 5 4	M 4241 T	45- 3 27
M 3112 T	10- 5 33	M 3272 T	55- 5 23	M 3883 T	10- 5 4	M 4242 T	45- 2 12
M 3114 T	10- 5 21	M 3284 T	10- 7 24	M 3957 T	15- 3 1	M 4243 T	45- 3 15
M 3120 T	20- 3 23	M 3285 T	15- 4 14	M 3958 T	30- 8 8	M 4244 T	45- 2 1
M 3120 T	20- 4 24	M 3287 T	10- 7 20	M 3958 T	30- 9 8	M 4244 T	45- 9 15
M 3123 T	15- 7 27	M 3288 T	10- 7 12	M 3967 T	30- 8 17	M 4245 T	45- 2 11
M 3124 T	35- 3 34	M 3289 T	10- 7 11	M 3967 T	30- 9 17	M 4246 T	45- 2 5
M 3124 T	90- 4 1	M 3295 T	15- 7 36	M 3977 T	30- 8 25	M 4247 T	45- 3 31
M 3125 T	35- 3 36	M 3297 T	65- 3 16	M 3983 T	60- 3 20	M 4258 T	30- 2 18
M 3126 T	35- 3 46	M 3298 T	10- 3 43	M 3985 T	30- 8 21	M 4259 T	30- 5 44
M 3126 T	90- 4 1	M 3298 T	10- 3 47	M 3985 T	30- 9 21	M 4259 T	30- 7 42
M 3127 T	35- 3 13	M 3299 T	10- 7 21	M 3993 T	15- 2 9	M 4259 T	31- 3 57
M 3127 T	70- 4 2	M 3315 T	40- 3 38	M 3993 T	15-11 3	M 4260 T	30- 5 38
M 3129 T	35- 3 3	M 3318 T	30- 2 1	M 3994 T	15- 2 12	M 4260 T	30- 7 36
M 3132 T	35- 3 33	M 3331 T	55-11 5	M 3995 T	10- 7 27	M 4260 T	31- 3 50
M 3133 T	35- 3 33	M 3332 T	65- 3 2	M 4039 T	55-11 2	M 4261 T	30- 5 38
M 3139 T	70- 4 14	M 3340 T	15-13 37	M 4062 T	30-12 17	M 4261 T	30- 7 36
M 3140 T	70- 4 12	M 3348 T	55-11 35	M 4088 T	55-11 12	M 4261 T	31- 3 50
M 3143 T	30- 2 24	M 3352 T	55- 3 6	M 4089 T	55-11 8	M 4262 T	30- 5 38
M 3143 T	30- 3 23	M 3366 T	10- 3 44	M 4090 T	55-11 6	M 4262 T	30- 7 36
M 3144 T	30- 3 6	M 3366 T	15- 9 9	M 4098 T	15- 3 14	M 4262 T	31- 3 50
M 3149 T	70- 4 3	M 3370 T	55- 7 52	M 4099 T	55- 9 10	M 4263 T	30- 5 42
M 3150 T	55- 7 64	M 3375 T	55- 7 31	M 4111 T	30- 8 12	M 4263 T	30- 7 40
M 3150 T	55- 9 9	M 3376 T	55- 9 48	M 4112 T	30- 8 16	M 4263 T	31- 3 54
M 3150 T	55-11 4	M 3377 T	55- 9 50	M 4118 T	45- 3 4	M 4264 T	30- 9 12
M 3153 T	10- 7 33	M 3378 T	55- 9 5	M 4119 T	45- 3 5	M 4265 T	30- 9 16
M 3154 T	10- 7 32	M 3388 T	90- 3 1	M 4121 T	45- 3 7	M 4266 T	30- 8 10
M 3156 T	10- 7 38	M 3403 T	15- 2 24	M 4122 T	45- 3 6	M 4266 T	30- 9 10
M 3159 T	35- 3 8	M 3403 T	15- 3 13	M 4124 T	45- 3 13	M 4267 T	30- 9 25
M 3159 T	90- 4 1	M 3413 T	30- 2 13	M 4125 T	45- 3 9	M 4268 T	30- 5 8
M 3168 T	55- 4 21	M 3414 T	10- 7 34	M 4126 T	45- 3 10	M 4270 T	30- 7 13
M 3169 T	55- 4 8	M 3419 T	35- 3 28	M 4128 T	30- 8 18	M 4270 T	31- 3 13
M 3170 T	55- 7 48	M 3419 T	60- 5 2	M 4128 T	30- 9 18	M 4271 T	30- 7 11
M 3171 T	30- 3 12	M 3435 T	15- 3 1	M 4142 T	60- 3 12	M 4271 T	31- 3 10
M 3189 T	55- 3 15	M 3438 T	15- 3 4	M 4145 T	60- 3 11	M 4278 T	30- 5 28
M 3189 T	55-14 17	M 3438 T	15- 3 5	M 4146 T	80- 3 14	M 4278 T	30- 7 26
M 3190 T	55- 3 14	M 3449 T	35- 3 10	M 4147 T	80- 3 15	M 4284 T	30- 8 5
M 3190 T	55-14 16	M 3450 T	35- 3 10	M 4150 T	10- 5 34	M 4284 T	30- 9 5
M 3191 T	55-14 20	M 3451 T	35- 3 10	M 4195 T	30- 7 8	M 4320 T	50- 3 13
M 3192 T	55- 3 17	M 3452 T	10- 5 4	M 4195 T	31- 3 7	M 4322 T	50- 3 15
M 3192 T	55-14 19	M 3454 T	10- 7 27	M 4197 T	30- 7 10	M 4323 T	50- 3 4
M 3209 T	30- 2 17	M 3489 T	35- 3 38	M 4197 T	31- 3 9	M 4337 T	30- 8 1
M 3210 T	35- 3 21	M 3491 T	90- 3 1	M 4202 T	30- 5 40	M 4338 T	30- 9 1
M 3210 T	35- 3 23	M 3499 T	85- 5 17	M 4202 T	30- 7 38	M 4339 T	30-12 18
M 3210 T	70- 4 21	M 3500 T	31- 3 21	M 4202 T	31- 3 52	M 4376 T	50- 3 13
M 3217 T	70- 4 11	M 3501 T	31- 3 44	M 4203 T	30- 9 20	M 4377 T	40- 3 30
M 3218 T	20- 3 7	M 3502 T	31- 3 18	M 4204 T	30- 9 15	M 4400 T	15-13 42
M 3218 T	20- 4 10	M 3505 T	30- 5 17	M 4205 T	30- 5 24	M 4402 T	15-13 44
M 3219 T	20- 4 26	M 3505 T	30- 7 15	M 4205 T	30- 7 22	M 4404 T	15-13 4
M 3219 T	90- 2 1	M 3534 T	31- 3 4	M 4206 T	30- 5 41	M 4404 T	15-13 12
M 3219 T	90- 3 1	M 3546 T	31- 3 24	M 4209 T	30- 5 39	M 4407 T	55- 9 12

NUMERICAL INDEX Tractor -- 440 Industrial Wheel-Type

Part No.	Page	Key	Part No.	Page	Key	Part No.	Page	Key	Part No.	Page	Key
M 4422 T	55-	9 39	R 11115 R	85-	18 2	T 10197 T	25-	5 38	T 10473 T	25-	7 9
M 4428 T	55-	9 42	R 11167 R	85-	18 17	T 10198 T	25-	5 41	T 10474 T	10-	3 45
M 4428 T	55-	11 21	R 11168 R	85-	18 3	T 10199 T	25-	5 36	T 10475 T	60-	5 2
M 4429 T	55-	9 38	R 11169 R	85-	18 4	T 10200 T	25-	5 33	T 10476 T	10-	3 41
M 4429 T	55-	11 17	R 11170 R	85-	18 1	T 10201 T	25-	5 29	T 10480 T	75-	5 4
M 4430 T	55-	7 42	R 26552 R	40-	3 21	T 10201 T	25-	5 58	T 10481 T	75-	5 5
M 4431 T	55-	9 36	R 26552 R	45-	9 21	T 10203 T	25-	5 52	T 10510 T	60-	4 6
M 4431 T	55-	11 15	R 27182 R	15-	13 24	T 10205 T	25-	3 4	T 10511 T	60-	4 9
M 4439 T	35-	3 36	R 27423 R	55-	13 38	T 10206 T	25-	3 12	T 10518 T	15-	13 6
M 4440 T	35-	3 7	R 28794 R	15-	4 2	T 10207 T	25-	3 23	T 10527 T	55-	3 10
			R 32007 R	10-	9 21	T 10208 T	25-	3 21	T 10528 T	55-	3 29
			R 32007 R	85-	2 2	T 10211 T	25-	3 7	T 10531 T	55-	3 3
			R 32007 R	85-	3 4	T 10214 T	25-	5 26	T 10532 T	55-	3 23
			R 32007 R	85-	3 19	T 10217 T	25-	5 39	T 10535 T	55-	7 67
			R 32007 R	85-	3 31	T 10218 T	25-	5 53	T 10538 T	55-	5 29
			R 32007 R	85-	19 24	T 10221 T	30-	7 5	T 10539 T	55-	4 20
			R 32007 R	85-	19 28	T 10222 T	30-	5 5	T 10541 T	45-	10 4
			R 32008 R	85-	3 10	T 10244 T	15-	7 14	T 10542 T	45-	10 1
			R 32008 R	85-	3 15	T 10247 T	30-	5 7	T 10543 T	45-	7 31
			R 32008 R	85-	4 16	T 10247 T	30-	7 7	T 10543 T	45-	10 13
			R 32016 R	10-	9 21	T 10247 T	31-	3 6	T 10551 T	75-	5 27
			R 32016 R	85-	2 2	T 10293 T	15-	7 5	T 10552 T	45-	10 12
			R 32016 R	85-	3 4	T 10294 T	15-	7 2	T 10553 T	40-	3 15
			R 32016 R	85-	3 19	T 10295 T	15-	7 11	T 10554 T	20-	3 26
			R 32016 R	85-	3 31	T 10296 T	15-	7 15	T 10556 T	55-	7 11
			R 32016 R	85-	19 28	T 10297 T	15-	7 18	T 10557 T	55-	7 14
			R 32017 R	85-	3 10	T 10298 T	15-	7 24	T 10558 T	55-	7 25
			R 32017 R	85-	3 15	T 10306 T	50-	3 21	T 10560 T	25-	3 30
			R 32017 R	85-	4 16	T 10308 T	15-	13 19	T 10564 T	45-	4 12
			R 32018 R	10-	9 21	T 10309 T	25-	1 7	T 10566 T	45-	4 13
			R 32018 R	85-	3 19	T 10313 T	55-	7 8	T 10566 T	45-	5 8
			R 32022 R	85-	19 24	T 10314 T	55-	7 9	T 10567 T	45-	3 12
			R 32026 R	85-	2 2	T 10337 T	85-	11 52	T 10567 T	45-	4 10
			R 32026 R	85-	3 31	T 10337 T	85-	15 43	T 10567 T	45-	5 5
			R 32026 R	85-	19 28	T 10341 T	25-	3 28	T 10577 T	25-	5 13
			R 32622 R	20-	4 8	T 10342 T	15-	7 1	T 10578 T	25-	5 24
			R 34324 R	50-	3 19	T 10343 T	25-	3 27	T 10579 T	25-	5 23
			R 35645 R	40-	3 35	T 10344 T	25-	3 15	T 10580 T	25-	5 47
						T 10345 T	25-	3 14	T 10581 T	25-	5 10
						T 10346 T	25-	3 26	T 10582 T	25-	5 11
						T 10350 T	75-	5 33	T 10583 T	25-	5 20
						T 10354 T	25-	3 13	T 10584 T	25-	5 28
						T 10355 T	85-	5 1	T 10585 T	25-	5 17
						T 10356 T	85-	5 6	T 10586 T	25-	5 21
						T 10366 T	75-	5 25	T 10587 T	25-	5 18
						T 10367 T	40-	3 37	T 10588 T	25-	5 19
						T 10368 T	50-	3 12	T 10589 T	25-	5 16
						T 10369 T	15-	2 4	T 10590 T	25-	5 22
						T 10371 T	75-	4 19	T 10591 T	25-	5 27
						T 10374 T	15-	7 6	T 10592 T	30-	12 14
						T 10379 T	75-	4 5	T 10601 T	25-	3 29
						T 10383 T	25-	7 4	T 10604 T	55-	9 43
						T 10384 T	35-	3 29	T 10604 T	55-	11 22
						T 10384 T	60-	5 1	T 10608 T	55-	11 24
						T 10385 T	50-	3 24	T 10610 T	15-	7 44
						T 10387 T	60-	3 7	T 10611 T	15-	13 29
						T 10399 T	25-	2 14	T 10612 T	85-	3 8
						T 10400 T	25-	2 16	T 10617 T	75-	4 1
						T 10401 T	25-	1 2	T 10669 T	90-	2 1
						T 10402 T	25-	2 6	T 10671 T	75-	5 26
						T 10403 T	25-	2 4	T 10674 T	45-	4 14
						T 10407 T	75-	1 8	T 10674 T	45-	5 7
						T 10408 T	75-	1 16	T 10675 T	45-	4 15
						T 10416 T	60-	3 17	T 10675 T	45-	5 1
						T 10417 T	40-	3 32	T 10676 T	45-	4 16
						T 10427 T	75-	4 16	T 10676 T	45-	5 4
						T 10428 T	75-	5 24	T 10729 T	50-	3 21
						T 10429 T	75-	4 8	T 10732 T	15-	2 4
						T 10430 T	15-	4 13	T 10733 T	15-	7 36
						T 10431 T	15-	4 12	T 10741 T	15-	8 12
						T 10437 T	15-	7 45	T 10742 T	15-	8 2
						T 10442 T	75-	1 2	T 10743 T	15-	8 8
						T 10472 T	25-	7 16	T 10745 T	85-	17 39

NUMERICAL INDEX
Tractor -- 440 Industrial Wheel-Type

95-9

Part No.	Page Key	Part No.	Page Key	Part No.	Page Key	Part No.	Page Key
T 10747 T	45- 4 17	T 11148 T	15- 7 50	T 12276 T	45- 8 12	T 16917 T	65- 3 40
T 10747 T	45- 5 19	T 11170 T	10- 7 30	T 12277 T	45- 8 15	T 17608 T	30- 7 39
T 10747 T	45- 7 30	T 11203 T	75- 5 27	T 12278 T	45- 8 26	T 18045 T	80- 5 47
T 10747 T	45- 8 29	T 11206 T	75- 5 33	T 12279 T	45- 8 16	T 18099 T	85-15 7
T 10747 T	45-10 9	T 11224 T	80- 5 19	T 12280 T	45- 8 9	T 18353 T	85-17 26
T 10747 T	45-11 13	T 11225 T	80- 5 3	T 12281 T	45- 8 14	T 18450 T	30- 5 35
T 10748 T	45- 7 14	T 11226 T	80- 5 2	T 12282 T	45- 8 10	T 18450 T	30- 7 33
T 10749 T	45- 7 13	T 11227 T	80- 5 29	T 12283 T	45- 8 13	T 18450 T	30-12 10
T 10750 T	45- 7 16	T 11228 T	80- 5 31	T 12284 T	45- 8 21	T 18450 T	31- 3 47
T 10751 T	45- 7 15	T 11229 T	80- 5 17	T 12285 T	45- 8 11	T 18451 T	30- 5 35
T 10752 T	45- 7 4	T 11230 T	80- 5 27	T 12286 T	45- 8 25	T 18451 T	30- 7 33
T 10753 T	45- 7 2	T 11231 T	80- 5 25	T 12287 T	45- 8 20	T 18451 T	30-12 10
T 10754 T	45- 7 5	T 11232 T	80- 5 23	T 12288 T	45- 8 19	T 18451 T	31- 3 47
T 10755 T	45- 7 25	T 11233 T	80- 5 33	T 12289 T	45- 8 4	T 18502 T	55- 7 65
T 10756 T	45- 7 7	T 11234 T	75- 5 32	T 12290 T	45- 8 5	T 18526 T	55-11 24
T 10757 T	45- 7 22	T 11235 T	10- 3 48	T 12471 T	31- 3 59	T 18526 T	55-11 25
T 10758 T	45- 7 9	T 11235 T	10- 9 18	T 12606 T	15- 7 53	T 18536 T	55- 4 1
T 10759 T	45- 7 8	T 11266 T	55- 7 53	T 12607 T	15- 7 49	T 18536 T	70- 3 14
T 10760 T	45- 7 11	T 11267 T	55- 7 52	T 12608 T	15- 7 22	T 18592 T	30- 9 12
T 10761 T	45- 7 17	T 11268 T	75- 5 33	T 12609 T	15- 7 11	T 18609 T	30- 7 8
T 10762 T	45- 7 28	T 11268 T	90- 3 1	T 12619 T	55- 7 34	T 18609 T	30- 7 48
T 10763 T	45- 7 29	T 11297 T	55- 4 2	T 12619 T	55- 7 35	T 18609 T	31- 3 7
T 10765 T	45- 7 21	T 11321 T	30- 9 15	T 12619 T	55- 9 44	T 18609 T	31- 3 60
T 10767 T	45- 7 6	T 11330 T	40- 3 38	T 12619 T	55- 9 45	T 18710 T	85-15 22
T 10768 T	45- 7 12	T 11341 T	85- 7 3	T 12652 T	15-11 17	T 18711 T	85-15 21
T 10769 T	45- 7 27	T 11356 T	90- 2 1	T 12653 T	15-11 29	T 18712 T	85-15 4
T 10769 T	45- 8 1	T 11400 T	30- 5 23	T 12654 T	15-11 19	T 18713 T	85-15 14
T 10774 T	75- 3 4	T 11400 T	30- 7 21	T 12735 T	55- 4 8	T 18714 T	85-15 27
T 10784 T	45- 3 11	T 11400 T	31- 3 31	T 12738 T	55- 5 31	T 19037 T	65- 3 8
T 10785 T	45- 3 3	T 11423 T	50- 3 6	T 12740 T	55- 5 32	T 19279 T	55-11 29
T 10787 T	55- 7 14	T 11424 T	31- 1 5	T 12752 T	10- 3 41	T 19279 T	55-11 30
T 10789 T	50- 3 24	T 11527 T	15- 5 22	T 12752 T	10- 3 42	T 19280 T	55-11 29
T 10793 T	85-13 41	T 11534 T	15- 7 55	T 12828 T	15-13 6		
T 10793 T	85-15 32	T 11534 T	50- 3 31	T 12829 T	15-13 14		
T 10794 T	85-13 2	T 11647 T	85-17 10	T 12840 T	30- 2 21		
T 10795 T	85-13 38	T 11648 T	85-17 37	T 12840 T	90- 4 1		
T 10815 T	31- 3 21	T 11649 T	85-17 8	T 12842 T	85-17 44		
T 10859 T	15- 7 59	T 11650 T	85-17 20	T 12867 T	10- 3 49		
T 10862 T	50- 3 12	T 11662 T	85-18 11	T 12868 T	85-17 4		
T 10877 T	31- 3 41	T 11694 T	25- 7 31	T 12869 T	85-17 36		
T 10878 T	31- 3 40	T 11695 T	25- 7 32	T 12915 T	50- 3 22		
T 10880 T	80- 5 42	T 11696 T	25- 7 35	T 13119 T	55- 9 44		
T 10881 T	80- 5 45	T 11697 T	25- 7 34	T 13119 T	55- 9 45		
T 10887 T	80- 5 11	T 11698 T	25- 7 36	T 13119 T	55-11 24		
T 10896 T	15- 7 14	T 11699 T	25- 7 37	T 13119 T	55-11 25		
T 10897 T	31- 3 38	T 11700 T	25- 7 28	T 13119 T	55- 7 34		
T 10903 T	15- 7 53	T 11701 T	25- 7 29	T 13119 T	55- 7 35		
T 10905 T	15- 7 51	T 11716 T	50- 3 8	T 13213 T	10- 3 32		
T 10910 T	50- 3 21	T 11717 T	50- 3 32	T 13213 T	55-11 28		
T 10917 T	35- 3 10	T 11968 T	10- 3 42	T 13213 T	55- 7 30		
T 10918 T	35- 3 10	T 11970 T	15- 3 16	T 13213 T	90- 2 1		
T 10919 T	35- 3 10	T 11999 T	30- 5 7	T 13228 T	55- 7 57		
T 10949 T	50- 3 22	T 11999 T	30- 7 7	T 13257 T	25- 3 26		
T 10951 T	50- 3 24	T 11999 T	30- 7 8	T 13275 T	50- 3 22		
T 11008 T	25- 3 5	T 11999 T	31- 3 6	T 13642 T	45- 7 16		
T 11008 T	25- 3 6	T 11999 T	31- 3 7	T 13838 T	15- 7 27		
T 11009 T	15- 7 10	T 12000 T	30- 7 48	T 14668 T	90- 3 1		
T 11010 T	15- 7 2	T 12000 T	31- 3 60	T 15478 T	45- 3 5		
T 11010 T	15- 7 5	T 12001 T	30- 7 8	T 15756 T	30- 8 10		
T 11011 T	15- 7 2	T 12001 T	31- 3 7	T 15756 T	30- 9 10		
T 11011 T	15- 7 5	T 12016 T	85- 3 23	T 15996 T	31- 3 21		
T 11033 T	75- 3 4	T 12191 T	15-13 2	T 16005 T	31- 3 38		
T 11087 T	75- 5 32	T 12264 T	45-11 15	T 16005 T	31- 3 39		
T 11088 T	75- 5 31	T 12265 T	45-11 1	T 16006 T	31- 3 38		
T 11089 T	75- 5 29	T 12266 T	45-11 9	T 16006 T	31- 3 39		
T 11092 T	25- 3 4	T 12267 T	45-11 8	T 16267 T	30- 8 17		
T 11093 T	25- 3 12	T 12269 T	45- 5 17	T 16267 T	30- 9 17		
T 11094 T	25- 3 12	T 12270 T	45- 5 16	T 16270 T	55- 9 48		
T 11094 T	25- 3 13	T 12271 T	45- 8 24	T 16316 T	45- 3 5		
T 11113 T	15- 7 49	T 12272 T	45- 8 23	T 16318 T	45- 3 4		
T 11130 T	25- 5 13	T 12273 T	45- 8 22	T 16572 T	55-14 12		
T 11131 T	25- 5 47	T 12274 T	45- 8 28	T 16916 T	65- 3 35		
T 11133 T	25- 5 18	T 12275 T	45- 8 2	T 16917 T	65- 3 35		

