

# Fax Transmission

# Lindapter North America, Inc

3924A Varsity Drive, Ann Arbor, MI 48108  
Tel: (734) 677 – 2305 Fax: (734) 677 – 2339  
e-mail: jaustin@lindapterna.com

**To:** Veratex

**Date:** August 9, 2005

**Attn:** Claude Simon

**Email:** claudesimon@planttel.net

**Tel#:** (912) 529 – 4800

**From:** John Austin

**Pages:** 3, including this.

**Ref:** 050810

Dear Claude:

Thank you for your recent inquiry for Lindapter Steelwork Connections. Further to our recent conversation, we have pleasure in enclosing our drawing D050810 showing our proposed connection. Based on the supply of the stated quantities, we have pleasure in quoting as follows:

**Part#**

**LGC050810**

Lindapter Girder Clamp to connect lower beam with 7" flange width and .233" flange thickness to upper beam with 6" flange width and .313 flange thickness, members crossing at 90 degrees with a 2.5° slope on the upper beam and an elevation difference between 6-1/4" and 11-1/2", utilizing 1/2" diameter rod and Lindapters, including supply of Lindapters, rod, nuts, washers and pre-drilled location plates, carrying a Safe Working Tension Load of 5,205 lbs with a Factor of Safety of 5:1 on the Lindapter components.

**Price:**

**\$107.00 per complete connection**

**Quantity:**

**4 complete connections**

**Delivery:**

Approximately 10 days from receipt of purchase order. If this lead-time is not sufficient please contact me to discuss further options.

**Terms:**

Net 30, Pre-Pay & Add with FOB Ann Arbor, MI.

**Finish:**

Lindapter components:      Electro-Galvanized  
Hardware:                      Electro-Galvanized  
Fabricated Items:              Primed

**Expiration Date:** This quotation is valid for 45 days.

**Notes:** Prior to placing order please review enclosed drawings and sign lower left hand check box to confirm that steelwork size & layout is correct.

For monorail, crane and general material handling applications please ensure that any wheel or trolley system utilizing the lower beam has sufficient clearance from the lower Lindapter components.

Lindapter North America, Inc. reserves the right to re-quote connections where alternative section sizes, load criteria and purchase quantities other than those stated are specified.

Although Lindapter North America guarantees the Safe Working Load of the Lindapter Connection, we are not responsible for the structural integrity of the existing steelwork. We recommend that a Licensed Structural Engineer be consulted to establish the capacity of the members being connected.


This quotation is based solely on the information (written and/or verbal) provided by purchaser. By accepting this quotation, purchaser acknowledges that the steelwork types and sizes, load information, layout information and all other information provided on our drawing number D050810 has been reviewed and is acceptable. If required an electronic copy of our enclosed drawing(s) can be e-mailed for your attention.

If you have further questions regarding this or other Lindapter products and applications please do not hesitate to contact me.

Best Regards

**John M. Austin**  
Lindapter North America

[A]



View On A:A

[A]

Rev#	Comments	Date
	Checked for quotation: Name: _____ Date: _____	
	Checked for processing: Name: _____ Date: _____	
	Customer Signature of Approval Name: _____ Date: _____	

<b>Indapter</b>	<b>CUSTOMER : Veratex</b>
<b>North America</b>	<b>DATE. 08/09/05</b>
3924A Varsity Drive, Ann Arbor, Michigan 48108 Phone: (734) 677-2305 Fax: (734) 677-2339	<b>Rev#: 0</b>
	<b>DRAWN BY: JMA</b>
	<b>PART#: LGG050810</b>
	<b>SCALE. N-T-S</b>
	<b>DRG No. D050810</b>