

Veratex Inc.
254 Fifth Ave.
New York, NY 10001-6406

Phone: 212-683-9300

Fax#: 212-889-5573

D Y E O R D E R

To: REBTEX, INC.
40 INDUSTRIAL PARKWAY
SOMERVILLE, NJ 08876

Date: 04/01/2014

Dye Order Number: 19328

Special Instructions: 1) SCOUR, AND HEAT SET PADDED
WITH MELAMINE RESIN, NO
SILICONE, AVOID BOW&SKEW

2) Do Not window Pane
[Resin build up in the
hole opening]

Finish Type and Hand: FIRM(MELAMINE RESIN) AS Sample

Finished Style	Color	Color Number	C.P.I.	W.P.I.
V11405	WHITE		17	16

Frame Width	Greige Yield	Finished Weight	Greige Style
3X48"OPEN		.8opsy	V10010

Put Up	Date	Knitter	Shipped	Yarn Description
500 YDS 2"OPEN	03/28/2014	NEWR	20/1 SD BW POLY	20/1 SD BW POLY

SUBMIT LAB DIP (Y/N): NO

SUBMIT HEAD END (Y/N): YES
TO:

AND TO: VERATEX INC.

use the following greige pieces:

Code	Style	Case	Piece	Lbs	Code	Style	Case	Piece	Lbs	Code	Style	Case	Piece	Lbs
45015	V10010	16-4125	85.00	45015	V10010	16-4126	85.00							

TOTAL GREIGE LBS: 170.00

- 3) watch Hand, need to be stiff but not boardy
- 4) opening Sizes: 800 - 845u
- 5) weight .8 opsy
- 6) Please double bags.
- 7) Need 4 finished samples 1/2 yds
from different roll and advise
Roll#

DODENHOFF INDUSTRIAL TEXTILES, INC.
28045 Ranney Parkway Westlake, OH USA 44145
Voice: 440-892-5511 FAX: 440-892-0387
Web: www.dodenhoff.com



March 7, 2014

VERATEX INC.
Attn: Claude
254 Fifth Avenue, 3rd Floor
New York NY 10001

Dear Claude:

As discussed, enclosed is a sample of the 20 denier monofilament polyester tulle that has the correct diamond shaped openings. Specifications are as follows:

Count/Inch:	17 x 16.5
Opening Sizes:	800 - 845 μ
Weight:	0.8 opsy
Thickness:	0.007"
Width:	Best [60" preferred]
Roll Lengths:	500 yards

Best regards,

A handwritten signature in black ink that reads "Ellen E. Moltz".
Ellen E. Moltz
email: emoltz@dodenhoff.com

Enclosure

DODENHOFF INDUSTRIAL TEXTILES, INC.

28045 Ranney Parkway Westlake, OH USA 44145

Voice: 440-892-5511

FAX: 440-892-0387

Web: www.dodenhoff.com

DIT

April 25, 2013

Mr. Lance Whitaker
VERATEX, INC.
254 Fifth Avenue, 3rd Floor
New York NY 10001-6406

Dear Lance:


Enclosed are two mesh knit samples.

20 Tulle: 20 denier polyester tulle. Very stable construction. Currently used for some milk filters. We have been advised that the thickness, hole openings and mullen burst strength on this fabric works very well. The standard 15 denier nylon [bridal veil] tulle is too weak. [35 psi on the polyester and only 10 - 12 psi on the nylon]. The thickness on this fabric is 7 mils [.007"].

40 den Hex Stitch: This is a sample that we received from a company that is no longer in business. The hex stitch construction provides similar hole opening sizes to the 20 Tulle. However it is much stronger and is thicker at 11 mils [.011"]. This sample is included to show the hex stitch construction,

The 20 denier PE Tulle may require a huge minimum order since that fiber is not routinely used in these types of constructions. Would there be a smaller minimum order quantity using a 15 denier nylon in the stronger hex stitch construction?

Best regards,


Ellen E. Moltz
email: emoltz@dodenhoff.com

Enclosures

7/16 10:00?

THURSDAY DENNIS MARION / DODENHOFF (7/12/12)

Lance Whitaker

From: Ellen Moltz <emoltz@dodenhoff.com>
To: Lance Whitaker <lance@fairlane.biz>
Sent: Friday, June 29, 2012 11:31 AM
Subject: Sample

Dear Lance:

I need to send that 20 denier polyester tulle sample to you in New York?

Customer has finally completed prototype testing and is ready to send out samples. We have enough inventory for the initial set of orders, but need to get updated price, minimum order quantity based on the specs shown below. It has to be polyester and not nylon due to chemical compatibility reasons. And, we need the very thin 20 denier yarns constructed in the mesh matrix to maintain a maximum thickness and still have the correct hole openings.

Yarns: 20 denier monofilament polyester

Construction: Tulle [Mesh Knit]

Count / Inch: 17 x 16.5

Opening Sizes: 800 - 845 μ

Opening Shape: Diamond

Weight: 0.8 oz / sq yd

THICKNESS: 0.007"

Width: 54" or 62" [ADVISE BEST AVAILABLE]

FINISH: RETIN & HEATSET

FYI, they used the larger openings of this fabric and the thickness no greater than 0.010". We also sent a sample of the style V11301 [59-22412], and the openings were too small at only 275 - 300 μ . We also sent a sample of the standard 800 μ 20 denier polyester [marquisette] knit [square openings], but the fabric is too thick at 0.0125"

ADVISE BEST PRICE, MINIMUM ORDER QUANTITY AND OPTIMUM WIDTH.

Best regards,
 Ellen Moltz
 Dodenhoff Industrial Textiles, Inc.
 28045 Kinsley Parkway
 Westlake, OH 44145
 Voice: 440-892-6511
 FAX: 440-892-0557
 email: emoltz@dodenhoff.com

Also, I am not sure if we have the correct fabric for the prototype.

USAGE

TARGET

← Bally Asf
 3/13/k1

INVOICE

INVOICE DATE	INVOICE NUMBER
04/11/14	457540

REBTEX, INC.
40 INDUSTRIAL PKWY
SOMERVILLE, NJ 08876

TERMS: NET CASH. NO DISCOUNT ALLOWED.
ALL REDYES AT OWNERS RISK.

SOLD TO:

VERATEX, INC.
PO BOX 682
NEW YORK NY
10108

SHIPPED TO:

WILL ADVISE

00000

DATE SHIPPED	WORK ORDER NO.	CUSTOMER ORDER NO.		STYLE	COLOR	CUT WIDTH
04/11/14	528112	19328		V11405 V10010	WHITE	3X48" OPEN
CARTON NO.	PIECE NUMBER	GREIG WEIGHT	NET WEIGHT	YARDS		B/L #
	16-4125/01	85.00	170.00	500		
	16-4125/02	.00	.00	500		
	16-4125/03	.00	.00	500		
	16-4125/04	.00	.00	500		
	16-4125/05	.00	.00	500		
	16-4125/06	.00	.00	500		
	16-4126/01	85.00	.00	500		
	16-4126/02	.00	.00	500		
	16-4126/03	.00	.00	500		
	16-4126/04	.00	.00	500		
	16-4126/05	.00	.00	500		
	16-4126/06	.00	.00	500		
DOUBLE BAG 12 BAGS @ \$.60/EACH						
7.20						
TOTAL		170.00	170.00	6000	6000 @ .2467 YD	1,480.20
					12 TUBE @ 1.9500 EA	23.40
TUBES & PLASTIC						
1,510.80						

PLEASE 40 INDUSTRIAL PKWY
REMIT
TO SOMERVILLE, NJ 08876

ALL CLAIMS MUST BE MADE IN WRITING. NO CLAIMS ALLOWED UNLESS MADE
WITHIN 5 DAYS. POSITIVELY NO CLAIMS RECOGNIZED OR ALLOWANCE MADE
AFTER GOODS ARE CUT.

DUPLICATE INVOICE

PAY THIS
AMOUNT ►

REBTEX, INC.
40 INDUSTRIAL PKWY
SOMERVILLE NJ 08876

DATE	CUSTOMER ORDER NO.
04/11/14	19328

SOLD TO:

VERATEX, INC.
PO BOX 682
NEW YORK NY

10108

SHIP TO:

900997
WILL ADVISE

68

00000

DESCRIPTION	MILL	STYLE	COLOR	COLOR REF #
POLYESTER		V11405	WHITE	

MILL STYLE	CUT WIDTH	FRAME	FINISH	BEAM YL	B/L #	SHIPPED VIA	DATE SHIPPED
V10010	3X48" OPEN		STIFF	.000	0		04/11/1

PUT UP SCOUR & HEAT SET PADDED WITH
MELAMINE RESIN NO SILICONE AVOID
BOW & SKEW WATCH HAND NEEDS TO BE

** ACTUAL YLD***= 11.765

L M D

LINE NO.	CTN./BALE NO.	PIECE NUMBER	CODE	GR. WEIGHT	SHIPWEIGHT	YARDS	LOCATION	YIELD
01		16-4125/01	5281120101	85.00	170.00	500		500
01		16-4125/02	5281120102	.00	.00	500		500
01		16-4125/03	5281120103	.00	.00	500		500
01		16-4125/04	5281120104	.00	.00	500		500
01		16-4125/05	5281120105	.00	.00	500		500
01		16-4125/06	5281120106	.00	.00	500		500
02		16-4126/01	5281120201	85.00	.00	500		500
02		16-4126/02	5281120202	.00	.00	500		500
02		16-4126/03	5281120203	.00	.00	500		500
02		16-4126/04	5281120204	.00	.00	500		500
02		16-4126/05	5281120205	.00	.00	500		500
02		16-4126/06	5281120206	.00	.00	500		500

TOTAL GROSS WEIGHT 170.00
TOTAL SHIP WEIGHT 170.00
TOTAL YARDS 6000

SHIPPING MEMO

Veratex Lot:	SPECIFICATION	19328	19328
Mill Lot:		528112	528112
Test Date:		4/18/14	4/18/14
Roll Number:	0104 [16-4125][004]	0201 [16-4126][001]	
Panes / Inch:	17.0 x 16.5	14.0 x 17.6	15.3 x 18.0
Width [Overall]	48/49"	48 1/2"	48 3/8"
Opening Shape:	Diamond	Marquisette [Elongated Diamond]	Marquisette [Elongated Diamond]
Opening Size [Rating]:	800 - 850 μ	1,068 μ x 965 μ	959 μ x 973 μ
Thickness [inches]:	.007" [Max]	.0061"	.0061"
Hand:	Stiff	Stiff	Stiff
Skew/Bow:	None	None	None